

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
 Data File : BF085897.D
 Acq On : 30 Mar 2016 20:21
 Operator : UM/SJ
 Sample : H2027-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GRID-18COMP

Quant Time: Mar 31 04:24:00 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 30 12:31:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	102293	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	410540	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	168708	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	283468	20.00	ng	-0.01
75) Chrysene-d12	13.96	240	203656	20.00	ng	-0.01
86) Perylene-d12	15.37	264	206200	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	792807	129.08	ng	0.00
7) Phenol-d6	6.44	99	1120561	143.49	ng	-0.01
23) Nitrobenzene-d5	7.36	82	633417	86.89	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	230215	143.62	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1042806	103.27	ng	0.00
78) Terphenyl-d14	12.91	244	694945	70.18	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.56	163	177727	13.89	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
Data File : BF085897.D
Acq On : 30 Mar 2016 20:21
Operator : UM/SJ
Sample : H2027-05
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GRID-18COMP

Quant Time: Mar 31 04:24:00 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 30 12:31:18 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 395

Delta R.T. -0.00 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21

Instrument :

BNA_F

ClientSampleId :

GRID-18COMP


Tgt Ion:152 Resp: 102293

Ion Ratio Lower Upper

152 100

150 154.6 124.2 186.2




115 53.6 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 129.08 ng

RT: 5.40 min Scan# 272

Delta R.T. -0.00 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21


Tgt Ion:112 Resp: 792807

Ion Ratio Lower Upper

112 100

64 56.4 39.9 59.9



63 28.7 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.49 ng

RT: 6.44 min Scan# 363

Delta R.T. -0.01 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21

Instrument :

BNA_F

ClientSampleId :

GRID-18COMP


Tgt Ion: 99 Resp: 1120561

Ion Ratio Lower Upper

99 100

42 16.1 11.1 16.7




71 33.1 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 507

Delta R.T. -0.01 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21

Tgt Ion: 136 Resp: 410540


Ion Ratio Lower Upper

136 100

137 11.2 9.1 13.7

54 7.8 7.4 11.0

68 6.2 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 86.89 ng
 RT: 7.36 min Scan# 444
 Delta R.T. -0.01 min
 Lab File: BF085897.D
 Acq: 30 Mar 2016 20:21




Instrument :
 BNA_F
 ClientSampleId :
 GRID-18COMP


Tgt Ion: 82 Resp: 633417
 Ion Ratio Lower Upper
 82 100
 128 42.8 41.8 62.8
 54 47.3 33.4 50.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 661
 Delta R.T. -0.00 min
 Lab File: BF085897.D
 Acq: 30 Mar 2016 20:21

Tgt Ion: 164 Resp: 168708
 Ion Ratio Lower Upper
 164 100
 162 104.6 82.1 123.1
 160 49.1 37.4 56.2









#41
 2,4,6-Tribromophenol
 Concen: 143.62 ng
 RT: 10.63 min Scan# 730
 Delta R.T. -0.00 min
 Lab File: BF085897.D
 Acq: 30 Mar 2016 20:21

Instrument :
 BNA_F
 ClientSampleId :
 GRID-18COMP

Tgt Ion:330 Resp: 230215
 Ion Ratio Lower Upper
 330 100
 332 96.8 78.2 117.2
 141 35.3 31.5 47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.27 ng
 RT: 9.17 min Scan# 602
 Delta R.T. -0.00 min
 Lab File: BF085897.D
 Acq: 30 Mar 2016 20:21

Tgt Ion:172 Resp: 1042806
 Ion Ratio Lower Upper
 172 100
 171 35.4 29.4 44.2
 170 24.0 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.89 ng

RT: 9.56 min Scan# 636

Delta R.T. -0.01 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21

Instrument :

BNA_F

ClientSampleId :

GRID-18COMP


Tgt Ion:163 Resp: 177727

Ion Ratio Lower Upper

163 100

194 3.3 2.9 4.3




164 10.1 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 790

Delta R.T. -0.01 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21


Tgt Ion:188 Resp: 283468

Ion Ratio Lower Upper

188 100

94 12.7 5.4 8.0#



80 13.4 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.96 min Scan# 1021

Delta R.T. -0.01 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21

Instrument :

BNA_F

ClientSampleId :

GRID-18COMP


Tgt Ion:240 Resp: 203656

Ion Ratio Lower Upper

240 100

120 10.2 13.8 20.8#




236 26.2 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.18 ng

RT: 12.91 min Scan# 929

Delta R.T. -0.00 min

Lab File: BF085897.D

Acq: 30 Mar 2016 20:21


Tgt Ion:244 Resp: 694945

Ion Ratio Lower Upper

244 100

212 7.5 6.1 9.1



122 13.3 10.2 15.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.37 min Scan# 1145
Delta R.T. -0.00 min
Lab File: BF085897.D
Acq: 30 Mar 2016 20:21

Instrument :
BNA_F
ClientSampleId :
GRID-18COMP

Tgt Ion: 264 Resp: 206200
Ion Ratio Lower Upper
264 100
260 24.6 19.4 29.2
265 21.3 17.2 25.8

