

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
 Data File : BF085899.D
 Acq On : 30 Mar 2016 21:18
 Operator : UM/SJ
 Sample : H2023-05
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-5

Quant Time: Mar 31 04:30:19 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 30 12:31:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	104127	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	426110	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	182603	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	308355	20.00	ng	-0.01
75) Chrysene-d12	13.96	240	220803	20.00	ng	-0.01
86) Perylene-d12	15.37	264	220540	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	816054	130.52	ng	0.00
7) Phenol-d6	6.44	99	1119798	140.87	ng	-0.01
23) Nitrobenzene-d5	7.36	82	657586	86.90	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	238199	137.30	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1093137	100.02	ng	0.00
78) Terphenyl-d14	12.91	244	681017	63.43	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.56	163	202117	14.59	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
Data File : BF085899.D
Acq On : 30 Mar 2016 21:18
Operator : UM/SJ
Sample : H2023-05
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-5

Quant Time: Mar 31 04:30:19 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 30 12:31:18 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.80 min Scan# 395
Delta R.T. -0.00 min
Lab File: BF085899.D
Acq: 30 Mar 2016 21:18

Instrument :
BNA_F
ClientSampleId :
B-5

Tgt Ion:152 Resp: 104127
Ion Ratio Lower Upper
152 100
150 153.8 124.2 186.2
115 53.7 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 130.52 ng
RT: 5.40 min Scan# 272
Delta R.T. -0.00 min
Lab File: BF085899.D
Acq: 30 Mar 2016 21:18

Tgt Ion:112 Resp: 816054
Ion Ratio Lower Upper
112 100
64 56.8 39.9 59.9
63 28.9 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 140.87 ng

RT: 6.44 min Scan# 363

Delta R.T. -0.01 min

Lab File: BF085899.D

Acq: 30 Mar 2016 21:18

Instrument :

BNA_F

ClientSampleId :

B-5


Tgt Ion: 99 Resp: 1119798

Ion Ratio Lower Upper

99 100

42 15.8 11.1 16.7




71 33.5 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 507

Delta R.T. -0.01 min

Lab File: BF085899.D

Acq: 30 Mar 2016 21:18

Tgt Ion: 136 Resp: 426110


Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 7.6 7.4 11.0

68 6.1 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 86.90 ng
 RT: 7.36 min Scan# 444
 Delta R.T. -0.01 min
 Lab File: BF085899.D
 Acq: 30 Mar 2016 21:18




Instrument :
 BNA_F
 ClientSampleId :
 B-5


Tgt Ion: 82 Resp: 657586
 Ion Ratio Lower Upper
 82 100
 128 42.4 41.8 62.8
 54 47.3 33.4 50.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 661
 Delta R.T. -0.00 min
 Lab File: BF085899.D
 Acq: 30 Mar 2016 21:18

Tgt Ion: 164 Resp: 182603
 Ion Ratio Lower Upper
 164 100
 162 105.5 82.1 123.1
 160 49.8 37.4 56.2









#41
 2,4,6-Tribromophenol
 Concen: 137.30 ng
 RT: 10.63 min Scan# 730
 Delta R.T. -0.00 min
 Lab File: BF085899.D
 Acq: 30 Mar 2016 21:18

Instrument :
 BNA_F
 ClientSampleId :
 B-5

Tgt Ion:330 Resp: 238199
 Ion Ratio Lower Upper
 330 100
 332 97.6 78.2 117.2
 141 35.9 31.5 47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.02 ng
 RT: 9.17 min Scan# 602
 Delta R.T. -0.00 min
 Lab File: BF085899.D
 Acq: 30 Mar 2016 21:18

Tgt Ion:172 Resp: 1093137
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.4 44.2
 170 24.4 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.59 ng

RT: 9.56 min Scan# 636

Delta R.T. -0.01 min

Lab File: BF085899.D

Acq: 30 Mar 2016 21:18

Instrument :

BNA_F

ClientSampleId :

B-5


Tgt Ion:163 Resp: 202117

Ion Ratio Lower Upper

163 100

194 3.3 2.9 4.3




164 10.3 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 790

Delta R.T. -0.01 min

Lab File: BF085899.D

Acq: 30 Mar 2016 21:18


Tgt Ion:188 Resp: 308355

Ion Ratio Lower Upper

188 100

94 12.2 5.4 8.0#



80 13.1 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.96 min Scan# 1021
Delta R.T. -0.01 min
Lab File: BF085899.D
Acq: 30 Mar 2016 21:18




Instrument :
BNA_F
ClientSampleId :
B-5


Tgt Ion:240 Resp: 220803
Ion Ratio Lower Upper
240 100
120 11.3 13.8 20.8#
236 26.8 20.6 30.8



#78
Terphenyl-d14
Concen: 63.43 ng
RT: 12.91 min Scan# 929
Delta R.T. -0.00 min
Lab File: BF085899.D
Acq: 30 Mar 2016 21:18

Tgt Ion:244 Resp: 681017
Ion Ratio Lower Upper
244 100
212 7.5 6.1 9.1
122 12.1 10.2 15.4








#86
Perylene-d12
Concen: 20.00 ng
RT: 15.37 min Scan# 1145
Delta R.T. -0.00 min
Lab File: BF085899.D
Acq: 30 Mar 2016 21:18

Instrument :
BNA_F
ClientSampleId :
B-5

Tgt Ion: 264 Resp: 220540
Ion Ratio Lower Upper
264 100
260 24.2 19.4 29.2
265 21.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E



Time-->