

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
 Data File : BF085911.D
 Acq On : 31 Mar 2016 4:53
 Operator : UM/SJ
 Sample : H2049-06
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EAST-SIDE-WALL-8BGL

Quant Time: Mar 31 05:23:56 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 30 12:31:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	98089	20.00	ng	0.00
21) Naphthalene-d8	8.08	136	395216	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	166771	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	279994	20.00	ng	-0.01
75) Chrysene-d12	13.96	240	197412	20.00	ng	-0.01
86) Perylene-d12	15.37	264	194782	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	845946	143.63	ng	0.00
7) Phenol-d6	6.44	99	1046407	139.74	ng	-0.01
23) Nitrobenzene-d5	7.36	82	655149	93.35	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	251194	158.53	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1115257	111.73	ng	0.00
78) Terphenyl-d14	12.91	244	739782	77.07	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.56	163	116479	9.21	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033016\
Data File : BF085911.D
Acq On : 31 Mar 2016 4:53
Operator : UM/SJ
Sample : H2049-06
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EAST-SIDE-WALL-8BGL

Quant Time: Mar 31 05:23:56 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 30 12:31:18 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 395

Delta R.T. -0.00 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Instrument :

BNA_F

ClientSampleId :

EAST-SIDE-WALL-8BGL


Tgt Ion:152 Resp: 98089

Ion Ratio Lower Upper

152 100

150 155.3 124.2 186.2




115 54.1 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 143.63 ng

RT: 5.40 min Scan# 272

Delta R.T. -0.00 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53


Tgt Ion:112 Resp: 845946

Ion Ratio Lower Upper

112 100

64 55.2 39.9 59.9



63 28.0 20.2 30.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 139.74 ng

RT: 6.44 min Scan# 363

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Instrument :

BNA_F

ClientSampleId :

EAST-SIDE-WALL-8BGL





Tgt Ion: 99 Resp: 1046407

Ion Ratio Lower Upper

99 100

42 15.5 11.1 16.7

71 33.2 24.9 37.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 507

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Tgt Ion: 136 Resp: 395216




Ion Ratio Lower Upper


136 100

137 11.1 9.1 13.7

54 7.2 7.4 11.0#

68 5.9 5.8 8.8





#23

Nitrobenzene-d5

Concen: 93.35 ng

RT: 7.36 min Scan# 444

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Instrument :

BNA_F

ClientSampleId :

EAST-SIDE-WALL-8BGL


Tgt Ion: 82 Resp: 655149

Ion Ratio Lower Upper




82 100

128 42.9 41.8 62.8

54 46.2 33.4 50.0



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.84 min Scan# 661

Delta R.T. -0.00 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53


Tgt Ion: 164 Resp: 166771

Ion Ratio Lower Upper



164 100


162 105.5 82.1 123.1

160 49.1 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): B
Ion 162.00 (161.70 to 162.70): B
Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 158.53 ng
 RT: 10.63 min Scan# 730
 Delta R.T. -0.00 min
 Lab File: BF085911.D
 Acq: 31 Mar 2016 4:53

Instrument :
 BNA_F
 ClientSampleId :
 EAST-SIDE-WALL-8BGL

Tgt Ion:330 Resp: 251194
 Ion Ratio Lower Upper
 330 100
 332 97.5 78.2 117.2
 141 34.8 31.5 47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 111.73 ng
 RT: 9.17 min Scan# 602
 Delta R.T. -0.00 min
 Lab File: BF085911.D
 Acq: 31 Mar 2016 4:53

Tgt Ion:172 Resp: 1115257
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.4 44.2
 170 24.1 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 9.21 ng

RT: 9.56 min Scan# 636

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Instrument :

BNA_F

ClientSampleId :

EAST-SIDE-WALL-8BGL


Tgt Ion:163 Resp: 116479

Ion Ratio Lower Upper

163 100

194 3.3 2.9 4.3




164 9.6 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 790

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53


Tgt Ion:188 Resp: 279994

Ion Ratio Lower Upper

188 100

94 11.8 5.4 8.0#



80 12.3 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.96 min Scan# 1021

Delta R.T. -0.01 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53

Instrument :

BNA_F

ClientSampleId :

EAST-SIDE-WALL-8BGL


Tgt Ion:240 Resp: 197412

Ion Ratio Lower Upper

240 100

120 10.1 13.8 20.8#

236 26.2 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

250000

200000

150000

100000

50000

0



13.96

13.90

14.00

14.10

Time-->



#78

Terphenyl-d14

Concen: 77.07 ng

RT: 12.91 min Scan# 929

Delta R.T. -0.00 min

Lab File: BF085911.D

Acq: 31 Mar 2016 4:53


Tgt Ion:244 Resp: 739782

Ion Ratio Lower Upper

244 100

212 7.4 6.1 9.1

122 11.7 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

1000000

800000

600000

400000

200000

0


12.91


12.80

12.90

13.00

Time-->






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.37 min Scan# 1145
Delta R.T. -0.00 min
Lab File: BF085911.D
Acq: 31 Mar 2016 4:53

Instrument :
BNA_F
ClientSampleId :
EAST-SIDE-WALL-8BGL

Tgt Ion: 264 Resp: 194782
Ion Ratio Lower Upper
264 100
260 24.4 19.4 29.2
265 21.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

