

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033115\
 Data File : BF078124.D
 Acq On : 31 Mar 2015 20:03
 Operator : TP/IZ
 Sample : G1698-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 Z2-0117

Quant Time: Apr 01 00:24:21 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 01 00:51:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.05	152	42777	20.00	ng	0.00
21) Naphthalene-d8	8.62	136	173118	20.00	ng	0.00
38) Acenaphthene-d10	10.79	164	88130	20.00	ng	0.00
63) Phenanthrene-d10	12.63	188	184443	20.00	ng	0.00
75) Chrysene-d12	15.91	240	184279	20.00	ng	0.01
86) Perylene-d12	17.67	264	165379	20.00	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	140198	57.21	ng	0.00
7) Phenol-d6	6.64	99	104252	34.43	ng	0.00
23) Nitrobenzene-d5	7.74	82	257138	97.37	ng	0.00
41) 2,4,6-Tribromophenol	11.77	330	105425	125.03	ng	0.00
44) 2-Fluorobiphenyl	9.97	172	559186	93.25	ng	0.00
78) Terphenyl-d14	14.63	244	631811	83.75	ng	0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033115\
Data File : BF078124.D
Acq On : 31 Mar 2015 20:03
Operator : TP/IZ
Sample : G1698-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
Z2-0117

Quant Time: Apr 01 00:24:21 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 01 00:51:03 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.05 min Scan# 539

Delta R.T. 0.00 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03

Instrument :

BNA_F

ClientSampleId :

Z2-0117


Tgt Ion:152 Resp: 42777

Ion Ratio Lower Upper

152 100

150 153.7 119.5 179.3



115 55.3 43.0 64.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 57.21 ng

RT: 5.33 min Scan# 389

Delta R.T. 0.00 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03


Tgt Ion:112 Resp: 140198

Ion Ratio Lower Upper

112 100

64 51.8 38.6 57.8



63 25.9 19.3 28.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 34.43 ng

RT: 6.64 min Scan# 503

Delta R.T. 0.00 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03

Instrument :

BNA_F

ClientSampleId :

Z2-0117


Tgt Ion: 99 Resp: 104252

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.4




71 28.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.62 min Scan# 677

Delta R.T. 0.00 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03

Tgt Ion: 136 Resp: 173118


Ion Ratio Lower Upper

136 100

137 10.4 8.7 13.1

54 5.5 4.6 6.8

68 4.4 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 97.37 ng
 RT: 7.74 min Scan# 600
 Delta R.T. 0.00 min
 Lab File: BF078124.D
 Acq: 31 Mar 2015 20:03

Instrument :
 BNA_F
 ClientSampleId :
 Z2-0117

Tgt Ion: 82 Resp: 257138
 Ion Ratio Lower Upper
 82 100
 128 50.6 32.8 49.2#
 54 44.4 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.79 min Scan# 866
 Delta R.T. 0.00 min
 Lab File: BF078124.D
 Acq: 31 Mar 2015 20:03

Tgt Ion: 164 Resp: 88130
 Ion Ratio Lower Upper
 164 100
 162 103.2 82.4 123.6
 160 43.4 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 125.03 ng
 RT: 11.77 min Scan# 952
 Delta R.T. 0.00 min
 Lab File: BF078124.D
 Acq: 31 Mar 2015 20:03

Instrument :
 BNA_F
 ClientSampleId :
 Z2-0117

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.8	0.0	0.0#
141	39.9	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 93.25 ng
 RT: 9.97 min Scan# 795
 Delta R.T. 0.00 min
 Lab File: BF078124.D
 Acq: 31 Mar 2015 20:03

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.5	42.7
170	22.9	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.63 min Scan# 1027
Delta R.T. 0.00 min
Lab File: BF078124.D
Acq: 31 Mar 2015 20:03

Instrument :
BNA_F
ClientSampled :
Z2-0117

Tgt Ion:188 Resp: 184443
Ion Ratio Lower Upper
188 100
94 8.4 8.7 13.1#
80 8.6 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.91 min Scan# 1314
Delta R.T. 0.01 min
Lab File: BF078124.D
Acq: 31 Mar 2015 20:03

Tgt Ion:240 Resp: 184279
Ion Ratio Lower Upper
240 100
120 11.5 8.2 12.2
236 24.9 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.75 ng

RT: 14.63 min Scan# 1202

Delta R.T. 0.01 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03

Instrument :

BNA_F

ClientSampleId :

Z2-0117


Tgt Ion:244 Resp: 631811

Ion Ratio Lower Upper

244 100

212 6.3 4.9 7.3




122 8.6 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.67 min Scan# 1468

Delta R.T. 0.06 min

Lab File: BF078124.D

Acq: 31 Mar 2015 20:03


Tgt Ion:264 Resp: 165379

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 21.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

