

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
 Data File : BF078139.D
 Acq On : 1 Apr 2015 5:01
 Operator : TP/IZ
 Sample : G1703-17
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S-9(0-10)

Quant Time: Apr 01 05:47:40 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 01 00:51:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.05	152	42351	20.00	ng	0.00
21) Naphthalene-d8	8.62	136	170048	20.00	ng	0.00
38) Acenaphthene-d10	10.78	164	88206	20.00	ng	0.00
63) Phenanthrene-d10	12.62	188	169498	20.00	ng	0.00
75) Chrysene-d12	15.91	240	171320	20.00	ng	0.01
86) Perylene-d12	17.64	264	154144	20.00	ng	0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	217090	89.47	ng	-0.01
7) Phenol-d6	6.64	99	280168	93.46	ng	0.00
23) Nitrobenzene-d5	7.74	82	154809	59.68	ng	0.00
41) 2,4,6-Tribromophenol	11.77	330	63557	75.31	ng	0.00
44) 2-Fluorobiphenyl	9.97	172	333559	55.57	ng	0.00
78) Terphenyl-d14	14.61	244	402760	57.43	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
Data File : BF078139.D
Acq On : 1 Apr 2015 5:01
Operator : TP/IZ
Sample : G1703-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S-9(0-10)

Quant Time: Apr 01 05:47:40 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 01 00:51:03 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.05 min Scan# 539
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01




Instrument :
 BNA_F
 ClientSampleId :
 S-9(0-10)


Tot Ion:152 Resp: 42351
 Ion Ratio Lower Upper
 152 100
 150 157.0 119.5 179.3
 115 53.3 43.0 64.4



#5
 2-Fluorophenol
 Concen: 89.47 ng
 RT: 5.32 min Scan# 388
 Delta R.T. -0.01 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Tgt Ion:112 Resp: 217090
 Ion Ratio Lower Upper
 112 100
 64 60.1 38.6 57.8#
 63 30.9 19.3 28.9#





#7

Phenol-d6

Concen: 93.46 ng

RT: 6.64 min Scan# 503

Delta R.T. -0.00 min

Lab File: BF078139.D

Acq: 1 Apr 2015 5:01

Instrument :

BNA_F

ClientSampled :

S-9(0-10)


Tot Ion: 99 Resp: 280168

Ion Ratio Lower Upper




99 100

42 12.5 11.0 16.4

71 27.7 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.62 min Scan# 677

Delta R.T. -0.00 min

Lab File: BF078139.D

Acq: 1 Apr 2015 5:01

Tgt Ion: 136 Resp: 170048


Ion Ratio Lower Upper

136 100



137 10.6 8.7 13.1


54 5.3 4.6 6.8

68 4.2 3.7 5.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 59.68 ng
 RT: 7.74 min Scan# 600
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Instrument :
 BNA_F
 ClientSampleId :
 S-9(0-10)

Tot Ion: 82 Resp: 154809
 Ion Ratio Lower Upper
 82 100
 128 55.8 32.8 49.2#
 54 42.5 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.78 min Scan# 866
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Tgt Ion:164 Resp: 88206
 Ion Ratio Lower Upper
 164 100
 162 104.0 82.4 123.6
 160 44.7 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 75.31 ng
 RT: 11.77 min Scan# 952
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Instrument :
 BNA_F
 ClientSampleId :
 S-9(0-10)

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	0.0	0.0#
141	37.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 55.57 ng
 RT: 9.97 min Scan# 795
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.5	42.7
170	23.6	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.62 min Scan# 1027
Delta R.T. -0.00 min
Lab File: BF078139.D
Acq: 1 Apr 2015 5:01

Instrument :
BNA_F
ClientSampleId :
S-9(0-10)

Tot Ion:188 Resp: 169498
Ion Ratio Lower Upper
188 100
94 7.6 8.7 13.1#
80 7.9 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.91 min Scan# 1314
Delta R.T. 0.01 min
Lab File: BF078139.D
Acq: 1 Apr 2015 5:01

Tgt Ion:240 Resp: 171320
Ion Ratio Lower Upper
240 100
120 9.3 8.2 12.2
236 25.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 57.43 ng
 RT: 14.61 min Scan# 1201
 Delta R.T. -0.00 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Instrument :
 BNA_F
 ClientSampleId :
 S-9(0-10)

Tot Ion:244 Resp: 402760
 Ion Ratio Lower Upper
 244 100
 212 6.9 4.9 7.3
 122 14.9 6.2 9.4#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.64 min Scan# 1466
 Delta R.T. 0.03 min
 Lab File: BF078139.D
 Acq: 1 Apr 2015 5:01

Tgt Ion:264 Resp: 154144
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.6 27.8
 265 21.4 17.3 25.9

