

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
 Data File : BF078142.D
 Acq On : 1 Apr 2015 6:27
 Operator : TP/IZ
 Sample : G1704-05
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S-13(0-10)

Quant Time: Apr 01 07:05:38 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 01 00:51:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.05	152	41230	20.00	ng	0.00
21) Naphthalene-d8	8.62	136	170791	20.00	ng	0.00
38) Acenaphthene-d10	10.78	164	86451	20.00	ng	0.00
63) Phenanthrene-d10	12.63	188	167360	20.00	ng	0.00
75) Chrysene-d12	15.89	240	161180	20.00	ng	0.00
86) Perylene-d12	17.59	264	151682	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	215724	91.33	ng	0.00
7) Phenol-d6	6.64	99	285205	97.73	ng	0.00
23) Nitrobenzene-d5	7.74	82	153088	58.76	ng	0.00
41) 2,4,6-Tribromophenol	11.77	330	63320	76.55	ng	0.00
44) 2-Fluorobiphenyl	9.96	172	302990	51.51	ng	-0.01
78) Terphenyl-d14	14.61	244	360775	54.68	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
Data File : BF078142.D
Acq On : 1 Apr 2015 6:27
Operator : TP/IZ
Sample : G1704-05
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S-13(0-10)

Quant Time: Apr 01 07:05:38 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 01 00:51:03 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.05 min Scan# 539
Delta R.T. -0.00 min
Lab File: BF078142.D
Acq: 1 Apr 2015 6:27

Instrument :
BNA_F
ClientSampleId :
S-13(0-10)

Tot Ion:152 Resp: 41230
Ion Ratio Lower Upper
152 100
150 154.8 119.5 179.3
115 53.1 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 91.33 ng
RT: 5.33 min Scan# 389
Delta R.T. -0.00 min
Lab File: BF078142.D
Acq: 1 Apr 2015 6:27

Tgt Ion:112 Resp: 215724
Ion Ratio Lower Upper
112 100
64 50.1 38.6 57.8
63 25.2 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 97.73 ng

RT: 6.64 min Scan# 503

Delta R.T. -0.00 min

Lab File: BF078142.D

Acq: 1 Apr 2015 6:27

Instrument :

BNA_F

ClientSampleId :

S-13(0-10)


Tot Ion: 99 Resp: 285205

Ion Ratio Lower Upper

99 100

42 13.6 11.0 16.4




71 29.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.62 min Scan# 677

Delta R.T. -0.00 min

Lab File: BF078142.D

Acq: 1 Apr 2015 6:27

Tgt Ion: 136 Resp: 170791


Ion Ratio Lower Upper

136 100

137 9.9 8.7 13.1

54 5.4 4.6 6.8

68 4.2 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 58.76 ng
 RT: 7.74 min Scan# 600
 Delta R.T. -0.00 min
 Lab File: BF078142.D
 Acq: 1 Apr 2015 6:27

Instrument :
 BNA_F
 ClientSampleId :
 S-13(0-10)

Tot Ion: 82 Resp: 153088
 Ion Ratio Lower Upper
 82 100
 128 53.7 32.8 49.2#
 54 42.3 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.78 min Scan# 866
 Delta R.T. -0.00 min
 Lab File: BF078142.D
 Acq: 1 Apr 2015 6:27

Tgt Ion:164 Resp: 86451
 Ion Ratio Lower Upper
 164 100
 162 104.0 82.4 123.6
 160 43.9 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 76.55 ng
 RT: 11.77 min Scan# 952
 Delta R.T. -0.00 min
 Lab File: BF078142.D
 Acq: 1 Apr 2015 6:27

Instrument :
 BNA_F
 ClientSampleId :
 S-13(0-10)

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	0.0	0.0#
141	35.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 51.51 ng
 RT: 9.96 min Scan# 794
 Delta R.T. -0.01 min
 Lab File: BF078142.D
 Acq: 1 Apr 2015 6:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.6	28.5	42.7
170	24.2	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.63 min Scan# 1027
Delta R.T. -0.00 min
Lab File: BF078142.D
Acq: 1 Apr 2015 6:27

Instrument :
BNA_F
ClientSampleId :
S-13(0-10)

Tot Ion:188 Resp: 167360
Ion Ratio Lower Upper
188 100
94 7.3 8.7 13.1#
80 6.9 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.89 min Scan# 1313
Delta R.T. -0.00 min
Lab File: BF078142.D
Acq: 1 Apr 2015 6:27

Tgt Ion:240 Resp: 161180
Ion Ratio Lower Upper
240 100
120 11.2 8.2 12.2
236 25.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 54.68 ng

RT: 14.61 min Scan# 1201

Delta R.T. -0.00 min

Lab File: BF078142.D

Acq: 1 Apr 2015 6:27

Instrument :

BNA_F

ClientSampleId :

S-13(0-10)


Tot Ion:244 Resp: 360775

Ion Ratio Lower Upper

244 100

212 6.5 4.9 7.3




122 12.3 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.59 min Scan# 1461

Delta R.T. -0.02 min

Lab File: BF078142.D

Acq: 1 Apr 2015 6:27


Tgt Ion:264 Resp: 151682

Ion Ratio Lower Upper

264 100

260 23.6 18.6 27.8

265 21.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

