

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
 Data File : BF078144.D
 Acq On : 1 Apr 2015 7:24
 Operator : TP/IZ
 Sample : G1704-09
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S-15(0-10)

Quant Time: Apr 01 08:09:53 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 01 00:51:03 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.05	152	37177	20.00	ng	0.00
21) Naphthalene-d8	8.62	136	153144	20.00	ng	0.00
38) Acenaphthene-d10	10.79	164	76424	20.00	ng	0.00
63) Phenanthrene-d10	12.63	188	148510	20.00	ng	0.00
75) Chrysene-d12	15.91	240	147297	20.00	ng	0.01
86) Perylene-d12	17.67	264	138433	20.00	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	230414	108.18	ng	0.00
7) Phenol-d6	6.64	99	304358	115.66	ng	0.00
23) Nitrobenzene-d5	7.74	82	163598	70.03	ng	0.00
41) 2,4,6-Tribromophenol	11.77	330	70325	96.18	ng	0.00
44) 2-Fluorobiphenyl	9.97	172	346662	66.66	ng	0.00
78) Terphenyl-d14	14.61	244	380352	63.07	ng	0.00
Target Compounds						
49) Dimethylphthalate	10.48	163	11392	2.01	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF033115\
Data File : BF078144.D
Acq On : 1 Apr 2015 7:24
Operator : TP/IZ
Sample : G1704-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S-15(0-10)

Quant Time: Apr 01 08:09:53 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF031115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 01 00:51:03 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.05 min Scan# 539
Delta R.T. 0.00 min
Lab File: BF078144.D
Acq: 1 Apr 2015 7:24

Instrument :
BNA_F
ClientSampleId :
S-15(0-10)




Tot Ion:152 Resp: 37177
Ion Ratio Lower Upper
152 100
150 153.3 119.5 179.3
115 54.1 43.0 64.4




#5

2-Fluorophenol
Concen: 108.18 ng
RT: 5.33 min Scan# 389
Delta R.T. 0.00 min
Lab File: BF078144.D
Acq: 1 Apr 2015 7:24

Tgt Ion:112 Resp: 230414
Ion Ratio Lower Upper
112 100
64 50.2 38.6 57.8
63 24.6 19.3 28.9





#7

Phenol-d6

Concen: 115.66 ng

RT: 6.64 min Scan# 503

Delta R.T. 0.00 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24

Instrument :

BNA_F

ClientSampleId :

S-15(0-10)


Tot Ion: 99 Resp: 304358

Ion Ratio Lower Upper

99 100

42 13.3 11.0 16.4




71 28.6 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.62 min Scan# 677

Delta R.T. 0.00 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24

Tgt Ion: 136 Resp: 153144


Ion Ratio Lower Upper

136 100

137 10.6 8.7 13.1

54 5.3 4.6 6.8

68 4.2 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 70.03 ng
 RT: 7.74 min Scan# 600
 Delta R.T. 0.00 min
 Lab File: BF078144.D
 Acq: 1 Apr 2015 7:24

Instrument :
 BNA_F
 ClientSampleId :
 S-15(0-10)

Tot Ion: 82 Resp: 163598
 Ion Ratio Lower Upper
 82 100
 128 53.0 32.8 49.2#
 54 41.0 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.79 min Scan# 866
 Delta R.T. 0.00 min
 Lab File: BF078144.D
 Acq: 1 Apr 2015 7:24

Tgt Ion:164 Resp: 76424
 Ion Ratio Lower Upper
 164 100
 162 103.4 82.4 123.6
 160 43.4 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 96.18 ng
 RT: 11.77 min Scan# 952
 Delta R.T. 0.00 min
 Lab File: BF078144.D
 Acq: 1 Apr 2015 7:24

Instrument :
 BNA_F
 ClientSampleId :
 S-15(0-10)

Tot Ion	Ratio	Lower	Upper
330	100		
332	92.7	0.0	0.0#
141	35.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 66.66 ng
 RT: 9.97 min Scan# 795
 Delta R.T. 0.00 min
 Lab File: BF078144.D
 Acq: 1 Apr 2015 7:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.1	28.5	42.7
170	22.8	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.01 ng

RT: 10.48 min Scan# 839

Delta R.T. -0.01 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24

Instrument :

BNA_F

ClientSampleId :

S-15(0-10)


Tot Ion:163 Resp: 11392

Ion Ratio Lower Upper

163 100

194 2.7 2.7 4.1




164 11.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.63 min Scan# 1027

Delta R.T. 0.00 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24


Tgt Ion:188 Resp: 148510

Ion Ratio Lower Upper

188 100

94 7.3 8.7 13.1#



80 7.8 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 15.91 min Scan# 1314

Delta R.T. 0.01 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24

Instrument :

BNA_F

ClientSampleId :

S-15(0-10)


Tot Ion:240 Resp: 147297

Ion Ratio Lower Upper

240 100

120 9.2 8.2 12.2




236 25.4 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.07 ng

RT: 14.61 min Scan# 1201

Delta R.T. 0.00 min

Lab File: BF078144.D

Acq: 1 Apr 2015 7:24


Tgt Ion:244 Resp: 380352

Ion Ratio Lower Upper

244 100

212 6.7 4.9 7.3



122 13.3 6.2 9.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 17.67 min Scan# 1468
 Delta R.T. 0.06 min
 Lab File: BF078144.D
 Acq: 1 Apr 2015 7:24

Instrument :
 BNA_F
 ClientSampleId :
 S-15(0-10)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.6	27.8
265	21.5	17.3	25.9

