

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033116\
 Data File : BF085938.D
 Acq On : 31 Mar 2016 20:19
 Operator : UM/SJ
 Sample : H1976-05
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-10

Quant Time: Apr 01 00:11:14 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 30 12:31:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	104196	20.00	ng	-0.01
21) Naphthalene-d8	8.07	136	407534	20.00	ng	-0.02
38) Acenaphthene-d10	9.83	164	182964	20.00	ng	-0.01
63) Phenanthrene-d10	11.32	188	283385	20.00	ng	-0.01
75) Chrysene-d12	13.95	240	183212	20.00	ng	-0.02
86) Perylene-d12	15.36	264	194675	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	382329	61.11	ng	-0.01
7) Phenol-d6	6.42	99	320449	40.28	ng	-0.02
23) Nitrobenzene-d5	7.36	82	705795	97.53	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	210036	120.82	ng	-0.01
44) 2-Fluorobiphenyl	9.16	172	1149777	104.99	ng	-0.01
78) Terphenyl-d14	12.89	244	642578	72.13	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.54	163	38634	2.78	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF033116\
Data File : BF085938.D
Acq On : 31 Mar 2016 20:19
Operator : UM/SJ
Sample : H1976-05
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-10

Quant Time: Apr 01 00:11:14 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF032416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 30 12:31:18 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.79 min Scan# 394
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Instrument :
 BNA_F
 ClientSampled :
 MW-10

Tgt Ion:152 Resp: 104196
 Ion Ratio Lower Upper
 152 100
 150 153.4 124.2 186.2
 115 57.2 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 61.11 ng
 RT: 5.38 min Scan# 271
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Tgt Ion:112 Resp: 382329
 Ion Ratio Lower Upper
 112 100
 64 46.9 39.9 59.9
 63 24.5 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 40.28 ng

RT: 6.42 min Scan# 362

Delta R.T. -0.02 min

Lab File: BF085938.D

Acq: 31 Mar 2016 20:19

Instrument :

BNA_F

ClientSampleId :

MW-10


Tgt Ion: 99 Resp: 320449

Ion Ratio Lower Upper

99 100

42 14.5 11.1 16.7




71 31.0 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.07 min Scan# 506

Delta R.T. -0.02 min

Lab File: BF085938.D

Acq: 31 Mar 2016 20:19

Tgt Ion: 136 Resp: 407534


Ion Ratio Lower Upper

136 100

137 11.3 9.1 13.7

54 8.4 7.4 11.0

68 7.0 5.8 8.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 97.53 ng
 RT: 7.36 min Scan# 444
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Instrument :
 BNA_F
 ClientSampleId :
 MW-10

Tgt Ion: 82 Resp: 705795
 Ion Ratio Lower Upper
 82 100
 128 51.9 41.8 62.8
 54 40.2 33.4 50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.83 min Scan# 660
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Tgt Ion: 164 Resp: 182964
 Ion Ratio Lower Upper
 164 100
 162 102.5 82.1 123.1
 160 47.9 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 120.82 ng
 RT: 10.62 min Scan# 729
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Instrument :
 BNA_F
 ClientSampleId :
 MW-10

Tgt Ion:330 Resp: 210036
 Ion Ratio Lower Upper
 330 100
 332 95.0 78.2 117.2
 141 37.4 31.5 47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 104.99 ng
 RT: 9.16 min Scan# 601
 Delta R.T. -0.01 min
 Lab File: BF085938.D
 Acq: 31 Mar 2016 20:19

Tgt Ion:172 Resp: 1149777
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.4 44.2
 170 24.5 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.78 ng

RT: 9.54 min Scan# 635

Delta R.T. -0.02 min

Lab File: BF085938.D

Acq: 31 Mar 2016 20:19

Instrument :

BNA_F

ClientSampleId :

MW-10


Tgt Ion:163 Resp: 38634

Ion Ratio Lower Upper

163 100

194 3.2 2.9 4.3




164 11.2 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 790

Delta R.T. -0.01 min

Lab File: BF085938.D

Acq: 31 Mar 2016 20:19


Tgt Ion:188 Resp: 283385

Ion Ratio Lower Upper

188 100

94 6.1 5.4 8.0



80 6.4 5.5 8.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.95 min Scan# 1020
Delta R.T. -0.02 min
Lab File: BF085938.D
Acq: 31 Mar 2016 20:19




Instrument :
BNA_F
ClientSampled :
MW-10


Tgt Ion:240 Resp: 183212
Ion Ratio Lower Upper
240 100
120 15.5 13.8 20.8
236 26.7 20.6 30.8



#78
Terphenyl-d14
Concen: 72.13 ng
RT: 12.89 min Scan# 928
Delta R.T. -0.01 min
Lab File: BF085938.D
Acq: 31 Mar 2016 20:19

Tgt Ion:244 Resp: 642578
Ion Ratio Lower Upper
244 100
212 7.7 6.1 9.1
122 14.4 10.2 15.4






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.36 min Scan# 1144
Delta R.T. -0.01 min
Lab File: BF085938.D
Acq: 31 Mar 2016 20:19

Instrument :
BNA_F
ClientSampleId :
MW-10

Tgt Ion: 264 Resp: 194675
Ion Ratio Lower Upper
264 100
260 24.3 19.4 29.2
265 21.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

