

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040115\
 Data File : BF078183.D
 Acq On : 2 Apr 2015 7:01
 Operator : TP/IZ
 Sample : G1719-05
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-106-33015

Quant Time: Apr 02 08:10:40 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 02 04:05:08 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	36350	20.00	ng	0.00
21) Naphthalene-d8	8.59	136	152493	20.00	ng	0.00
38) Acenaphthene-d10	10.76	164	72749	20.00	ng	0.00
63) Phenanthrene-d10	12.59	188	143016	20.00	ng	0.00
75) Chrysene-d12	15.86	240	149823	20.00	ng	-0.01
86) Perylene-d12	17.60	264	135945	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	147671	66.98	ng	0.00
7) Phenol-d6	6.60	99	115033	41.63	ng	0.00
23) Nitrobenzene-d5	7.71	82	229462	91.21	ng	0.00
41) 2,4,6-Tribromophenol	11.73	330	96044	159.18	ng	-0.01
44) 2-Fluorobiphenyl	9.94	172	506024	99.43	ng	0.00
78) Terphenyl-d14	14.59	244	605462	91.32	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040115\
Data File : BF078183.D
Acq On : 2 Apr 2015 7:01
Operator : TP/IZ
Sample : G1719-05
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-106-33015

Quant Time: Apr 02 08:10:40 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 02 04:05:08 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.01 min Scan# 536

Delta R.T. -0.00 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01

Instrument :

BNA_F

ClientSampleId :

DCW-WW-106-33015


Tot Ion:152 Resp: 36350

Ion Ratio Lower Upper

152 100

150 163.4 125.9 188.9




115 66.2 52.7 79.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 66.98 ng

RT: 5.30 min Scan# 386

Delta R.T. -0.00 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01


Tgt Ion:112 Resp: 147671

Ion Ratio Lower Upper

112 100

64 50.0 39.9 59.9



63 25.3 20.2 30.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 41.63 ng

RT: 6.60 min Scan# 500

Delta R.T. -0.00 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01

Instrument :

BNA_F

ClientSampleId :

DCW-WW-106-33015


Tot Ion: 99 Resp: 115033

Ion Ratio Lower Upper

99 100

42 18.0 14.8 22.2




71 32.1 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.59 min Scan# 674

Delta R.T. -0.00 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01

Tgt Ion: 136 Resp: 152493


Ion Ratio Lower Upper

136 100

137 11.3 9.0 13.4

54 7.6 7.0 10.6

68 6.2 5.4 8.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 91.21 ng
RT: 7.71 min Scan# 597
Delta R.T. -0.00 min
Lab File: BF078183.D
Acq: 2 Apr 2015 7:01




Instrument :
BNA_F
ClientSampleId :
DCW-WW-106-33015

Tot Ion: 82 Resp: 229462
Ion Ratio Lower Upper
82 100
128 39.8 31.8 47.8
54 51.1 41.5 62.3



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.76 min Scan# 864
Delta R.T. -0.00 min
Lab File: BF078183.D
Acq: 2 Apr 2015 7:01

Tgt Ion: 164 Resp: 72749
Ion Ratio Lower Upper
164 100
162 107.5 82.2 123.2
160 44.8 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 159.18 ng
 RT: 11.73 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF078183.D
 Acq: 2 Apr 2015 7:01




Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-106-33015


Tot Ion:330 Resp: 96044
 Ion Ratio Lower Upper
 330 100
 332 96.0 78.6 117.8
 141 37.3 31.2 46.8



#44
 2-Fluorobiphenyl
 Concen: 99.43 ng
 RT: 9.94 min Scan# 792
 Delta R.T. -0.00 min
 Lab File: BF078183.D
 Acq: 2 Apr 2015 7:01

Tgt Ion:172 Resp: 506024
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.6 42.8
 170 23.9 18.5 27.7









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.59 min Scan# 1024
Delta R.T. -0.00 min
Lab File: BF078183.D
Acq: 2 Apr 2015 7:01




Instrument :
BNA_F
ClientSampleId :
DCW-WW-106-33015

Tot Ion	Ratio	Lower	Upper
188	100		
94	9.2	9.0	13.4
80	10.2	9.5	14.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.86 min Scan# 1310
Delta R.T. -0.01 min
Lab File: BF078183.D
Acq: 2 Apr 2015 7:01

Tgt Ion	Ratio	Lower	Upper
240	100		
120	13.8	7.1	10.7#
236	24.9	21.4	32.2





#78

Terphenyl-d14

Concen: 91.32 ng

RT: 14.59 min Scan# 1199

Delta R.T. -0.00 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01

Instrument :

BNA_F

ClientSampleId :

DCW-WW-106-33015


Tot Ion:244 Resp: 605462

Ion Ratio Lower Upper

244 100

212 6.4 5.0 7.4




122 9.3 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.60 min Scan# 1462

Delta R.T. 0.01 min

Lab File: BF078183.D

Acq: 2 Apr 2015 7:01


Tgt Ion:264 Resp: 135945

Ion Ratio Lower Upper

264 100

260 23.7 18.6 27.8

265 21.4 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

