

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040115\
 Data File : BF078191.D
 Acq On : 2 Apr 2015 10:49
 Operator : TP/IZ
 Sample : G1734-01
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1503042884

Quant Time: Apr 02 12:52:52 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 02 04:05:08 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	37075	20.00	ng	0.00
21) Naphthalene-d8	8.59	136	150190	20.00	ng	0.00
38) Acenaphthene-d10	10.76	164	72698	20.00	ng	0.00
63) Phenanthrene-d10	12.59	188	144190	20.00	ng	0.00
75) Chrysene-d12	15.86	240	150621	20.00	ng	-0.01
86) Perylene-d12	17.54	264	141987	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	237614	105.67	ng	0.00
7) Phenol-d6	6.60	99	302394	107.31	ng	0.00
23) Nitrobenzene-d5	7.71	82	174702	70.51	ng	0.00
41) 2,4,6-Tribromophenol	11.73	330	71699	118.92	ng	-0.01
44) 2-Fluorobiphenyl	9.94	172	385462	75.79	ng	0.00
78) Terphenyl-d14	14.59	244	444188	66.64	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	10.45	163	13493	2.47	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040115\
Data File : BF078191.D
Acq On : 2 Apr 2015 10:49
Operator : TP/IZ
Sample : G1734-01
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1503042884

Quant Time: Apr 02 12:52:52 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 02 04:05:08 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.01 min Scan# 536
 Delta R.T. -0.00 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49

Instrument :
 BNA_F
 ClientSampleId :
 1503042884

Tot Ion:152 Resp: 37075
 Ion Ratio Lower Upper
 152 100
 150 157.9 125.9 188.9
 115 62.9 52.7 79.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 105.67 ng
 RT: 5.30 min Scan# 386
 Delta R.T. -0.00 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49

Tgt Ion:112 Resp: 237614
 Ion Ratio Lower Upper
 112 100
 64 51.7 39.9 59.9
 63 25.7 20.2 30.4



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 107.31 ng

RT: 6.60 min Scan# 500

Delta R.T. -0.00 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49

Instrument :

BNA_F

ClientSampleId :

1503042884





Tot Ion: 99 Resp: 302394

Ion Ratio Lower Upper

99 100

42 17.6 14.8 22.2

71 33.4 26.6 39.8



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.59 min Scan# 674

Delta R.T. -0.00 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49

Tgt Ion: 136 Resp: 150190




Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.4

54 7.6 7.0 10.6

68 6.2 5.4 8.2









#23
 Nitrobenzene-d5
 Concen: 70.51 ng
 RT: 7.71 min Scan# 597
 Delta R.T. -0.00 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49

Instrument :
 BNA_F
 ClientSampleId :
 1503042884

Tot Ion	82	Resp	174702
Ion Ratio	100	Lower	Upper
128	40.1	31.8	47.8
54	48.6	41.5	62.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.76 min Scan# 864
 Delta R.T. -0.00 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49

Tgt Ion	164	Resp	72698
Ion Ratio	100	Lower	Upper
162	106.5	82.2	123.2
160	46.7	34.7	52.1



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41

2,4,6-Tribromophenol

Concen: 118.92 ng

RT: 11.73 min Scan# 949

Delta R.T. -0.01 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49

Instrument :

BNA_F

ClientSampleId :

1503042884


Tot Ion:330 Resp: 71699

Ion Ratio Lower Upper




330 100

332 96.8 78.6 117.8

141 40.3 31.2 46.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 75.79 ng

RT: 9.94 min Scan# 792

Delta R.T. -0.00 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49


Tgt Ion:172 Resp: 385462

Ion Ratio Lower Upper



172 100


171 34.9 28.6 42.8

170 23.0 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.47 ng

RT: 10.45 min Scan# 837

Delta R.T. -0.00 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49

Instrument :

BNA_F

ClientSampleId :

1503042884


Tot Ion:163 Resp: 13493

Ion Ratio Lower Upper

163 100

194 3.3 2.3 3.5




164 9.4 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.59 min Scan# 1024

Delta R.T. -0.00 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49


Tgt Ion:188 Resp: 144190

Ion Ratio Lower Upper

188 100

94 9.3 9.0 13.4



80 9.7 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.86 min Scan# 1310
 Delta R.T. -0.01 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49




Instrument :
 BNA_F
 ClientSampleId :
 1503042884




Tot Ion:240 Resp: 150621
 Ion Ratio Lower Upper
 240 100
 120 10.7 7.1 10.7#
 236 25.3 21.4 32.2



#78
 Terphenyl-d14
 Concen: 66.64 ng
 RT: 14.59 min Scan# 1199
 Delta R.T. -0.00 min
 Lab File: BF078191.D
 Acq: 2 Apr 2015 10:49

Tgt Ion:244 Resp: 444188
 Ion Ratio Lower Upper
 244 100
 212 6.0 5.0 7.4
 122 7.2 7.1 10.7





#86

Pervlene-d12

Concen: 20.00 ng

RT: 17.54 min Scan# 1457

Delta R.T. -0.05 min

Lab File: BF078191.D

Acq: 2 Apr 2015 10:49

Instrument :

BNA_F

ClientSampleId :

1503042884

Tot Ion:264 Resp: 141987

Ion Ratio Lower Upper

264 100

260 23.1 18.6 27.8

265 20.7 17.0 25.6

