

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040215\
 Data File : BF078208.D
 Acq On : 2 Apr 2015 19:15
 Operator : TP/IZ
 Sample : G1710-10
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 W-22

Quant Time: Apr 03 00:17:22 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 03 00:57:15 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	41721	20.00	ng	0.00
21) Naphthalene-d8	8.59	136	169919	20.00	ng	0.00
38) Acenaphthene-d10	10.76	164	85113	20.00	ng	0.00
63) Phenanthrene-d10	12.59	188	166284	20.00	ng	0.00
75) Chrysene-d12	15.87	240	169030	20.00	ng	-0.01
86) Perylene-d12	17.62	264	166321	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	133943	52.93	ng	0.01
7) Phenol-d6	6.60	99	102694	32.38	ng	0.00
23) Nitrobenzene-d5	7.71	82	234494	83.65	ng	-0.01
41) 2,4,6-Tribromophenol	11.74	330	100139	141.86	ng	0.00
44) 2-Fluorobiphenyl	9.94	172	505967	84.97	ng	0.00
78) Terphenyl-d14	14.59	244	575697	76.96	ng	0.00
Target Compounds						
49) Dimethylphthalate	10.45	163	13909	2.18	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040215\
Data File : BF078208.D
Acq On : 2 Apr 2015 19:15
Operator : TP/IZ
Sample : G1710-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
W-22

Quant Time: Apr 03 00:17:22 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 03 00:57:15 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.01 min Scan# 536

Delta R.T. 0.00 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15

Instrument :

BNA_F

ClientSampleId :

W-22


Tgt Ion:152 Resp: 41721

Ion Ratio Lower Upper

152 100

150 163.5 125.9 188.9




115 69.0 52.7 79.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 52.93 ng

RT: 5.30 min Scan# 386

Delta R.T. 0.01 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15


Tgt Ion:112 Resp: 133943

Ion Ratio Lower Upper

112 100

64 49.4 39.9 59.9



63 24.6 20.2 30.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 32.38 ng

RT: 6.60 min Scan# 500

Delta R.T. 0.00 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15

Instrument :

BNA_F

ClientSampleId :

W-22


Tgt Ion: 99 Resp: 102694

Ion Ratio Lower Upper




99 100

42 16.6 14.8 22.2

71 31.0 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.59 min Scan# 674

Delta R.T. 0.00 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15

Tgt Ion: 136 Resp: 169919


Ion Ratio Lower Upper

136 100



137 10.7 9.0 13.4


54 8.0 7.0 10.6

68 6.0 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 83.65 ng
 RT: 7.71 min Scan# 597
 Delta R.T. -0.01 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Instrument :
 BNA_F
 ClientSampleId :
 W-22

Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.3	31.8	47.8
54	50.2	41.5	62.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.76 min Scan# 864
 Delta R.T. 0.00 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.5	82.2	123.2
160	45.8	34.7	52.1



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 141.86 ng
 RT: 11.74 min Scan# 950
 Delta R.T. 0.00 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Instrument :
 BNA_F
 ClientSampleId :
 W-22

Tgt Ion:330 Resp: 100139
 Ion Ratio Lower Upper
 330 100
 332 95.4 78.6 117.8
 141 37.6 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.97 ng
 RT: 9.94 min Scan# 792
 Delta R.T. 0.00 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Tgt Ion:172 Resp: 505967
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.6 42.8
 170 23.3 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.18 ng

RT: 10.45 min Scan# 837

Delta R.T. -0.01 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15

Instrument :

BNA_F

ClientSampleId :

W-22


Tgt Ion:163 Resp: 13909

Ion Ratio Lower Upper

163 100

194 3.5 2.3 3.5#




164 9.6 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.59 min Scan# 1024

Delta R.T. 0.00 min

Lab File: BF078208.D

Acq: 2 Apr 2015 19:15


Tgt Ion:188 Resp: 166284

Ion Ratio Lower Upper

188 100

94 10.5 9.0 13.4



80 11.3 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.87 min Scan# 1311
 Delta R.T. -0.01 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15




Instrument :
 BNA_F
 ClientSampleId :
 W-22


Tgt Ion:240 Resp: 169030
 Ion Ratio Lower Upper
 240 100
 120 9.2 7.1 10.7
 236 25.0 21.4 32.2



#78
 Terphenyl-d14
 Concen: 76.96 ng
 RT: 14.59 min Scan# 1199
 Delta R.T. 0.00 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Tgt Ion:244 Resp: 575697
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.0 7.4
 122 9.1 7.1 10.7






#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.62 min Scan# 1464
 Delta R.T. -0.05 min
 Lab File: BF078208.D
 Acq: 2 Apr 2015 19:15

Instrument :
 BNA_F
 ClientSampleId :
 W-22

Tgt Ion: 264 Resp: 166321
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.6 27.8
 265 20.1 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

