

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040215\
 Data File : BF078223.D
 Acq On : 3 Apr 2015 4:05
 Operator : TP/IZ
 Sample : G1736-09
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-16

Quant Time: Apr 03 06:55:54 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 03 00:57:15 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	37715	20.00	ng	0.00
21) Naphthalene-d8	8.59	136	154931	20.00	ng	0.00
38) Acenaphthene-d10	10.76	164	74753	20.00	ng	0.00
63) Phenanthrene-d10	12.59	188	144788	20.00	ng	0.00
75) Chrysene-d12	15.86	240	149447	20.00	ng	-0.02
86) Perylene-d12	17.55	264	144698	20.00	ng	-0.11
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	97402	42.58	ng	0.01
7) Phenol-d6	6.60	99	76183	26.58	ng	0.00
23) Nitrobenzene-d5	7.71	82	203185	79.49	ng	-0.01
41) 2,4,6-Tribromophenol	11.73	330	74866	120.76	ng	-0.01
44) 2-Fluorobiphenyl	9.94	172	439554	84.05	ng	0.00
78) Terphenyl-d14	14.59	244	505125	76.38	ng	0.00
Target Compounds						Qvalue
27) 2,4-Dimethylphenol	8.21	122	5574	2.35	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040215\
Data File : BF078223.D
Acq On : 3 Apr 2015 4:05
Operator : TP/IZ
Sample : G1736-09
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-16

Quant Time: Apr 03 06:55:54 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 03 00:57:15 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.01 min Scan# 536
 Delta R.T. 0.00 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05

Instrument :
 BNA_F
 ClientSampleId :
 MW-16

Tot Ion:152 Resp: 37715
 Ion Ratio Lower Upper
 152 100
 150 158.1 125.9 188.9
 115 64.7 52.7 79.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 42.58 ng
 RT: 5.30 min Scan# 386
 Delta R.T. 0.01 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05

Tgt Ion:112 Resp: 97402
 Ion Ratio Lower Upper
 112 100
 64 52.5 39.9 59.9
 63 26.7 20.2 30.4



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 26.58 ng

RT: 6.60 min Scan# 500

Delta R.T. 0.00 min

Lab File: BF078223.D

Acq: 3 Apr 2015 4:05

Instrument :

BNA_F

ClientSampleId :

MW-16


Tot Ion: 99 Resp: 76183

Ion Ratio Lower Upper




99 100

42 18.5 14.8 22.2

71 33.1 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.59 min Scan# 674

Delta R.T. 0.00 min

Lab File: BF078223.D

Acq: 3 Apr 2015 4:05

Tgt Ion: 136 Resp: 154931


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.4

54 7.6 7.0 10.6

68 5.9 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.49 ng
 RT: 7.71 min Scan# 597
 Delta R.T. -0.01 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05




Instrument :
 BNA_F
 ClientSampleId :
 MW-16


Tot Ion	82	Resp	203185
Ion Ratio	Lower	Upper	
82	100		
128	41.3	31.8	47.8
54	51.5	41.5	62.3



#27
 2,4-Dimethylphenol
 Concen: 2.35 ng
 RT: 8.21 min Scan# 641
 Delta R.T. 0.00 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05

Tgt Ion	122	Resp	5574
Ion Ratio	Lower	Upper	
122	100		
107	110.2	84.6	127.0
121	58.9	46.0	69.0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.76 min Scan# 864
Delta R.T. 0.00 min
Lab File: BF078223.D
Acq: 3 Apr 2015 4:05

Instrument :
BNA_F
ClientSampled :
MW-16

Tot Ion:164 Resp: 74753
Ion Ratio Lower Upper
164 100
162 103.4 82.2 123.2
160 45.2 34.7 52.1




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#41
2,4,6-Tribromophenol
Concen: 120.76 ng
RT: 11.73 min Scan# 949
Delta R.T. -0.01 min
Lab File: BF078223.D
Acq: 3 Apr 2015 4:05

Tgt Ion:330 Resp: 74866
Ion Ratio Lower Upper
330 100
332 97.3 78.6 117.8
141 39.7 31.2 46.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 84.05 ng
 RT: 9.94 min Scan# 792
 Delta R.T. 0.00 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05




Instrument :
 BNA_F
 ClientSampled :
 MW-16


Tot Ion:172 Resp: 439554
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.6 42.8
 170 24.0 18.5 27.7



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.59 min Scan# 1024
 Delta R.T. 0.00 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05

Tgt Ion:188 Resp: 144788
 Ion Ratio Lower Upper
 188 100
 94 9.8 9.0 13.4
 80 10.2 9.5 14.3









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.86 min Scan# 1310
 Delta R.T. -0.02 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05




Instrument :
 BNA_F
 ClientSampleId :
 MW-16


Tot Ion:240 Resp: 149447
 Ion Ratio Lower Upper
 240 100
 120 14.6 7.1 10.7#
 236 25.4 21.4 32.2



#78
 Terphenyl-d14
 Concen: 76.38 ng
 RT: 14.59 min Scan# 1199
 Delta R.T. 0.00 min
 Lab File: BF078223.D
 Acq: 3 Apr 2015 4:05

Tgt Ion:244 Resp: 505125
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.0 7.4
 122 9.2 7.1 10.7






#86
Pervlene-d12
Concen: 20.00 ng
RT: 17.55 min Scan# 1458
Delta R.T. -0.11 min
Lab File: BF078223.D
Acq: 3 Apr 2015 4:05

Instrument :
BNA_F
ClientSampleId :
MW-16

Tot Ion: 264 Resp: 144698
Ion Ratio Lower Upper
264 100
260 23.6 18.6 27.8
265 21.1 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

