

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040215\
 Data File : BF078237.D
 Acq On : 3 Apr 2015 10:47
 Operator : TP/IZ
 Sample : G1719-04DL 5X
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Quant Time: Apr 03 12:42:03 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 02 13:21:29 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	7164	20.00	ng	0.00
21) Naphthalene-d8	8.59	136	28257	20.00	ng	0.00
38) Acenaphthene-d10	10.76	164	13442	20.00	ng	0.00
63) Phenanthrene-d10	12.59	188	26087	20.00	ng	0.00
75) Chrysene-d12	15.87	240	28168	20.00	ng	0.00
86) Perylene-d12	17.60	264	27784	20.00	ng	0.01

System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	23407	53.87	ng	0.02
7) Phenol-d6	6.64	99	17478	32.10	ng	0.03
23) Nitrobenzene-d5	7.71	82	42440	91.04	ng	0.00
41) 2,4,6-Tribromophenol	11.75	330	16847	151.12	ng	0.00
44) 2-Fluorobiphenyl	9.94	172	95889	101.97	ng	0.00
78) Terphenyl-d14	14.59	244	114429	91.80	ng	0.00


Target Compounds						Qvalue
12) 1,3-Dichlorobenzene	6.94	146	2463	4.36	ng	# 88
13) 1,4-Dichlorobenzene	7.04	146	18419	32.42	ng	93
14) 1,2-Dichlorobenzene	7.22	146	82095	154.13	ng	99
24) Nitrobenzene	7.74	77	2479	5.09	ng	# 95
27) 2,4-Dimethylphenol	8.22	122	2011	4.66	ng	90
30) 1,2,4-Trichlorobenzene	8.53	180	69575	154.45	ng	99
31) Naphthalene	8.62	128	137108	93.22	ng	99
33) 4-Chloroaniline	8.68	127	68492	112.23	ng	# 94
37) 2-Methylnaphthalene	9.48	142	27390	27.43	ng	99
51) Acenaphthene	10.80	154	8864	11.27	ng	96
54) Dibenzofuran	11.01	168	6821	5.68	ng	99
56) 2,4-Dinitrotoluene	11.03	165	10625	39.48	ng	# 89
57) Fluorene	11.44	166	9571	9.83	ng	96
71) Anthracene	12.68	178	4062	2.73	ng	99
73) Di-n-butylphthalate	13.36	149	55897	35.41	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040215\
Data File : BF078237.D
Acq On : 3 Apr 2015 10:47
Operator : TP/IZ
Sample : G1719-04DL 5X
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-105-33015DL

Quant Time: Apr 03 12:42:03 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 02 13:21:29 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.01 min Scan# 536
Delta R.T. 0.00 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47

Instrument :
BNA_F
ClientSampleId :
DCW-WW-105-33015DL




Tot Ion:152 Resp: 7164
Ion Ratio Lower Upper
152 100
150 147.5 125.9 188.9
115 67.8 52.7 79.1




#5

2-Fluorophenol
Concen: 53.87 ng
RT: 5.32 min Scan# 388
Delta R.T. 0.02 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47

Tgt Ion:112 Resp: 23407
Ion Ratio Lower Upper
112 100
64 56.5 39.9 59.9
63 29.1 20.2 30.4





#7

Phenol-d6

Concen: 32.10 ng

RT: 6.64 min Scan# 503

Delta R.T. 0.03 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Instrument :

BNA_F

ClientSampleId :

DCW-WW-105-33015DL


Tot Ion: 99 Resp: 17478

Ion Ratio Lower Upper

99 100

42 14.2 14.8 22.2#




71 30.1 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#12

1,3-Dichlorobenzene

Concen: 4.36 ng

RT: 6.94 min Scan# 530

Delta R.T. 0.01 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47


Tgt Ion: 146 Resp: 2463

Ion Ratio Lower Upper

146 100

148 66.5 49.1 73.7



75 21.1 26.6 40.0#




Abundance Ion 146.00 (145.70 to 146.70): E

Ion 148.00 (147.70 to 148.70): E

Ion 75.00 (74.70 to 75.70): BF0









#13
 1,4-Dichlorobenzene
 Concen: 32.42 ng
 RT: 7.04 min Scan# 538
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Tot Ion:146 Resp: 18419
 Ion Ratio Lower Upper
 146 100
 148 57.3 51.4 77.0
 111 47.3 35.0 52.4




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 154.13 ng
 RT: 7.22 min Scan# 554
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Tgt Ion:146 Resp: 82095
 Ion Ratio Lower Upper
 146 100
 148 62.6 50.2 75.4
 111 44.2 36.1 54.1



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.59 min Scan# 674
Delta R.T. 0.00 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47




Instrument :
BNA_F
ClientSampleId :
DCW-WW-105-33015DL


Tot Ion:136	Resp:	28257
Ion Ratio	Lower	Upper
136	100	
137	10.1	9.0 13.4
54	9.2	7.0 10.6
68	7.9	5.4 8.2



#23
Nitrobenzene-d5
Concen: 91.04 ng
RT: 7.71 min Scan# 597
Delta R.T. 0.00 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47

Tgt Ion: 82	Resp:	42440
Ion Ratio	Lower	Upper
82	100	
128	38.3	31.8 47.8
54	53.8	41.5 62.3









#24
 Nitrobenzene
 Concen: 5.09 ng
 RT: 7.74 min Scan# 600
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47




Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL


Tot Ion: 77 Resp: 2479
 Ion Ratio Lower Upper
 77 100
 123 58.6 46.9 70.3
 65 0.0 9.5 14.3#



#27
 2,4-Dimethylphenol
 Concen: 4.66 ng
 RT: 8.22 min Scan# 642
 Delta R.T. 0.01 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Tgt Ion: 122 Resp: 2011
 Ion Ratio Lower Upper
 122 100
 107 119.8 84.6 127.0
 121 59.2 46.0 69.0









#30
 1,2,4-Trichlorobenzene
 Concen: 154.45 ng
 RT: 8.53 min Scan# 669
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Tot Ion:180 Resp: 69575
 Ion Ratio Lower Upper
 180 100
 182 97.3 76.9 115.3
 145 28.1 22.5 33.7




Abundance Ion 180.00 (179.70 to 180.70): E
 Ion 182.00 (181.70 to 182.70): E
 Ion 145.00 (144.70 to 145.70): E






#31
 Naphthalene
 Concen: 93.22 ng
 RT: 8.62 min Scan# 677
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Tgt Ion:128 Resp: 137108
 Ion Ratio Lower Upper
 128 100
 129 10.6 8.6 12.8
 127 12.9 10.7 16.1



Abundance Ion 128.00 (127.70 to 128.70): E
 Ion 129.00 (128.70 to 129.70): E
 Ion 127.00 (126.70 to 127.70): E









#33
4-Chloroaniline
Concen: 112.23 ng
RT: 8.68 min Scan# 682
Delta R.T. -0.02 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47




Instrument :
BNA_F
ClientSampleId :
DCW-WW-105-33015DL


Tot Ion:127 Resp: 68492
Ion Ratio Lower Upper
127 100
129 31.6 25.5 38.3
65 33.8 21.7 32.5#
92 20.6 14.6 21.8



#37
2-Methylnaphthalene
Concen: 27.43 ng
RT: 9.48 min Scan# 752
Delta R.T. 0.00 min
Lab File: BF078237.D
Acq: 3 Apr 2015 10:47

Tgt Ion:142 Resp: 27390
Ion Ratio Lower Upper
142 100
141 89.1 70.3 105.5
115 29.9 24.6 37.0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.76 min Scan# 864

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Instrument :

BNA_F

ClientSampleId :

DCW-WW-105-33015DL


Tot Ion:164 Resp: 13442

Ion Ratio Lower Upper

164 100

162 109.3 82.2 123.2




160 46.7 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 151.12 ng

RT: 11.75 min Scan# 950

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47


Tgt Ion:330 Resp: 16847

Ion Ratio Lower Upper

330 100

332 95.9 78.6 117.8



141 38.2 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 101.97 ng
 RT: 9.94 min Scan# 792
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Tot Ion:172 Resp: 95889
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.6 42.8
 170 22.5 18.5 27.7




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 Acenaphthene
 Concen: 11.27 ng
 RT: 10.80 min Scan# 867
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Tgt Ion:154 Resp: 8864
 Ion Ratio Lower Upper
 154 100
 153 117.6 91.4 137.2
 152 57.2 43.0 64.6



Abundance Ion 154.00 (153.70 to 154.70): E
 Ion 153.00 (152.70 to 153.70): E
 Ion 152.00 (151.70 to 152.70): E





#54

Dibenzenofuran

Concen: 5.68 ng

RT: 11.01 min Scan# 886

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Instrument :

BNA_F

ClientSampleId :

DCW-WW-105-33015DL


Tot Ion:168 Resp: 6821

Ion Ratio Lower Upper

168 100

139 39.2 31.0 46.4




169 13.9 10.7 16.1



Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 169.00 (168.70 to 169.70): E



#56

2,4-Dinitrotoluene

Concen: 39.48 ng

RT: 11.03 min Scan# 887

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Tgt Ion:165 Resp: 10625


Ion Ratio Lower Upper

165 100

63 38.5 26.5 39.7

89 67.1 46.4 69.6

182 0.0 2.0 3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: 9.83 ng

RT: 11.44 min Scan# 923

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Instrument :

BNA_F

ClientSampleId :

DCW-WW-105-33015DL


Tot Ion:166 Resp: 9571

Ion Ratio Lower Upper

166 100

165 102.8 78.9 118.3




167 13.6 10.7 16.1



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.59 min Scan# 1024

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47


Tgt Ion:188 Resp: 26087

Ion Ratio Lower Upper

188 100

94 11.3 9.0 13.4



80 11.6 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#71
 Anthracene
 Concen: 2.73 ng
 RT: 12.68 min Scan# 1032
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Tot Ion:178 Resp: 4062
 Ion Ratio Lower Upper
 178 100
 176 18.4 14.8 22.2
 179 16.2 12.4 18.6




Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E






#73
 Di-n-butylphthalate
 Concen: 35.41 ng
 RT: 13.36 min Scan# 1091
 Delta R.T. 0.00 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Tgt Ion:149 Resp: 55897
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.1 10.7
 104 5.1 3.8 5.6



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 104.00 (103.70 to 104.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 15.87 min Scan# 1311

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47

Instrument :

BNA_F

ClientSampleId :

DCW-WW-105-33015DL


Tot Ion:240 Resp: 28168

Ion Ratio Lower Upper

240 100

120 8.8 7.1 10.7




236 23.1 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 91.80 ng

RT: 14.59 min Scan# 1199

Delta R.T. 0.00 min

Lab File: BF078237.D

Acq: 3 Apr 2015 10:47


Tgt Ion:244 Resp: 114429

Ion Ratio Lower Upper

244 100

212 5.6 5.0 7.4



122 7.9 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 17.60 min Scan# 1462
 Delta R.T. 0.01 min
 Lab File: BF078237.D
 Acq: 3 Apr 2015 10:47

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-105-33015DL

Tot Ion: 264 Resp: 27784
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.6 27.8
 265 23.4 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

