

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040216\
 Data File : BF086027.D
 Acq On : 2 Apr 2016 22:33
 Operator : UM/SJ
 Sample : PB89347TB
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB89347TB

Quant Time: Apr 04 04:02:48 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 01 23:17:06 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.77	152	102894	20.00	ng	0.00
21) Naphthalene-d8	8.05	136	399061	20.00	ng	-0.01
38) Acenaphthene-d10	9.81	164	168561	20.00	ng	0.00
63) Phenanthrene-d10	11.29	188	319574	20.00	ng	-0.01
75) Chrysene-d12	13.93	240	200852	20.00	ng	0.00
86) Perylene-d12	15.33	264	186773	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	766000	127.25	ng	0.01
7) Phenol-d6	6.42	99	940250	122.97	ng	0.00
23) Nitrobenzene-d5	7.34	82	599512	88.59	ng	0.00
41) 2,4,6-Tribromophenol	10.60	330	220835	139.58	ng	0.00
44) 2-Fluorobiphenyl	9.14	172	1015329	100.15	ng	0.00
78) Terphenyl-d14	12.88	244	860645	100.73	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040216\
Data File : BF086027.D
Acq On : 2 Apr 2016 22:33
Operator : UM/SJ
Sample : PB89347TB
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB89347TB

Quant Time: Apr 04 04:02:48 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 01 23:17:06 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.77 min Scan# 410

Delta R.T. 0.00 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33

Instrument :

BNA_F

ClientSampleId :

PB89347TB


Tot Ion:152 Resp: 102894

Ion Ratio Lower Upper

152 100

150 157.6 124.2 186.2




115 61.8 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 127.25 ng

RT: 5.38 min Scan# 288

Delta R.T. 0.01 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33


Tgt Ion:112 Resp: 766000

Ion Ratio Lower Upper

112 100

64 44.3 39.9 59.9



63 22.9 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.97 ng

RT: 6.42 min Scan# 379

Delta R.T. 0.00 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33

Instrument :

BNA_F

ClientSampleId :

PB89347TB


Tot Ion: 99 Resp: 940250

Ion Ratio Lower Upper




99 100

42 14.6 11.1 16.7

71 32.9 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.05 min Scan# 522

Delta R.T. -0.01 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33

Tgt Ion: 136 Resp: 399061


Ion Ratio Lower Upper

136 100



137 10.9 9.1 13.7

54 8.0 7.4 11.0

68 6.5 5.8 8.8



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 88.59 ng
 RT: 7.34 min Scan# 460
 Delta R.T. 0.00 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33




Instrument :
 BNA_F
 ClientSampleId :
 PB89347TB


Tot Ion: 82 Resp: 599512
 Ion Ratio Lower Upper
 82 100
 128 52.5 41.8 62.8
 54 41.2 33.4 50.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.81 min Scan# 676
 Delta R.T. 0.00 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33

Tgt Ion:164 Resp: 168561
 Ion Ratio Lower Upper
 164 100
 162 106.1 82.1 123.1
 160 50.0 37.4 56.2









#41
 2,4,6-Tribromophenol
 Concen: 139.58 ng
 RT: 10.60 min Scan# 745
 Delta R.T. 0.00 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33

Instrument :
 BNA_F
 ClientSampleId :
 PB89347TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	78.2	117.2
141	34.3	31.5	47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.15 ng
 RT: 9.14 min Scan# 617
 Delta R.T. 0.00 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.4	44.2
170	24.1	19.8	29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.29 min Scan# 805
 Delta R.T. -0.01 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33




Instrument :
 BNA_F
 ClientSampleId :
 PB89347TB


Tot Ion:188 Resp: 319574
 Ion Ratio Lower Upper
 188 100
 94 11.3 5.4 8.0#
 80 11.9 5.5 8.3#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.93 min Scan# 1036
 Delta R.T. 0.00 min
 Lab File: BF086027.D
 Acq: 2 Apr 2016 22:33

Tgt Ion:240 Resp: 200852
 Ion Ratio Lower Upper
 240 100
 120 10.1 13.8 20.8#
 236 26.6 20.6 30.8





#78

Terphenyl-d14

Concen: 100.73 ng

RT: 12.88 min Scan# 944

Delta R.T. 0.00 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33

Instrument :

BNA_F

ClientSampleId :

PB89347TB


Tot Ion:244 Resp: 860645

Ion Ratio Lower Upper

244 100

212 7.2 6.1 9.1




122 11.2 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.33 min Scan# 1159

Delta R.T. 0.00 min

Lab File: BF086027.D

Acq: 2 Apr 2016 22:33


Tgt Ion:264 Resp: 186773

Ion Ratio Lower Upper

264 100

260 23.8 19.4 29.2

265 21.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

