

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF040218\
 Data File : BF104128.D
 Acq On : 2 Apr 2018 12:11
 Operator : JU/SJ
 Sample : J2103-09
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LS

Quant Time: Apr 02 13:54:12 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 02 13:40:00 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	110708	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	489388	20.00	ng	0.00
38) Acenaphthene-d10	10.00	164	228387	20.00	ng	0.00
63) Phenanthrene-d10	11.50	188	381589	20.00	ng	0.00
75) Chrysene-d12	14.15	240	416647	20.00	ng	0.00
86) Perylene-d12	15.69	264	410287	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	315689	45.47	ng	0.00
7) Phenol-d6	6.59	99	276895	32.42	ng	0.00
23) Nitrobenzene-d5	7.52	82	695609	86.93	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	302377	118.90	ng	0.00
44) 2-Fluorobiphenyl	9.31	172	1354053	93.49	ng	0.00
78) Terphenyl-d14	13.09	244	1295332	71.78	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.70	163	48458	2.687	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA F\DATA\BF040218\
Data File : BF104128.D
Acq On : 2 Apr 2018 12:11
Operator : JU/SJ
Sample : J2103-09
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
LS

Quant Time: Apr 02 13:54:12 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 02 13:40:00 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.96 min Scan# 828
 Delta R.T. -0.01 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11

Instrument :
 BNA_F
 ClientSampleId :
 LS

Tot Ion:152 Resp: 110708
 Ion Ratio Lower Upper
 152 100
 150 160.2 124.6 186.8
 115 62.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 45.475 ng
 RT: 5.59 min Scan# 595
 Delta R.T. -0.00 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11

Tgt Ion:112 Resp: 315689
 Ion Ratio Lower Upper
 112 100
 64 53.6 47.9 71.9
 63 27.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 32.420 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF104128.D

Acq: 2 Apr 2018 12:11

Instrument :

BNA_F

ClientSampled :

LS


Tot Ion: 99 Resp: 276895

Ion Ratio Lower Upper

99 100

42 14.5 14.5 21.7




71 30.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1046

Delta R.T. -0.01 min

Lab File: BF104128.D

Acq: 2 Apr 2018 12:11

Tgt Ion: 136 Resp: 489388


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 6.5 6.6 9.8#

68 5.8 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 86.926 ng
 RT: 7.52 min Scan# 924
 Delta R.T. -0.01 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11




Instrument :
 BNA_F
 ClientSampleId :
 LS


Tot Ion	82	Resp	695609
Ion	Ratio	Lower	Upper
82	100		
128	45.9	36.1	54.1
54	45.2	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.00 min Scan# 1345
 Delta R.T. -0.00 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11

Tgt Ion	164	Resp	228387
Ion	Ratio	Lower	Upper
164	100		
162	105.4	86.1	129.1
160	45.8	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 118.901 ng
 RT: 10.80 min Scan# 1481
 Delta R.T. -0.00 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11




Instrument :
 BNA_F
 ClientSampleId :
 LS


Tot Ion:330 Resp: 302377
 Ion Ratio Lower Upper
 330 100
 332 94.7 77.0 115.6
 141 32.1 29.9 44.9



#44
 2-Fluorobiphenyl
 Concen: 93.492 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11

Tgt Ion:172 Resp: 1354053
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.7 44.5
 170 23.4 19.6 29.4









#49
Dimethylphthalate
Concen: 2.687 ng
RT: 9.70 min Scan# 1295
Delta R.T. -0.01 min
Lab File: BF104128.D
Acq: 2 Apr 2018 12:11

Instrument :
BNA_F
ClientSampleId :
LS

Tot Ion:163 Resp: 48458
Ion Ratio Lower Upper
163 100
194 5.6 2.7 4.1#
164 11.0 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1600
Delta R.T. -0.00 min
Lab File: BF104128.D
Acq: 2 Apr 2018 12:11

Tgt Ion:188 Resp: 381589
Ion Ratio Lower Upper
188 100
94 11.1 8.5 12.7
80 11.8 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2051

Delta R.T. -0.00 min

Lab File: BF104128.D

Acq: 2 Apr 2018 12:11

Instrument :

BNA_F

ClientSampleID :

LS


Tot Ion:240 Resp: 416647

Ion Ratio Lower Upper

240 100

120 11.9 9.5 14.3




236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 71.784 ng

RT: 13.09 min Scan# 1870

Delta R.T. 0.01 min

Lab File: BF104128.D

Acq: 2 Apr 2018 12:11


Tgt Ion:244 Resp: 1295332

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 11.9 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.69 min Scan# 2313
 Delta R.T. -0.00 min
 Lab File: BF104128.D
 Acq: 2 Apr 2018 12:11

Instrument :
 BNA_F
 ClientSampleId :
 LS

Tot Ion:264	Resp:	410287
Ion	Ratio	Lower Upper
264	100	
260	25.0	19.2 28.8
265	22.0	17.5 26.3

