

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040418\
 Data File : BF104251.D
 Acq On : 5 Apr 2018 3:41
 Operator : JU/SJ
 Sample : J2192-01
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CHRT25895- CONCRETE

Quant Time: Apr 05 04:33:38 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 04 18:06:58 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	116032	20.00	ng	0.00
21) Naphthalene-d8	8.23	136	508765	20.00	ng	0.00
38) Acenaphthene-d10	9.99	164	225756	20.00	ng	0.00
63) Phenanthrene-d10	11.49	188	369888	20.00	ng	0.00
75) Chrysene-d12	14.14	240	235485	20.00	ng	0.00
86) Perylene-d12	15.68	264	214669	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	63432	8.72	ng	0.05
7) Phenol-d6	6.59	99	561537	62.73	ng	-0.01
23) Nitrobenzene-d5	7.52	82	651687	78.34	ng	0.00
41) 2,4,6-Tribromophenol	10.80	330	7568	3.01	ng	0.00
44) 2-Fluorobiphenyl	9.30	172	1247293	87.12	ng	0.00
78) Terphenyl-d14	13.07	244	998715	97.92	ng	0.00
Target Compounds						
10) Phenol	6.62	94	31864	3.213	ng	Qvalue # 56
49) Dimethylphthalate	9.69	163	110017	6.172	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040418\
Data File : BF104251.D
Acq On : 5 Apr 2018 3:41
Operator : JU/SJ
Sample : J2192-01
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CHRT25895- CONCRETE

Quant Time: Apr 05 04:33:38 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 04 18:06:58 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Instrument :
BNA_F
ClientSampleId :
CHRT25895- CONCRETE

Tot Ion:152 Resp: 116032
Ion Ratio Lower Upper
152 100
150 155.7 124.6 186.8
115 59.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 8.718 ng
RT: 5.64 min Scan# 604
Delta R.T. 0.05 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Tgt Ion:112 Resp: 63432
Ion Ratio Lower Upper
112 100
64 53.0 47.9 71.9
63 25.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 62.731 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF104251.D

Acq: 5 Apr 2018 3:41

Instrument :

BNA_F

ClientSampleId :

CHRT25895- CONCRETE


Tot Ion: 99 Resp: 561537

Ion Ratio Lower Upper




99 100

42 14.2 14.5 21.7#

71 29.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 3.213 ng

RT: 6.62 min Scan# 770

Delta R.T. -0.00 min

Lab File: BF104251.D

Acq: 5 Apr 2018 3:41


Tgt Ion: 94 Resp: 31864

Ion Ratio Lower Upper



94 100


65 33.6 7.9 47.9

66 77.0 16.2 56.2#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.23 min Scan# 1044
Delta R.T. -0.01 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Instrument :
BNA_F
ClientSampleId :
CHRT25895- CONCRETE

Tot Ion:136	Resp:	508765
Ion Ratio	Lower	Upper
136	100	
137	10.9	8.9 13.3
54	7.1	6.6 9.8
68	6.2	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 78.335 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.01 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Tgt Ion: 82	Resp:	651687
Ion Ratio	Lower	Upper
82	100	
128	47.1	36.1 54.1
54	44.3	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1343
 Delta R.T. -0.01 min
 Lab File: BF104251.D
 Acq: 5 Apr 2018 3:41




Instrument :
 BNA_F
 ClientSampleId :
 CHRT25895- CONCRETE


Tot Ion:164 Resp: 225756
 Ion Ratio Lower Upper
 164 100
 162 103.9 86.1 129.1
 160 45.6 38.3 57.5



#41
 2,4,6-Tribromophenol
 Concen: 3.011 ng
 RT: 10.80 min Scan# 1481
 Delta R.T. 0.01 min
 Lab File: BF104251.D
 Acq: 5 Apr 2018 3:41

Tgt Ion:330 Resp: 7568
 Ion Ratio Lower Upper
 330 100
 332 92.8 77.0 115.6
 141 32.0 29.9 44.9









#44
2-Fluorobiphenyl
Concen: 87.124 ng
RT: 9.30 min Scan# 1227
Delta R.T. -0.00 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41




Instrument :
BNA_F
ClientSampleId :
CHRT25895- CONCRETE


Tot Ion:172 Resp: 1247293
Ion Ratio Lower Upper
172 100
171 36.3 29.7 44.5
170 23.8 19.6 29.4



#49
Dimethylphthalate
Concen: 6.172 ng
RT: 9.69 min Scan# 1293
Delta R.T. -0.01 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Tgt Ion:163 Resp: 110017
Ion Ratio Lower Upper
163 100
194 3.5 2.7 4.1
164 10.1 8.2 12.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1598
Delta R.T. -0.00 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41




Instrument :
BNA_F
ClientSampleId :
CHRT25895- CONCRETE


Tot Ion:188 Resp: 369888
Ion Ratio Lower Upper
188 100
94 10.4 8.5 12.7
80 10.4 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2049
Delta R.T. -0.01 min
Lab File: BF104251.D
Acq: 5 Apr 2018 3:41

Tgt Ion:240 Resp: 235485
Ion Ratio Lower Upper
240 100
120 13.1 9.5 14.3
236 25.8 20.7 31.1





#78

Terphenyl-d14

Concen: 97.925 ng

RT: 13.07 min Scan# 1867

Delta R.T. -0.00 min

Lab File: BF104251.D

Acq: 5 Apr 2018 3:41

Instrument :

BNA_F

ClientSampleId :

CHRT25895- CONCRETE


Tot Ion:244 Resp: 998715

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 12.2 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.68 min Scan# 2311

Delta R.T. -0.00 min

Lab File: BF104251.D

Acq: 5 Apr 2018 3:41


Tgt Ion:264 Resp: 214669

Ion Ratio Lower Upper

264 100

260 23.3 19.2 28.8

265 20.9 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

