

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040517\
 Data File : BF094206.D
 Acq On : 5 Apr 2017 23:01
 Operator : SJ/MA
 Sample : I2522-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BASING-2(0-2)

Quant Time: Apr 06 01:11:03 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 14:38:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.86	152	187549	20.00	ng	-0.04
21) Naphthalene-d8	7.37	136	746835	20.00	ng	-0.04
38) Acenaphthene-d10	9.50	164	313523	20.00	ng	-0.05
63) Phenanthrene-d10	11.33	188	491996	20.00	ng	-0.05
75) Chrysene-d12	14.57	240	354923	20.00	ng	-0.05
86) Perylene-d12	16.20	264	299976	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	4.40	112	1238716	111.56	ng	-0.03
7) Phenol-d6	5.47	99	1564019	113.86	ng	-0.04
23) Nitrobenzene-d5	6.52	82	972664	74.33	ng	-0.04
41) 2,4,6-Tribromophenol	10.48	330	274195	110.67	ng	-0.04
44) 2-Fluorobiphenyl	8.69	172	1609324	78.29	ng	-0.04
78) Terphenyl-d14	13.31	244	1018077	64.30	ng	-0.04
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.52	70	129126	14.63	ng	# 77
49) Dimethylphthalate	9.19	163	156907	7.04	ng	99
56) 2,4-Dinitrotoluene	9.50	165	40210	6.27	ng	# 33


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040517\
Data File : BF094206.D
Acq On : 5 Apr 2017 23:01
Operator : SJ/MA
Sample : I2522-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BASING-2(0-2)

Quant Time: Apr 06 01:11:03 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 14:38:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.86 min Scan# 676
Delta R.T. -0.04 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Instrument :
BNA_F
ClientSampleId :
BASING-2(0-2)

Tot Ion:152 Resp: 187549
Ion Ratio Lower Upper
152 100
150 158.2 126.2 189.2
115 64.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 111.56 ng
RT: 4.40 min Scan# 428
Delta R.T. -0.03 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Tgt Ion:112 Resp: 1238716
Ion Ratio Lower Upper
112 100
64 56.8 46.0 69.0
63 29.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 113.86 ng

RT: 5.47 min Scan# 610

Delta R.T. -0.04 min

Lab File: BF094206.D

Acq: 5 Apr 2017 23:01

Instrument :

BNA_F

ClientSampleId :

BASING-2(0-2)


Tot Ion: 99 Resp: 1564019

Ion Ratio Lower Upper

99 100

42 17.4 13.5 20.3




71 33.4 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 14.63 ng

RT: 6.52 min Scan# 787

Delta R.T. 0.12 min

Lab File: BF094206.D

Acq: 5 Apr 2017 23:01

Tgt Ion: 70 Resp: 129126


Ion Ratio Lower Upper

70 100

42 45.9 47.2 70.8#

101 0.0 7.2 10.8#

130 2.2 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.37 min Scan# 932

Delta R.T. -0.04 min

Lab File: BF094206.D

Acq: 5 Apr 2017 23:01

Instrument :

BNA_F

ClientSampleId :

BASING-2(0-2)

Tot Ion:136 Resp: 746835


Ion Ratio Lower Upper

136 100

137 10.6 8.5 12.7

54 6.6 4.9 7.3

68 5.4 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 74.33 ng

RT: 6.52 min Scan# 787

Delta R.T. -0.04 min

Lab File: BF094206.D

Acq: 5 Apr 2017 23:01


Tgt Ion: 82 Resp: 972664

Ion Ratio Lower Upper

82 100

128 46.9 34.0 51.0



54 48.0 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0








#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.50 min Scan# 1295
Delta R.T. -0.05 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Instrument :
BNA_F
ClientSampleId :
BASING-2(0-2)

Tot Ion:164 Resp: 313523
Ion Ratio Lower Upper
164 100
162 103.3 82.6 123.8
160 45.2 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#41
2,4,6-Tribromophenol
Concen: 110.67 ng
RT: 10.48 min Scan# 1461
Delta R.T. -0.04 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Tgt Ion:330 Resp: 274195
Ion Ratio Lower Upper
330 100
332 95.1 76.6 115.0
141 38.8 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 78.29 ng
RT: 8.69 min Scan# 1157
Delta R.T. -0.04 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Instrument :
BNA_F
ClientSampleId :
BASING-2(0-2)

Tot Ion:172 Resp: 1609324
Ion Ratio Lower Upper
172 100
171 36.1 29.6 44.4
170 23.9 19.8 29.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49
Dimethylphthalate
Concen: 7.04 ng
RT: 9.19 min Scan# 1241
Delta R.T. -0.06 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Tgt Ion:163 Resp: 156907
Ion Ratio Lower Upper
163 100
194 3.4 2.6 4.0
164 9.8 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#56
 2,4-Dinitrotoluene
 Concen: 6.27 ng
 RT: 9.50 min Scan# 1295
 Delta R.T. -0.29 min
 Lab File: BF094206.D
 Acq: 5 Apr 2017 23:01

Instrument :
 BNA_F
 ClientSampleId :
 BASING-2(0-2)

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.4	25.4	38.0#
89	1.6	46.4	69.6#
182	0.0	1.8	2.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.33 min Scan# 1605
 Delta R.T. -0.05 min
 Lab File: BF094206.D
 Acq: 5 Apr 2017 23:01



Tgt Ion	Ratio	Lower	Upper
188	100		
94	10.8	9.4	14.2
80	11.5	10.2	15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrvsene-d12
 Concen: 20.00 ng
 RT: 14.57 min Scan# 2157
 Delta R.T. -0.05 min
 Lab File: BF094206.D
 Acq: 5 Apr 2017 23:01




Instrument :
 BNA_F
 ClientSampleId :
 BASING-2(0-2)


Tot Ion:240 Resp: 354923
 Ion Ratio Lower Upper
 240 100
 120 14.1 5.8 8.8#
 236 25.4 20.5 30.7



#78
 Terphenyl-d14
 Concen: 64.30 ng
 RT: 13.31 min Scan# 1942
 Delta R.T. -0.04 min
 Lab File: BF094206.D
 Acq: 5 Apr 2017 23:01

Tgt Ion:244 Resp: 1018077
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.0 9.0
 122 12.7 10.3 15.5






#86
Pervlene-d12
Concen: 20.00 ng
RT: 16.20 min Scan# 2434
Delta R.T. -0.05 min
Lab File: BF094206.D
Acq: 5 Apr 2017 23:01

Instrument :
BNA_F
ClientSampleId :
BASING-2(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.5	29.3
265	21.7	17.2	25.8



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

