

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
 Data File : BF094239.D
 Acq On : 6 Apr 2017 20:18
 Operator : SJ/MA
 Sample : I2534-03
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-01(5-10)

Quant Time: Apr 07 01:28:23 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 06 13:20:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.85	152	162671	20.00	ng	0.00
21) Naphthalene-d8	7.35	136	673457	20.00	ng	-0.01
38) Acenaphthene-d10	9.49	164	312952	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	557644	20.00	ng	0.00
75) Chrysene-d12	14.56	240	394707	20.00	ng	-0.01
86) Perylene-d12	16.19	264	277073	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.39	112	1356824	140.88	ng	0.00
7) Phenol-d6	5.46	99	1788431	150.10	ng	0.00
23) Nitrobenzene-d5	6.50	82	1089052	92.29	ng	0.00
41) 2,4,6-Tribromophenol	10.47	330	382177	154.54	ng	0.00
44) 2-Fluorobiphenyl	8.68	172	1887322	91.98	ng	0.00
78) Terphenyl-d14	13.30	244	1564203	88.83	ng	0.00
Target Compounds						
10) Phenol	5.47	94	119056	8.78	ng	86
49) Dimethylphthalate	9.17	163	371740	16.71	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
Data File : BF094239.D
Acq On : 6 Apr 2017 20:18
Operator : SJ/MA
Sample : I2534-03
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GP-B-01(5-10)

Quant Time: Apr 07 01:28:23 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 06 13:20:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.85 min Scan# 674
Delta R.T. -0.01 min
Lab File: BF094239.D
Acq: 6 Apr 2017 20:18

Instrument :
BNA_F
ClientSampleId :
GP-B-01(5-10)

Tot Ion:152 Resp: 162671
Ion Ratio Lower Upper
152 100
150 157.2 126.2 189.2
115 61.0 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 140.88 ng
RT: 4.39 min Scan# 426
Delta R.T. 0.01 min
Lab File: BF094239.D
Acq: 6 Apr 2017 20:18

Tgt Ion:112 Resp: 1356824
Ion Ratio Lower Upper
112 100
64 58.0 46.0 69.0
63 28.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 150.10 ng

RT: 5.46 min Scan# 608

Delta R.T. -0.00 min

Lab File: BF094239.D

Acq: 6 Apr 2017 20:18

Instrument :

BNA_F

ClientSampleId :

GP-B-01(5-10)


Tot Ion: 99 Resp: 1788431

Ion Ratio Lower Upper

99 100

42 17.9 13.5 20.3




71 33.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 8.78 ng

RT: 5.47 min Scan# 610

Delta R.T. -0.01 min

Lab File: BF094239.D

Acq: 6 Apr 2017 20:18


Tgt Ion: 94 Resp: 119056

Ion Ratio Lower Upper

94 100

65 24.0 9.9 49.9



66 32.6 23.1 63.1




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.35 min Scan# 929

Delta R.T. -0.01 min

Lab File: BF094239.D

Acq: 6 Apr 2017 20:18

Instrument :

BNA_F

ClientSampleId :

GP-B-01(5-10)

Tot Ion:136 Resp: 673457





Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 7.7 4.9 7.3#

68 5.7 4.1 6.1



#23

Nitrobenzene-d5

Concen: 92.29 ng

RT: 6.50 min Scan# 785

Delta R.T. -0.01 min

Lab File: BF094239.D

Acq: 6 Apr 2017 20:18




Tgt Ion: 82 Resp: 1089052


Ion Ratio Lower Upper

82 100

128 46.5 34.0 51.0

54 48.1 42.2 63.2









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.49 min Scan# 1293
 Delta R.T. -0.01 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-01(5-10)

Tot Ion:164 Resp: 312952
 Ion Ratio Lower Upper
 164 100
 162 102.7 82.6 123.8
 160 45.8 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 154.54 ng
 RT: 10.47 min Scan# 1459
 Delta R.T. -0.01 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Tgt Ion:330 Resp: 382177
 Ion Ratio Lower Upper
 330 100
 332 96.2 76.6 115.0
 141 38.1 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 91.98 ng
RT: 8.68 min Scan# 1155
Delta R.T. -0.01 min
Lab File: BF094239.D
Acq: 6 Apr 2017 20:18

Instrument :
BNA_F
ClientSampleId :
GP-B-01(5-10)

Tot Ion:172 Resp: 1887322




Ion	Ratio	Lower	Upper
172	100		
171	36.9	29.6	44.4
170	24.4	19.8	29.8




#49
Dimethylphthalate
Concen: 16.71 ng
RT: 9.17 min Scan# 1239
Delta R.T. -0.02 min
Lab File: BF094239.D
Acq: 6 Apr 2017 20:18

Tgt Ion:163 Resp: 371740

Ion	Ratio	Lower	Upper
163	100		
194	3.4	2.6	4.0
164	9.6	8.4	12.6









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.32 min Scan# 1603
 Delta R.T. -0.01 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-01(5-10)

Tot Ion:188 Resp: 557644
 Ion Ratio Lower Upper
 188 100
 94 11.2 9.4 14.2
 80 11.7 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.56 min Scan# 2155
 Delta R.T. -0.01 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Tgt Ion:240 Resp: 394707
 Ion Ratio Lower Upper
 240 100
 120 14.5 5.8 8.8#
 236 24.4 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 88.83 ng
 RT: 13.30 min Scan# 1941
 Delta R.T. 0.01 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-01(5-10)

Tot Ion:244 Resp: 1564203
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 12.6 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.19 min Scan# 2432
 Delta R.T. -0.00 min
 Lab File: BF094239.D
 Acq: 6 Apr 2017 20:18

Tgt Ion:264 Resp: 277073
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.5 29.3
 265 20.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

