

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
 Data File : BF094246.D
 Acq On : 7 Apr 2017 1:52
 Operator : SJ/MA
 Sample : I2527-01
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DSN001

Quant Time: Apr 07 03:09:25 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 06 13:20:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.85	152	165911	20.00	ng	0.00
21) Naphthalene-d8	7.35	136	689181	20.00	ng	-0.01
38) Acenaphthene-d10	9.49	164	318591	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	541304	20.00	ng	0.00
75) Chrysene-d12	14.56	240	354855	20.00	ng	-0.01
86) Perylene-d12	16.19	264	272920	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.37	112	316515	32.22	ng	-0.01
7) Phenol-d6	5.45	99	378308	31.13	ng	-0.02
23) Nitrobenzene-d5	6.50	82	902912	74.77	ng	-0.01
41) 2,4,6-Tribromophenol	10.46	330	155020	61.58	ng	-0.01
44) 2-Fluorobiphenyl	8.68	172	1679969	80.43	ng	0.00
78) Terphenyl-d14	13.30	244	1385937	87.54	ng	0.00
Target Compounds						
76) Benzidine	12.98	184	742381	52.86	ng	Qvalue # 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
Data File : BF094246.D
Acq On : 7 Apr 2017 1:52
Operator : SJ/MA
Sample : I2527-01
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DSN001

Quant Time: Apr 07 03:09:25 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 06 13:20:29 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.85 min Scan# 674

Delta R.T. -0.01 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52

Instrument :

BNA_F

ClientSampleId :

DSN001


Tot Ion:152 Resp: 165911

Ion Ratio Lower Upper

152 100

150 156.0 126.2 189.2



115 59.5 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 32.22 ng

RT: 4.37 min Scan# 423

Delta R.T. -0.01 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52


Tgt Ion:112 Resp: 316515

Ion Ratio Lower Upper

112 100

64 57.9 46.0 69.0



63 28.5 23.4 35.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 31.13 ng

RT: 5.45 min Scan# 605

Delta R.T. -0.02 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52

Instrument :

BNA_F

ClientSampled :

DSN001


Tot Ion: 99 Resp: 378308

Ion Ratio Lower Upper

99 100

42 17.4 13.5 20.3




71 31.6 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.35 min Scan# 929

Delta R.T. -0.01 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52

Tgt Ion: 136 Resp: 689181


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 7.8 4.9 7.3#

68 6.2 4.1 6.1#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 74.77 ng
RT: 6.50 min Scan# 784
Delta R.T. -0.01 min
Lab File: BF094246.D
Acq: 7 Apr 2017 1:52

Instrument :
BNA_F
ClientSampleId :
DSN001

Tot Ion: 82 Resp: 902912
Ion Ratio Lower Upper
82 100
128 45.8 34.0 51.0
54 49.6 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.49 min Scan# 1293
Delta R.T. -0.01 min
Lab File: BF094246.D
Acq: 7 Apr 2017 1:52

Tgt Ion:164 Resp: 318591
Ion Ratio Lower Upper
164 100
162 102.2 82.6 123.8
160 44.7 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 61.58 ng
 RT: 10.46 min Scan# 1458
 Delta R.T. -0.01 min
 Lab File: BF094246.D
 Acq: 7 Apr 2017 1:52




Instrument :
 BNA_F
 ClientSampleId :
 DSN001


Tot Ion:330 Resp: 155020
 Ion Ratio Lower Upper
 330 100
 332 96.2 76.6 115.0
 141 39.6 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 80.43 ng
 RT: 8.68 min Scan# 1155
 Delta R.T. -0.01 min
 Lab File: BF094246.D
 Acq: 7 Apr 2017 1:52

Tgt Ion:172 Resp: 1679969
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.6 44.4
 170 24.5 19.8 29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 1603

Delta R.T. -0.01 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52

Instrument :

BNA_F

ClientSampleId :

DSN001


Tot Ion:188 Resp: 541304

Ion Ratio Lower Upper

188 100

94 11.1 9.4 14.2




80 11.1 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.56 min Scan# 2155

Delta R.T. -0.01 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52


Tgt Ion:240 Resp: 354855

Ion Ratio Lower Upper

240 100

120 14.9 5.8 8.8#



236 25.3 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#76

Benzidine

Concen: 52.86 ng

RT: 12.98 min Scan# 1886

Delta R.T. -0.00 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52

Instrument :

BNA_F

ClientSampleId :

DSN001


Tot Ion:184 Resp: 742381

Ion Ratio Lower Upper

184 100


185 14.9 15.5 23.3#

183 12.5 9.8 14.6




Abundance Ion 184.00 (183.70 to 184.70): E
Ion 185.00 (184.70 to 185.70): E
Ion 183.00 (182.70 to 183.70): E

12.98



Time-->



#78

Terphenyl-d14

Concen: 87.54 ng

RT: 13.30 min Scan# 1940

Delta R.T. -0.00 min

Lab File: BF094246.D

Acq: 7 Apr 2017 1:52


Tgt Ion:244 Resp: 1385937

Ion Ratio Lower Upper

244 100


212 7.0 6.0 9.0

122 13.9 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E

13.30




Time-->



#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 16.19 min Scan# 2432
 Delta R.T. -0.00 min
 Lab File: BF094246.D
 Acq: 7 Apr 2017 1:52

Instrument :
 BNA_F
 ClientSampleId :
 DSN001

Tot Ion: 264 Resp: 272920
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.5 29.3
 265 22.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

