

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
 Data File : BF094260.D
 Acq On : 7 Apr 2017 8:17
 Operator : SJ/MA
 Sample : I2542-17
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-4

Quant Time: Apr 07 08:40:21 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 06 13:20:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.85	152	158533	20.00	ng	0.00
21) Naphthalene-d8	7.36	136	626441	20.00	ng	0.00
38) Acenaphthene-d10	9.49	164	273487	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	432898	20.00	ng	0.00
75) Chrysene-d12	14.57	240	304988	20.00	ng	0.00
86) Perylene-d12	16.20	264	253897	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.39	112	955913	101.84	ng	0.00
7) Phenol-d6	5.46	99	1223124	105.34	ng	0.00
23) Nitrobenzene-d5	6.50	82	735309	66.99	ng	0.00
41) 2,4,6-Tribromophenol	10.47	330	210095	97.22	ng	0.00
44) 2-Fluorobiphenyl	8.68	172	1047863	58.44	ng	0.00
78) Terphenyl-d14	13.30	244	669387	49.20	ng	0.00
Target Compounds						
10) Phenol	5.47	94	84258	6.38	ng	88
49) Dimethylphthalate	9.17	163	137568	7.08	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040617\
Data File : BF094260.D
Acq On : 7 Apr 2017 8:17
Operator : SJ/MA
Sample : I2542-17
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-4

Quant Time: Apr 07 08:40:21 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 06 13:20:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.85 min Scan# 674
Delta R.T. -0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17

Instrument :
BNA_F
ClientSampleId :
COMP-4

Tot Ion:152 Resp: 158533
Ion Ratio Lower Upper
152 100
150 155.4 126.2 189.2
115 63.3 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 101.84 ng
RT: 4.39 min Scan# 426
Delta R.T. 0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17

Tgt Ion:112 Resp: 955913
Ion Ratio Lower Upper
112 100
64 56.3 46.0 69.0
63 28.1 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 105.34 ng

RT: 5.46 min Scan# 608

Delta R.T. -0.00 min

Lab File: BF094260.D

Acq: 7 Apr 2017 8:17

Instrument :


BNA_F

ClientSampled :

COMP-4

Tot Ion: 99 Resp: 1223124




Ion	Ratio	Lower	Upper
99	100		
42	17.5	13.5	20.3
71	33.5	24.5	36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 6.38 ng

RT: 5.47 min Scan# 610


Delta R.T. -0.01 min

Lab File: BF094260.D

Acq: 7 Apr 2017 8:17

Tgt Ion: 94 Resp: 84258



Ion	Ratio	Lower	Upper
94	100		
65	24.9	9.9	49.9
66	34.0	23.1	63.1




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.36 min Scan# 930
Delta R.T. -0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17

Instrument :
BNA_F
ClientSampled :
COMP-4

Tot Ion:136	Resp: 626441
Ion Ratio	Lower Upper
136 100	
137 10.9	8.5 12.7
54 7.0	4.9 7.3
68 5.6	4.1 6.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 66.99 ng
RT: 6.50 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17

Tgt Ion	82	Resp: Lower	735309 Upper
	Ratio 100		
128	48.1	34.0	51.0
54	48.5	42.2	63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.49 min Scan# 1293
 Delta R.T. -0.01 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17

Instrument :
 BNA_F
 ClientSampleId :
 COMP-4

Tot Ion:164 Resp: 273487
 Ion Ratio Lower Upper
 164 100
 162 102.4 82.6 123.8
 160 43.7 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 97.22 ng
 RT: 10.47 min Scan# 1459
 Delta R.T. -0.01 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17

Tgt Ion:330 Resp: 210095
 Ion Ratio Lower Upper
 330 100
 332 96.5 76.6 115.0
 141 39.9 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 58.44 ng
 RT: 8.68 min Scan# 1155
 Delta R.T. -0.01 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17




Instrument :
 BNA_F
 ClientSampleId :
 COMP-4

Tot Ion:172 Resp: 1047863

Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.6	44.4
170	24.4	19.8	29.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49
 Dimethylphthalate
 Concen: 7.08 ng
 RT: 9.17 min Scan# 1239
 Delta R.T. -0.02 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17


Tgt Ion:163 Resp: 137568

Ion	Ratio	Lower	Upper
163	100		
194	3.4	2.6	4.0
164	10.7	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 1603
Delta R.T. -0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17




Instrument :
BNA_F
ClientSampleId :
COMP-4


Tot Ion:188 Resp: 432898
Ion Ratio Lower Upper
188 100
94 11.1 9.4 14.2
80 11.9 10.2 15.2



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.57 min Scan# 2156
Delta R.T. -0.01 min
Lab File: BF094260.D
Acq: 7 Apr 2017 8:17

Tgt Ion:240 Resp: 304988
Ion Ratio Lower Upper
240 100
120 16.0 5.8 8.8#
236 25.2 20.5 30.7









#78
 Terphenyl-d14
 Concen: 49.20 ng
 RT: 13.30 min Scan# 1940
 Delta R.T. -0.00 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17

Instrument :
 BNA_F
 ClientSampled :
 COMP-4

Tot Ion:244 Resp: 669387
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 14.2 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.20 min Scan# 2433
 Delta R.T. 0.01 min
 Lab File: BF094260.D
 Acq: 7 Apr 2017 8:17

Tgt Ion:264 Resp: 253897
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.5 29.3
 265 22.2 17.2 25.8

