

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040618\
 Data File : BF104344.D
 Acq On : 7 Apr 2018 8:31
 Operator : JU/SJ
 Sample : J2225-19
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 040218-JETT-F-D-S

Quant Time: Apr 09 01:04:40 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 06 16:44:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	143880	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	571769	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	252984	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	377462	20.00	ng	0.00
75) Chrysene-d12	13.97	240	283285	20.00	ng	0.00
86) Perylene-d12	15.43	264	261606	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	367404	39.05	ng	0.00
7) Phenol-d6	6.42	99	274771	23.77	ng	-0.01
23) Nitrobenzene-d5	7.37	82	883157	100.86	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	201761	76.88	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1423165	88.87	ng	0.00
78) Terphenyl-d14	12.92	244	1086720	87.46	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040618\
Data File : BF104344.D
Acq On : 7 Apr 2018 8:31
Operator : JU/SJ
Sample : J2225-19
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
040218-JETT-F-D-S

Quant Time: Apr 09 01:04:40 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 06 16:44:53 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.80 min Scan# 802
 Delta R.T. 0.00 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31

Instrument :
 BNA_F
 ClientSampleId :
 040218-JETT-F-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.2	124.6	186.8
115	60.0	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 39.045 ng
 RT: 5.40 min Scan# 564
 Delta R.T. 0.00 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.2	47.9	71.9
63	27.7	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.766 ng

RT: 6.42 min Scan# 736

Delta R.T. -0.01 min

Lab File: BF104344.D

Acq: 7 Apr 2018 8:31

Instrument :

BNA_F

ClientSampleId :

040218-JETT-F-D-S


Tot Ion: 99 Resp: 274771

Ion Ratio Lower Upper

99 100

42 16.7 14.5 21.7




71 32.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1020

Delta R.T. 0.00 min

Lab File: BF104344.D

Acq: 7 Apr 2018 8:31

Tgt Ion: 136 Resp: 571769


Ion Ratio Lower Upper

136 100

137 11.0 8.9 13.3

54 7.0 6.6 9.8

68 6.2 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 100.860 ng
 RT: 7.37 min Scan# 898
 Delta R.T. 0.00 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31




Instrument :
 BNA_F
 ClientSampleId :
 040218-JETT-F-D-S

Tot Ion	82	Resp	883157
Ion Ratio	100	Lower	Upper
128	44.3	36.1	54.1
54	46.1	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. -0.01 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31

Tgt Ion	164	Resp	252984
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	103.1	86.1	129.1
160	45.0	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 76.883 ng
 RT: 10.63 min Scan# 1452
 Delta R.T. -0.01 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31




Instrument :
 BNA_F
 ClientSampleId :
 040218-JETT-F-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.0	115.6
141	34.6	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 88.869 ng
 RT: 9.17 min Scan# 1204
 Delta R.T. 0.01 min
 Lab File: BF104344.D
 Acq: 7 Apr 2018 8:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.2	29.7	44.5
170	24.6	19.6	29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1571
Delta R.T. 0.00 min
Lab File: BF104344.D
Acq: 7 Apr 2018 8:31




Instrument :
BNA_F
ClientSampleId :
040218-JETT-F-D-S

Tot Ion:188 Resp: 377462
Ion Ratio Lower Upper
188 100
94 11.5 8.5 12.7
80 11.3 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF104344.D
Acq: 7 Apr 2018 8:31

Tgt Ion:240 Resp: 283285
Ion Ratio Lower Upper
240 100
120 13.7 9.5 14.3
236 25.8 20.7 31.1





#78

Terphenyl-d14

Concen: 87.457 ng

RT: 12.92 min Scan# 1842

Delta R.T. 0.00 min

Lab File: BF104344.D

Acq: 7 Apr 2018 8:31

Instrument :

BNA_F

ClientSampleId :

040218-JETT-F-D-S


Tot Ion:244 Resp: 1086720

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0




122 12.4 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2268

Delta R.T. 0.00 min

Lab File: BF104344.D

Acq: 7 Apr 2018 8:31


Tgt Ion:264 Resp: 261606

Ion Ratio Lower Upper

264 100

260 23.0 19.2 28.8

265 21.2 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

