

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF040622\  
 Data File : BF127665.D  
 Acq On : 06 Apr 2022 23:31  
 Operator : CG\JU  
 Sample : N2254-04  
 Misc :  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-14A-1A-4-2

Quant Time: Apr 07 02:40:49 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF040622.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Apr 06 13:55:27 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-----------------------------|--------|------|----------|---------|-------|----------|
| -----                       |        |      |          |         |       |          |
| Internal Standards          |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4   | 6.963  | 152  | 102735   | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8          | 8.245  | 136  | 373963   | 20.000  | ng    | # 0.00   |
| 39) Acenaphthene-d10        | 10.004 | 164  | 218346   | 20.000  | ng    | -0.01    |
| 64) Phenanthrene-d10        | 11.498 | 188  | 417447   | 20.000  | ng    | 0.00     |
| 76) Chrysene-d12            | 14.145 | 240  | 385255   | 20.000  | ng    | -0.01    |
| 86) Perylene-d12            | 15.674 | 264  | 329751   | 20.000  | ng    | 0.00     |
| System Monitoring Compounds |        |      |          |         |       |          |
| 5) 2-Fluorophenol           | 5.587  | 112  | 799352   | 126.429 | ng    | 0.00     |
| 7) Phenol-d6                | 6.575  | 99   | 960970   | 116.182 | ng    | 0.00     |
| 23) Nitrobenzene-d5         | 7.528  | 82   | 779404   | 92.915  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol    | 10.798 | 330  | 341739   | 147.078 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl        | 9.328  | 172  | 1365600  | 88.477  | ng    | 0.00     |
| 79) Terphenyl-d14           | 13.098 | 244  | 1843140  | 78.968  | ng    | 0.00     |


|                  |        |
|------------------|--------|
| Target Compounds | Qvalue |
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF040622\  
Data File : BF127665.D  
Acq On : 06 Apr 2022 23:31  
Operator : CG\JU  
Sample : N2254-04  
Misc :  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
WC-14A-1A-4-2

Quant Time: Apr 07 02:40:49 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF040622.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed Apr 06 13:55:27 2022  
Response via : Initial Calibration









#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 6.963 min Scan# 795  
Delta R.T. 0.000 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31




Instrument :  
BNA\_F  
ClientSampleId :  
WC-14A-1A-4-2


Tgt Ion:152 Resp: 102735  
Ion Ratio Lower Upper  
152 100  
150 149.4 117.2 175.8  
115 64.6 49.8 74.6



#5  
2-Fluorophenol  
Concen: 126.429 ng  
RT: 5.587 min Scan# 561  
Delta R.T. 0.006 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31

Tgt Ion:112 Resp: 799352  
Ion Ratio Lower Upper  
112 100  
64 65.5 58.4 87.6  
63 36.6 30.1 45.1









#7  
Phenol-d6  
Concen: 116.182 ng  
RT: 6.575 min Scan# 71  
Delta R.T. -0.006 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31




Instrument :  
BNA\_F  
ClientSampleId :  
WC-14A-1A-4-2


Tgt Ion: 99 Resp: 960970  
Ion Ratio Lower Upper  
99 100  
42 22.1 17.8 26.6  
71 41.8 29.6 44.4



#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 8.245 min Scan# 1013  
Delta R.T. -0.006 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31

Tgt Ion: 136 Resp: 373963  
Ion Ratio Lower Upper  
136 100  
137 10.9 8.6 13.0  
54 8.8 9.2 13.8#  
68 6.5 5.4 8.0





#23

Nitrobenzene-d5

Concen: 92.915 ng

RT: 7.528 min Scan# 891

Delta R.T. -0.006 min

Lab File: BF127665.D

Acq: 06 Apr 2022 23:31

Instrument :

BNA\_F

ClientSampleId :

WC-14A-1A-4-2





Tgt Ion: 82 Resp: 779404

Ion Ratio Lower Upper

82 100

128 36.3 30.6 45.8

54 52.8 48.2 72.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.004 min Scan# 1312

Delta R.T. -0.012 min

Lab File: BF127665.D

Acq: 06 Apr 2022 23:31




Tgt Ion: 164 Resp: 218346


Ion Ratio Lower Upper

164 100

162 102.4 81.2 121.8

160 43.6 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 147.078 ng

RT: 10.798 min Scan# 1448

Delta R.T. -0.006 min

Lab File: BF127665.D


Acq: 06 Apr 2022 23:31

Instrument :

BNA\_F

ClientSampleId :

WC-14A-1A-4-2






Tgt Ion:330 Resp: 341739

Ion Ratio Lower Upper

330 100

332 95.3 79.1 118.7

141 37.3 26.2 39.4



#45

2-Fluorobiphenyl

Concen: 88.477 ng

RT: 9.328 min Scan# 1197

Delta R.T. 0.000 min

Lab File: BF127665.D

Acq: 06 Apr 2022 23:31




Tgt Ion:172 Resp: 1365600

Ion Ratio Lower Upper

172 100

171 35.5 28.4 42.6

170 23.8 18.6 27.8









#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 11.498 min Scan# 11  
Delta R.T. -0.006 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31




Instrument :  
BNA\_F  
ClientSampleId :  
WC-14A-1A-4-2


Tgt Ion:188 Resp: 417447  
Ion Ratio Lower Upper  
188 100  
94 9.3 7.4 11.0  
80 10.1 8.0 12.0



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 14.145 min Scan# 2016  
Delta R.T. -0.012 min  
Lab File: BF127665.D  
Acq: 06 Apr 2022 23:31


Tgt Ion:240 Resp: 385255  
Ion Ratio Lower Upper  
240 100  
120 10.2 7.1 10.7  
236 27.0 20.7 31.1








#79  
 Terphenyl-d14  
 Concen: 78.968 ng  
 RT: 13.098 min Scan# 11  
 Delta R.T. 0.000 min  
 Lab File: BF127665.D  
 Acq: 06 Apr 2022 23:31

Instrument :  
 BNA\_F  
 ClientSampleId :  
 WC-14A-1A-4-2



Tgt Ion:244 Resp: 1843140  
 Ion Ratio Lower Upper  
 244 100  
 212 8.2 5.7 8.5  
 122 8.3 6.2 9.2



#86  
 Perylene-d12  
 Concen: 20.000 ng  
 RT: 15.674 min Scan# 2276  
 Delta R.T. -0.006 min  
 Lab File: BF127665.D  
 Acq: 06 Apr 2022 23:31

Tgt Ion:264 Resp: 329751  
 Ion Ratio Lower Upper  
 264 100  
 260 24.6 19.1 28.7  
 265 21.3 17.4 26.2

