

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040715\
 Data File : BF078303.D
 Acq On : 7 Apr 2015 17:39
 Operator : TP/IZ
 Sample : G1779-15
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-1

Quant Time: Apr 08 01:43:40 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 08 01:52:14 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	34727	20.00	ng	0.00
21) Naphthalene-d8	8.51	136	141639	20.00	ng	0.00
38) Acenaphthene-d10	10.67	164	73390	20.00	ng	0.00
63) Phenanthrene-d10	12.50	188	143630	20.00	ng	0.00
75) Chrysene-d12	15.76	240	154524	20.00	ng	-0.02
86) Perylene-d12	17.46	264	143031	20.00	ng	-0.10
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	154291	73.25	ng	0.01
7) Phenol-d6	6.52	99	124807	47.28	ng	-0.01
23) Nitrobenzene-d5	7.63	82	227285	97.26	ng	0.00
41) 2,4,6-Tribromophenol	11.65	330	94552	155.34	ng	0.00
44) 2-Fluorobiphenyl	9.86	172	499827	97.35	ng	0.00
78) Terphenyl-d14	14.49	244	578537	84.60	ng	-0.01


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040715\
Data File : BF078303.D
Acq On : 7 Apr 2015 17:39
Operator : TP/IZ
Sample : G1779-15
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-1

Quant Time: Apr 08 01:43:40 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 08 01:52:14 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.93 min Scan# 529
Delta R.T. 0.00 min
Lab File: BF078303.D
Acq: 7 Apr 2015 17:39

Instrument :
BNA_F
ClientSampleId :
TW-1

Tot Ion:152 Resp: 34727
Ion Ratio Lower Upper
152 100
150 157.2 125.9 188.9
115 55.5 52.7 79.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 73.25 ng
RT: 5.21 min Scan# 378
Delta R.T. 0.01 min
Lab File: BF078303.D
Acq: 7 Apr 2015 17:39

Tgt Ion:112 Resp: 154291
Ion Ratio Lower Upper
112 100
64 49.1 39.9 59.9
63 24.5 20.2 30.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 47.28 ng

RT: 6.52 min Scan# 493

Delta R.T. -0.01 min

Lab File: BF078303.D

Acq: 7 Apr 2015 17:39

Instrument :

BNA_F

ClientSampleId :

TW-1


Tot Ion: 99 Resp: 124807

Ion Ratio Lower Upper

99 100

42 19.6 14.8 22.2




71 34.2 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.51 min Scan# 667

Delta R.T. 0.00 min

Lab File: BF078303.D

Acq: 7 Apr 2015 17:39

Tgt Ion: 136 Resp: 141639


Ion Ratio Lower Upper

136 100

137 10.2 9.0 13.4

54 5.5 7.0 10.6#

68 4.6 5.4 8.2#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 97.26 ng
 RT: 7.63 min Scan# 590
 Delta R.T. 0.00 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39




Instrument :
 BNA_F
 ClientSampleId :
 TW-1

Tot Ion	82	Resp	227285
Ion Ratio	100	Lower	Upper
128	45.3	31.8	47.8
54	47.9	41.5	62.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.67 min Scan# 856
 Delta R.T. 0.00 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39

Tgt Ion	164	Resp	73390
Ion Ratio	100	Lower	Upper
162	104.1	82.2	123.2
160	44.7	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 155.34 ng
 RT: 11.65 min Scan# 942
 Delta R.T. 0.00 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39

Instrument :
 BNA_F
 ClientSampleId :
 TW-1

Tot Ion:330 Resp: 94552
 Ion Ratio Lower Upper
 330 100
 332 96.8 78.6 117.8
 141 37.1 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.35 ng
 RT: 9.86 min Scan# 785
 Delta R.T. 0.00 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39

Tgt Ion:172 Resp: 499827
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.6 42.8
 170 23.7 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.50 min Scan# 1016
Delta R.T. 0.00 min
Lab File: BF078303.D
Acq: 7 Apr 2015 17:39

Instrument :
BNA_F
ClientSampleId :
TW-1

Tot Ion:188 Resp: 143630
Ion Ratio Lower Upper
188 100
94 9.2 9.0 13.4
80 9.8 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.76 min Scan# 1301
Delta R.T. -0.02 min
Lab File: BF078303.D
Acq: 7 Apr 2015 17:39

Tgt Ion:240 Resp: 154524
Ion Ratio Lower Upper
240 100
120 14.2 7.1 10.7#
236 24.2 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 84.60 ng
 RT: 14.49 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39

Instrument :
 BNA_F
 ClientSampleId :
 TW-1

Tot Ion:244 Resp: 578537
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.0 7.4
 122 15.4 7.1 10.7#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.46 min Scan# 1450
 Delta R.T. -0.10 min
 Lab File: BF078303.D
 Acq: 7 Apr 2015 17:39

Tgt Ion:264 Resp: 143031
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 27.8
 265 21.5 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

