

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040716\
 Data File : BF086150.D
 Acq On : 8 Apr 2016 00:52
 Operator : UM/SJ
 Sample : H2282-10
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-17(0.5-20.0)

Quant Time: Apr 08 01:45:35 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 01 23:17:06 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	101729	20.00	ng	-0.03
21) Naphthalene-d8	8.02	136	437707	20.00	ng	-0.05
38) Acenaphthene-d10	9.77	164	193682	20.00	ng	-0.05
63) Phenanthrene-d10	11.25	188	378900	20.00	ng	-0.05
75) Chrysene-d12	13.89	240	246665	20.00	ng	-0.03
86) Perylene-d12	15.29	264	186443	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	775923	130.37	ng	-0.03
7) Phenol-d6	6.38	99	1002664	132.64	ng	-0.03
23) Nitrobenzene-d5	7.31	82	594079	80.04	ng	-0.03
41) 2,4,6-Tribromophenol	10.57	330	279090	153.52	ng	-0.03
44) 2-Fluorobiphenyl	9.09	172	905691	77.75	ng	-0.05
78) Terphenyl-d14	12.84	244	981570	93.54	ng	-0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.30	70	76435	16.31	ng	# 79
25) Isophorone	7.31	82	589510	40.24	ng	# 68
49) Dimethylphthalate	9.49	163	136249	9.49	ng	99
56) 2,4-Dinitrotoluene	9.77	165	24797	6.46	ng	# 37
66) 4-Bromophenyl-phenylether	10.57	248	16944	4.38	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040716\
Data File : BF086150.D
Acq On : 8 Apr 2016 00:52
Operator : UM/SJ
Sample : H2282-10
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-17(0.5-20.0)

Quant Time: Apr 08 01:45:35 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 01 23:17:06 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.74 min Scan# 407

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-17(0.5-20.0)


Tgt Ion:152 Resp: 101729

Ion Ratio Lower Upper

152 100

150 155.5 124.2 186.2




115 55.6 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 130.37 ng

RT: 5.33 min Scan# 284

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52


Tgt Ion:112 Resp: 775923

Ion Ratio Lower Upper

112 100

64 51.4 39.9 59.9



63 26.1 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 132.64 ng

RT: 6.38 min Scan# 376

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-17(0.5-20.0)


Tgt Ion: 99 Resp: 1002664

Ion Ratio Lower Upper

99 100

42 14.6 11.1 16.7




71 32.6 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.31 ng

RT: 7.30 min Scan# 456

Delta R.T. 0.10 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Tgt Ion: 70 Resp: 76435


Ion Ratio Lower Upper

70 100

42 42.0 37.1 55.7

101 0.0 8.6 12.8#

130 2.4 19.6 29.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.02 min Scan# 519

Delta R.T. -0.05 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-17(0.5-20.0)

Tgt Ion:136 Resp: 437707


Ion Ratio Lower Upper

136 100

137 11.3 9.1 13.7

54 7.3 7.4 11.0#

68 6.0 5.8 8.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 80.04 ng

RT: 7.31 min Scan# 457

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52


Tgt Ion: 82 Resp: 594079

Ion Ratio Lower Upper

82 100

128 55.8 41.8 62.8



54 39.0 33.4 50.0




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 40.24 ng

RT: 7.31 min Scan# 457

Delta R.T. -0.30 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-17(0.5-20.0)


Tgt Ion: 82 Resp: 589510

Ion Ratio Lower Upper




82 100

95 0.0 5.4 8.2#

138 0.0 12.9 19.3#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.77 min Scan# 672

Delta R.T. -0.05 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52


Tgt Ion: 164 Resp: 193682

Ion Ratio Lower Upper



164 100


162 102.9 82.1 123.1

160 48.1 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 153.52 ng
 RT: 10.57 min Scan# 742
 Delta R.T. -0.03 min
 Lab File: BF086150.D
 Acq: 8 Apr 2016 00:52

Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-17(0.5-20.0)

Tgt Ion:330 Resp: 279090
 Ion Ratio Lower Upper
 330 100
 332 95.3 78.2 117.2
 141 30.3 31.5 47.3#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.75 ng
 RT: 9.09 min Scan# 613
 Delta R.T. -0.05 min
 Lab File: BF086150.D
 Acq: 8 Apr 2016 00:52

Tgt Ion:172 Resp: 905691
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.4 44.2
 170 24.4 19.8 29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 9.49 ng
RT: 9.49 min Scan# 648
Delta R.T. -0.05 min
Lab File: BF086150.D
Acq: 8 Apr 2016 00:52

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-17(0.5-20.0)

Tgt Ion:163 Resp: 136249
Ion Ratio Lower Upper
163 100
194 3.0 2.9 4.3
164 10.2 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#56
2,4-Dinitrotoluene
Concen: 6.46 ng
RT: 9.77 min Scan# 672
Delta R.T. -0.24 min
Lab File: BF086150.D
Acq: 8 Apr 2016 00:52

Tgt Ion:165 Resp: 24797
Ion Ratio Lower Upper
165 100
63 1.3 24.9 37.3#
89 1.8 41.0 61.6#
182 0.0 2.1 3.1#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0
Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.25 min Scan# 802
Delta R.T. -0.05 min
Lab File: BF086150.D
Acq: 8 Apr 2016 00:52

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-17(0.5-20.0)

Tgt Ion:188 Resp: 378900
Ion Ratio Lower Upper
188 100
94 10.2 5.4 8.0#
80 10.9 5.5 8.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#66
4-Bromophenyl-phenylether
Concen: 4.38 ng
RT: 10.57 min Scan# 742
Delta R.T. -0.27 min
Lab File: BF086150.D
Acq: 8 Apr 2016 00:52

Tgt Ion:248 Resp: 16944
Ion Ratio Lower Upper
248 100
250 204.3 77.4 116.0#
141 322.8 63.6 95.4#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.89 min Scan# 1033

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-17(0.5-20.0)


Tgt Ion:240 Resp: 246665

Ion Ratio Lower Upper

240 100

120 8.2 13.8 20.8#




236 26.6 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 93.54 ng

RT: 12.84 min Scan# 941

Delta R.T. -0.03 min

Lab File: BF086150.D

Acq: 8 Apr 2016 00:52


Tgt Ion:244 Resp: 981570

Ion Ratio Lower Upper

244 100

212 6.9 6.1 9.1



122 10.0 10.2 15.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.29 min Scan# 1155
Delta R.T. -0.05 min
Lab File: BF086150.D
Acq: 8 Apr 2016 00:52

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-17(0.5-20.0)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.4	29.2
265	22.2	17.2	25.8

