

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040717\
 Data File : BF094285.D
 Acq On : 7 Apr 2017 20:58
 Operator : SJ/MA
 Sample : I2534-07
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-03(0-5)

Quant Time: Apr 07 23:55:02 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 06 13:20:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.86	152	170345	20.00	ng	0.00
21) Naphthalene-d8	7.36	136	660630	20.00	ng	0.00
38) Acenaphthene-d10	9.50	164	276619	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	399218	20.00	ng	0.00
75) Chrysene-d12	14.57	240	305107	20.00	ng	0.00
86) Perylene-d12	16.21	264	272012	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	4.43	112	1288138	127.72	ng	0.05
7) Phenol-d6	5.52	99	1646187	131.94	ng	0.05
23) Nitrobenzene-d5	6.51	82	1048734	90.60	ng	0.00
41) 2,4,6-Tribromophenol	10.48	330	278453	127.39	ng	0.00
44) 2-Fluorobiphenyl	8.69	172	1660586	91.56	ng	0.00
78) Terphenyl-d14	13.30	244	946461	69.53	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.17	163	164546	8.37	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040717\
Data File : BF094285.D
Acq On : 7 Apr 2017 20:58
Operator : SJ/MA
Sample : I2534-07
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GP-B-03(0-5)

Quant Time: Apr 07 23:55:02 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 06 13:20:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.86 min Scan# 675
Delta R.T. 0.00 min
Lab File: BF094285.D
Acq: 7 Apr 2017 20:58

Instrument :
BNA_F
ClientSampleId :
GP-B-03(0-5)

Tot Ion:152 Resp: 170345
Ion Ratio Lower Upper
152 100
150 156.9 126.2 189.2
115 59.9 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 127.72 ng
RT: 4.43 min Scan# 433
Delta R.T. 0.05 min
Lab File: BF094285.D
Acq: 7 Apr 2017 20:58

Tgt Ion:112 Resp: 1288138
Ion Ratio Lower Upper
112 100
64 55.0 46.0 69.0
63 27.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 131.94 ng

RT: 5.52 min Scan# 617

Delta R.T. 0.05 min

Lab File: BF094285.D

Acq: 7 Apr 2017 20:58

Instrument :

BNA_F

ClientSampleId :

GP-B-03(0-5)


Tot Ion: 99 Resp: 1646187

Ion Ratio Lower Upper

99 100

42 17.7 13.5 20.3




71 34.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.36 min Scan# 930

Delta R.T. -0.01 min

Lab File: BF094285.D

Acq: 7 Apr 2017 20:58

Tgt Ion: 136 Resp: 660630


Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 7.2 4.9 7.3

68 6.1 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.60 ng
 RT: 6.51 min Scan# 786
 Delta R.T. 0.00 min
 Lab File: BF094285.D
 Acq: 7 Apr 2017 20:58

Instrument :
 BNA_F
 ClientSampleId :
 GP-B-03(0-5)

Tot Ion: 82 Resp: 1048734
 Ion Ratio Lower Upper
 82 100
 128 46.6 34.0 51.0
 54 48.2 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.50 min Scan# 1294
 Delta R.T. 0.00 min
 Lab File: BF094285.D
 Acq: 7 Apr 2017 20:58

Tgt Ion:164 Resp: 276619
 Ion Ratio Lower Upper
 164 100
 162 104.4 82.6 123.8
 160 45.9 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 127.39 ng
 RT: 10.48 min Scan# 1461
 Delta R.T. 0.01 min
 Lab File: BF094285.D
 Acq: 7 Apr 2017 20:58




Instrument :
 BNA_F
 ClientSampleId :
 GP-B-03(0-5)


Tot Ion	330	Resp	278453
Ion Ratio	Lower	Upper	
330	100		
332	94.9	76.6	115.0
141	38.9	31.4	47.2



#44
 2-Fluorobiphenyl
 Concen: 91.56 ng
 RT: 8.69 min Scan# 1156
 Delta R.T. 0.00 min
 Lab File: BF094285.D
 Acq: 7 Apr 2017 20:58

Tgt Ion	172	Resp	1660586
Ion Ratio	Lower	Upper	
172	100		
171	36.7	29.6	44.4
170	24.4	19.8	29.8









#49
Dimethylphthalate
Concen: 8.37 ng
RT: 9.17 min Scan# 1239
Delta R.T. -0.02 min
Lab File: BF094285.D
Acq: 7 Apr 2017 20:58

Instrument :
BNA_F
ClientSampleId :
GP-B-03(0-5)

Tot Ion:163 Resp: 164546
Ion Ratio Lower Upper
163 100
194 3.5 2.6 4.0
164 9.6 8.4 12.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 1604
Delta R.T. 0.00 min
Lab File: BF094285.D
Acq: 7 Apr 2017 20:58

Tgt Ion:188 Resp: 399218
Ion Ratio Lower Upper
188 100
94 10.9 9.4 14.2
80 11.5 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.57 min Scan# 2157

Delta R.T. 0.00 min

Lab File: BF094285.D

Acq: 7 Apr 2017 20:58

Instrument :

BNA_F

ClientSampleId :

GP-B-03(0-5)


Tot Ion:240 Resp: 305107

Ion Ratio Lower Upper

240 100

120 14.2 5.8 8.8#




236 26.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 69.53 ng

RT: 13.30 min Scan# 1941

Delta R.T. 0.01 min

Lab File: BF094285.D

Acq: 7 Apr 2017 20:58


Tgt Ion:244 Resp: 946461

Ion Ratio Lower Upper

244 100

212 7.2 6.0 9.0



122 13.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 16.21 min Scan# 2435
Delta R.T. 0.02 min
Lab File: BF094285.D
Acq: 7 Apr 2017 20:58

Instrument :
BNA_F
ClientSampleId :
GP-B-03(0-5)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.5	29.3
265	22.5	17.2	25.8

