

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040816\
 Data File : BF086199.D
 Acq On : 9 Apr 2016 5:46
 Operator : UM/SJ
 Sample : H2373-02
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-07(0.5-20.0)

Quant Time: Apr 09 06:54:07 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 01 23:17:06 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	124220	20.00	ng	-0.05
21) Naphthalene-d8	8.01	136	449687	20.00	ng	-0.06
38) Acenaphthene-d10	9.77	164	195497	20.00	ng	-0.05
63) Phenanthrene-d10	11.24	188	314833	20.00	ng	-0.06
75) Chrysene-d12	13.88	240	251093	20.00	ng	-0.05
86) Perylene-d12	15.28	264	198994	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	972725	133.85	ng	-0.03
7) Phenol-d6	6.38	99	1203009	130.32	ng	-0.03
23) Nitrobenzene-d5	7.30	82	679470	89.11	ng	-0.05
41) 2,4,6-Tribromophenol	10.56	330	217055	118.29	ng	-0.05
44) 2-Fluorobiphenyl	9.09	172	1091357	92.82	ng	-0.05
78) Terphenyl-d14	12.83	244	768865	71.98	ng	-0.05
Target Compounds						Qvalue
49) Dimethylphthalate	9.49	163	204166	14.09	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040816\
Data File : BF086199.D
Acq On : 9 Apr 2016 5:46
Operator : UM/SJ
Sample : H2373-02
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-07(0.5-20.0)

Quant Time: Apr 09 06:54:07 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 01 23:17:06 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.73 min Scan# 406

Delta R.T. -0.05 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-07(0.5-20.0)


Tot Ion:152 Resp: 124220

Ion Ratio Lower Upper

152 100

150 156.5 124.2 186.2




115 61.6 47.0 70.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 133.85 ng

RT: 5.33 min Scan# 284

Delta R.T. -0.03 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46


Tgt Ion:112 Resp: 972725

Ion Ratio Lower Upper

112 100

64 49.3 39.9 59.9



63 24.9 20.2 30.2



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 130.32 ng

RT: 6.38 min Scan# 376

Delta R.T. -0.03 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-07(0.5-20.0)


Tot Ion: 99 Resp: 1203009

Ion Ratio Lower Upper

99 100

42 14.1 11.1 16.7



71 33.1 24.9 37.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.01 min Scan# 518

Delta R.T. -0.06 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46

Tgt Ion: 136 Resp: 449687


Ion Ratio Lower Upper

136 100

137 11.5 9.1 13.7

54 9.5 7.4 11.0

68 7.5 5.8 8.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.11 ng
 RT: 7.30 min Scan# 456
 Delta R.T. -0.05 min
 Lab File: BF086199.D
 Acq: 9 Apr 2016 5:46




Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-07(0.5-20.0)


Tot Ion: 82 Resp: 679470
 Ion Ratio Lower Upper
 82 100
 128 45.5 41.8 62.8
 54 45.8 33.4 50.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.77 min Scan# 672
 Delta R.T. -0.05 min
 Lab File: BF086199.D
 Acq: 9 Apr 2016 5:46

Tgt Ion: 164 Resp: 195497
 Ion Ratio Lower Upper
 164 100
 162 103.3 82.1 123.1
 160 48.7 37.4 56.2









#41
 2,4,6-Tribromophenol
 Concen: 118.29 ng
 RT: 10.56 min Scan# 741
 Delta R.T. -0.05 min
 Lab File: BF086199.D
 Acq: 9 Apr 2016 5:46

Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-07(0.5-20.0)

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.7	78.2	117.2
141	35.9	31.5	47.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 92.82 ng
 RT: 9.09 min Scan# 613
 Delta R.T. -0.05 min
 Lab File: BF086199.D
 Acq: 9 Apr 2016 5:46

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	29.4	44.2
170	24.6	19.8	29.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 14.09 ng
RT: 9.49 min Scan# 648
Delta R.T. -0.05 min
Lab File: BF086199.D
Acq: 9 Apr 2016 5:46

Instrument :
BNA_F
ClientSampleId :
AMBOY-SB-07(0.5-20.0)

Tot Ion:163 Resp: 204166
Ion Ratio Lower Upper
163 100
194 4.1 2.9 4.3
164 9.4 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.24 min Scan# 801
Delta R.T. -0.06 min
Lab File: BF086199.D
Acq: 9 Apr 2016 5:46

Tgt Ion:188 Resp: 314833
Ion Ratio Lower Upper
188 100
94 11.4 5.4 8.0#
80 12.6 5.5 8.3#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.88 min Scan# 1032

Delta R.T. -0.05 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46

Instrument :

BNA_F

ClientSampleId :

AMBOY-SB-07(0.5-20.0)


Tot Ion:240 Resp: 251093

Ion Ratio Lower Upper

240 100

120 10.7 13.8 20.8#




236 26.6 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 71.98 ng

RT: 12.83 min Scan# 940

Delta R.T. -0.05 min

Lab File: BF086199.D

Acq: 9 Apr 2016 5:46


Tgt Ion:244 Resp: 768865

Ion Ratio Lower Upper

244 100

212 7.1 6.1 9.1



122 10.4 10.2 15.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.28 min Scan# 1154
 Delta R.T. -0.06 min
 Lab File: BF086199.D
 Acq: 9 Apr 2016 5:46

Instrument :
 BNA_F
 ClientSampleId :
 AMBOY-SB-07(0.5-20.0)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.9	19.4	29.2
265	21.9	17.2	25.8



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

