

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040915\
 Data File : BF078372.D
 Acq On : 9 Apr 2015 21:44
 Operator : TP/IZ
 Sample : G1782-15
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB04(2)

Quant Time: Apr 10 01:20:48 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 10 00:58:40 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	44348	20.00	ng	0.00
21) Naphthalene-d8	8.46	136	193696	20.00	ng	0.00
38) Acenaphthene-d10	10.62	164	97499	20.00	ng	0.00
63) Phenanthrene-d10	12.44	188	187304	20.00	ng	-0.01
75) Chrysene-d12	15.71	240	192426	20.00	ng	-0.01
86) Perylene-d12	17.38	264	181897	20.00	ng	-0.10
System Monitoring Compounds						
5) 2-Fluorophenol	5.15	112	201650	74.97	ng	0.00
7) Phenol-d6	6.48	99	262834	77.97	ng	-0.01
23) Nitrobenzene-d5	7.58	82	160321	50.17	ng	0.00
41) 2,4,6-Tribromophenol	11.60	330	68864	85.16	ng	-0.01
44) 2-Fluorobiphenyl	9.81	172	322661	47.30	ng	0.00
78) Terphenyl-d14	14.44	244	326643	38.36	ng	0.00
Target Compounds						
49) Dimethylphthalate	10.33	163	16093	2.20	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF040915\
Data File : BF078372.D
Acq On : 9 Apr 2015 21:44
Operator : TP/IZ
Sample : G1782-15
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB04(2)

Quant Time: Apr 10 01:20:48 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 10 00:58:40 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.89 min Scan# 525
 Delta R.T. 0.00 min
 Lab File: BF078372.D
 Acq: 9 Apr 2015 21:44

Instrument :
 BNA_F
 ClientSampleId :
 SB04(2)

Tgt Ion:152 Resp: 44348
 Ion Ratio Lower Upper
 152 100
 150 154.7 125.9 188.9
 115 52.2 52.7 79.1#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 74.97 ng
 RT: 5.15 min Scan# 373
 Delta R.T. 0.00 min
 Lab File: BF078372.D
 Acq: 9 Apr 2015 21:44

Tgt Ion:112 Resp: 201650
 Ion Ratio Lower Upper
 112 100
 64 49.8 39.9 59.9
 63 25.3 20.2 30.4



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 77.97 ng

RT: 6.48 min Scan# 489

Delta R.T. -0.01 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44

Instrument :

BNA_F

ClientSampleId :

SB04(2)


Tgt Ion: 99 Resp: 262834

Ion Ratio Lower Upper

99 100

42 19.5 14.8 22.2




71 34.6 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.46 min Scan# 663

Delta R.T. 0.00 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44

Tgt Ion: 136 Resp: 193696


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.4

54 5.9 7.0 10.6#

68 4.8 5.4 8.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 50.17 ng

RT: 7.58 min Scan# 586

Delta R.T. 0.00 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44

Instrument :

BNA_F

ClientSampleId :

SB04(2)


Tgt Ion: 82 Resp: 160321

Ion Ratio Lower Upper




82 100

128 45.9 31.8 47.8

54 47.1 41.5 62.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.62 min Scan# 852

Delta R.T. 0.00 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44


Tgt Ion: 164 Resp: 97499

Ion Ratio Lower Upper



164 100


162 105.6 82.2 123.2

160 45.9 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 85.16 ng
 RT: 11.60 min Scan# 937
 Delta R.T. -0.01 min
 Lab File: BF078372.D
 Acq: 9 Apr 2015 21:44




Instrument :
 BNA_F
 ClientSampleId :
 SB04(2)


Tgt Ion:330 Resp: 68864
 Ion Ratio Lower Upper
 330 100
 332 96.9 78.6 117.8
 141 37.3 31.2 46.8



#44
 2-Fluorobiphenyl
 Concen: 47.30 ng
 RT: 9.81 min Scan# 781
 Delta R.T. 0.00 min
 Lab File: BF078372.D
 Acq: 9 Apr 2015 21:44

Tgt Ion:172 Resp: 322661
 Ion Ratio Lower Upper
 172 100
 171 35.5 28.6 42.8
 170 23.2 18.5 27.7





#49

Dimethylphthalate

Concen: 2.20 ng

RT: 10.33 min Scan# 826

Delta R.T. 0.00 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44

Instrument :

BNA_F

ClientSampleId :

SB04(2)


Tgt Ion:163 Resp: 16093

Ion Ratio Lower Upper

163 100

194 3.6 2.3 3.5#




164 9.2 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.44 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF078372.D

Acq: 9 Apr 2015 21:44


Tgt Ion:188 Resp: 187304

Ion Ratio Lower Upper

188 100

94 11.3 9.0 13.4



80 12.2 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.71 min Scan# 1297
Delta R.T. -0.01 min
Lab File: BF078372.D
Acq: 9 Apr 2015 21:44




Instrument :
BNA_F
ClientSampleId :
SB04(2)


Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.2	7.1	10.7
236	24.2	21.4	32.2



#78
Terphenyl-d14
Concen: 38.36 ng
RT: 14.44 min Scan# 1186
Delta R.T. 0.00 min
Lab File: BF078372.D
Acq: 9 Apr 2015 21:44

Tgt Ion	Ratio	Lower	Upper
244	100		
212	5.8	5.0	7.4
122	7.4	7.1	10.7





#86
Perylene-d12
Concen: 20.00 ng
RT: 17.38 min Scan# 1443
Delta R.T. -0.10 min
Lab File: BF078372.D
Acq: 9 Apr 2015 21:44

Instrument :
BNA_F
ClientSampleId :
SB04(2)

Tgt Ion: 264 Resp: 181897
Ion Ratio Lower Upper
264 100
260 23.7 18.6 27.8
265 21.6 17.0 25.6

