

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040915\
 Data File : BF078382.D
 Acq On : 10 Apr 2015 4:28
 Operator : TP/IZ
 Sample : G1782-18
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB07(1)

Quant Time: Apr 10 04:17:22 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 10 01:53:29 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	33571	20.00	ng	0.00
21) Naphthalene-d8	8.46	136	135466	20.00	ng	0.00
38) Acenaphthene-d10	10.61	164	66830	20.00	ng	-0.01
63) Phenanthrene-d10	12.44	188	130759	20.00	ng	0.00
75) Chrysene-d12	15.70	240	135621	20.00	ng	-0.01
86) Perylene-d12	17.36	264	133010	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.15	112	199366	97.91	ng	0.01
7) Phenol-d6	6.48	99	251357	98.50	ng	0.00
23) Nitrobenzene-d5	7.58	82	150235	67.22	ng	0.00
41) 2,4,6-Tribromophenol	11.60	330	63893	115.28	ng	0.00
44) 2-Fluorobiphenyl	9.81	172	319875	68.42	ng	0.00
78) Terphenyl-d14	14.44	244	367572	61.24	ng	0.00
Target Compounds						
10) Phenol	6.50	94	6209	2.03	ng	Qvalue 84
49) Dimethylphthalate	10.32	163	15298	3.05	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040915\
Data File : BF078382.D
Acq On : 10 Apr 2015 4:28
Operator : TP/IZ
Sample : G1782-18
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB07(1)

Quant Time: Apr 10 04:17:22 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 10 01:53:29 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 525

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28

Instrument :

BNA_F

ClientSampleId :

SB07(1)


Tot Ion:152 Resp: 33571

Ion Ratio Lower Upper

152 100

150 153.8 125.9 188.9




115 50.0 52.7 79.1#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 97.91 ng

RT: 5.15 min Scan# 373

Delta R.T. 0.01 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28


Tgt Ion:112 Resp: 199366

Ion Ratio Lower Upper

112 100

64 48.7 39.9 59.9



63 24.9 20.2 30.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 98.50 ng

RT: 6.48 min Scan# 489

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28

Instrument :

BNA_F

ClientSampleId :

SB07(1)


Tot Ion: 99 Resp: 251357

Ion Ratio Lower Upper

99 100

42 18.0 14.8 22.2




71 33.0 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.03 ng

RT: 6.50 min Scan# 491

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28


Tgt Ion: 94 Resp: 6209

Ion Ratio Lower Upper

94 100

65 28.1 4.9 44.9



66 47.3 13.8 53.8




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.46 min Scan# 663

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28

Instrument :

BNA_F

ClientSampleId :

SB07(1)

Tot Ion:136 Resp: 135466


Ion Ratio Lower Upper

136 100

137 9.7 9.0 13.4

54 5.5 7.0 10.6#

68 4.7 5.4 8.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 67.22 ng

RT: 7.58 min Scan# 586

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28


Tgt Ion: 82 Resp: 150235

Ion Ratio Lower Upper

82 100

128 49.3 31.8 47.8#



54 47.1 41.5 62.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.61 min Scan# 851

Delta R.T. -0.01 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28

Instrument :

BNA_F

ClientSampleId :

SB07(1)


Tot Ion:164 Resp: 66830

Ion Ratio Lower Upper

164 100

162 101.6 82.2 123.2




160 44.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 115.28 ng

RT: 11.60 min Scan# 937

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28


Tgt Ion:330 Resp: 63893

Ion Ratio Lower Upper

330 100

332 96.7 78.6 117.8



141 37.4 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 68.42 ng
RT: 9.81 min Scan# 781
Delta R.T. -0.00 min
Lab File: BF078382.D
Acq: 10 Apr 2015 4:28

Instrument :
BNA_F
ClientSampleId :
SB07(1)

Tot Ion:172 Resp: 319875
Ion Ratio Lower Upper
172 100
171 35.1 28.6 42.8
170 23.0 18.5 27.7




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 3.05 ng
RT: 10.32 min Scan# 825
Delta R.T. -0.01 min
Lab File: BF078382.D
Acq: 10 Apr 2015 4:28

Tgt Ion:163 Resp: 15298
Ion Ratio Lower Upper
163 100
194 0.0 2.3 3.5#
164 12.2 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.44 min Scan# 1011
 Delta R.T. -0.00 min
 Lab File: BF078382.D
 Acq: 10 Apr 2015 4:28

Instrument :
 BNA_F
 ClientSampleId :
 SB07(1)

Tot Ion:188 Resp: 130759
 Ion Ratio Lower Upper
 188 100
 94 12.0 9.0 13.4
 80 12.5 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.70 min Scan# 1296
 Delta R.T. -0.01 min
 Lab File: BF078382.D
 Acq: 10 Apr 2015 4:28

Tgt Ion:240 Resp: 135621
 Ion Ratio Lower Upper
 240 100
 120 14.5 7.1 10.7#
 236 24.7 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 61.24 ng

RT: 14.44 min Scan# 1186

Delta R.T. -0.00 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28

Instrument :

BNA_F

ClientSampleId :

SB07(1)


Tot Ion:244 Resp: 367572

Ion Ratio Lower Upper

244 100

212 6.2 5.0 7.4




122 7.9 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.36 min Scan# 1441

Delta R.T. -0.06 min

Lab File: BF078382.D

Acq: 10 Apr 2015 4:28


Tgt Ion:264 Resp: 133010

Ion Ratio Lower Upper

264 100

260 23.2 18.6 27.8

265 20.4 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

