

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040918\
 Data File : BF104379.D
 Acq On : 9 Apr 2018 18:23
 Operator : JU/SJ
 Sample : J2157-03 5X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-B

Quant Time: Apr 10 02:24:38 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 06 16:44:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	131396	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	512962	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	218220	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	325384	20.00	ng	0.00
75) Chrysene-d12	13.97	240	272266	20.00	ng	0.00
86) Perylene-d12	15.44	264	242999	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	215664	25.10	ng	0.00
7) Phenol-d6	6.42	99	269206	25.50	ng	0.00
23) Nitrobenzene-d5	7.36	82	147479	18.77	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	50848	22.46	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	291213	21.08	ng	0.00
78) Terphenyl-d14	12.92	244	195923	16.41	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040918\
Data File : BF104379.D
Acq On : 9 Apr 2018 18:23
Operator : JU/SJ
Sample : J2157-03 5X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CL-01-040618-B

Quant Time: Apr 10 02:24:38 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 06 16:44:53 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.80 min Scan# 802
 Delta R.T. 0.00 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-B

Tot Ion:152 Resp: 131396
 Ion Ratio Lower Upper
 152 100
 150 153.6 124.6 186.8
 115 60.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 25.097 ng
 RT: 5.40 min Scan# 563
 Delta R.T. -0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Tgt Ion:112 Resp: 215664
 Ion Ratio Lower Upper
 112 100
 64 56.6 47.9 71.9
 63 27.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.497 ng

RT: 6.42 min Scan# 737

Delta R.T. -0.01 min

Lab File: BF104379.D

Acq: 9 Apr 2018 18:23

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-B


Tot Ion: 99 Resp: 269206

Ion Ratio Lower Upper

99 100

42 14.6 14.5 21.7




71 29.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1020

Delta R.T. 0.00 min

Lab File: BF104379.D

Acq: 9 Apr 2018 18:23

Tgt Ion: 136 Resp: 512962


Ion Ratio Lower Upper

136 100

137 11.4 8.9 13.3

54 7.2 6.6 9.8

68 6.5 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 18.774 ng
 RT: 7.36 min Scan# 897
 Delta R.T. -0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-B

Tot Ion: 82 Resp: 147479
 Ion Ratio Lower Upper
 82 100
 128 44.9 36.1 54.1
 54 45.1 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. -0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Tgt Ion: 164 Resp: 218220
 Ion Ratio Lower Upper
 164 100
 162 105.2 86.1 129.1
 160 44.4 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1






#41
 2,4,6-Tribromophenol
 Concen: 22.463 ng
 RT: 10.63 min Scan# 1452
 Delta R.T. -0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-B

Tot Ion	330	Resp	50848
Ion Ratio	100	Lower	Upper
332	95.2	77.0	115.6
141	34.6	29.9	44.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 21.082 ng
 RT: 9.16 min Scan# 1203
 Delta R.T. 0.00 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Tgt Ion	172	Resp	291213
Ion Ratio	100	Lower	Upper
171	35.1	29.7	44.5
170	23.1	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1571
Delta R.T. 0.00 min
Lab File: BF104379.D
Acq: 9 Apr 2018 18:23




Instrument :
BNA_F
ClientSampleId :
CL-01-040618-B


Tot Ion:188 Resp: 325384
Ion Ratio Lower Upper
188 100
94 11.0 8.5 12.7
80 12.3 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2021
Delta R.T. 0.00 min
Lab File: BF104379.D
Acq: 9 Apr 2018 18:23

Tgt Ion:240 Resp: 272266
Ion Ratio Lower Upper
240 100
120 12.3 9.5 14.3
236 25.8 20.7 31.1









#78
 Terphenyl-d14
 Concen: 16.406 ng
 RT: 12.92 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-B

Tot Ion:244 Resp: 195923
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 12.7 11.0 16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.44 min Scan# 2270
 Delta R.T. 0.01 min
 Lab File: BF104379.D
 Acq: 9 Apr 2018 18:23

Tgt Ion:264 Resp: 242999
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.2 28.8
 265 21.3 17.5 26.3

