

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040918\
 Data File : BF104382.D
 Acq On : 9 Apr 2018 19:42
 Operator : JU/SJ
 Sample : J2157-09 2X
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-E

Quant Time: Apr 10 03:07:56 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 06 16:44:53 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	144380	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	559720	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	217968	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	319479	20.00	ng	0.00
75) Chrysene-d12	13.98	240	274928	20.00	ng	0.00
86) Perylene-d12	15.44	264	177214	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	520860	55.16	ng	0.00
7) Phenol-d6	6.43	99	638832	55.06	ng	0.00
23) Nitrobenzene-d5	7.37	82	361126	42.13	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	109545	48.45	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	642163	46.54	ng	0.00
78) Terphenyl-d14	12.92	244	468011	38.81	ng	0.00
Target Compounds						
10) Phenol	6.44	94	33154	2.693	ng	96
49) Dimethylphthalate	9.56	163	85114	4.952	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF040918\
Data File : BF104382.D
Acq On : 9 Apr 2018 19:42
Operator : JU/SJ
Sample : J2157-09 2X
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CL-01-040618-E

Quant Time: Apr 10 03:07:56 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 06 16:44:53 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.80 min Scan# 802

Delta R.T. -0.00 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-E


Tot Ion:152 Resp: 144380

Ion Ratio Lower Upper

152 100

150 152.4 124.6 186.8




115 63.6 50.1 75.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 55.162 ng

RT: 5.41 min Scan# 565

Delta R.T. 0.01 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42


Tgt Ion:112 Resp: 520860

Ion Ratio Lower Upper

112 100

64 56.2 47.9 71.9



63 28.9 23.7 35.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 55.064 ng

RT: 6.43 min Scan# 738

Delta R.T. -0.00 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-E


Tot Ion: 99 Resp: 638832

Ion Ratio Lower Upper

99 100

42 16.2 14.5 21.7




71 32.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.693 ng

RT: 6.44 min Scan# 740

Delta R.T. -0.00 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42


Tgt Ion: 94 Resp: 33154

Ion Ratio Lower Upper

94 100

65 28.7 7.9 47.9



66 40.0 16.2 56.2




Abundance Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1021

Delta R.T. 0.01 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-E

Tot Ion:136 Resp: 559720



Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 6.5 6.6 9.8#

68 5.8 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 42.130 ng

RT: 7.37 min Scan# 898

Delta R.T. -0.00 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42



Tgt Ion: 82 Resp: 361126

Ion Ratio Lower Upper

82 100

128 46.2 36.1 54.1


54 43.5 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1319
 Delta R.T. -0.00 min
 Lab File: BF104382.D
 Acq: 9 Apr 2018 19:42

Instrument :
 BNA_F
 ClientSampleId :
 CL-01-040618-E

Tot Ion:164 Resp: 217968
 Ion Ratio Lower Upper
 164 100
 162 103.2 86.1 129.1
 160 45.4 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 48.449 ng
 RT: 10.63 min Scan# 1453
 Delta R.T. -0.00 min
 Lab File: BF104382.D
 Acq: 9 Apr 2018 19:42

Tgt Ion:330 Resp: 109545
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.0 115.6
 141 36.0 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44

2-Fluorobiphenyl

Concen: 46.542 ng

RT: 9.17 min Scan# 1204

Delta R.T. 0.01 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-E


Tot Ion:172 Resp: 642163

Ion Ratio Lower Upper

172 100

171 35.7 29.7 44.5




170 23.4 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#49

Dimethylphthalate

Concen: 4.952 ng

RT: 9.56 min Scan# 1270

Delta R.T. -0.01 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42


Tgt Ion:163 Resp: 85114

Ion Ratio Lower Upper

163 100

194 3.5 2.7 4.1



164 10.4 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. 0.01 min
Lab File: BF104382.D
Acq: 9 Apr 2018 19:42

Instrument :
BNA_F
ClientSampleId :
CL-01-040618-E

Tot Ion:188 Resp: 319479
Ion Ratio Lower Upper
188 100
94 11.1 8.5 12.7
80 11.7 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.98 min Scan# 2022
Delta R.T. 0.01 min
Lab File: BF104382.D
Acq: 9 Apr 2018 19:42

Tgt Ion:240 Resp: 274928
Ion Ratio Lower Upper
240 100
120 12.5 9.5 14.3
236 26.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 38.810 ng

RT: 12.92 min Scan# 1842

Delta R.T. -0.00 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42

Instrument :

BNA_F

ClientSampleId :

CL-01-040618-E


Tot Ion:244 Resp: 468011

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 12.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.44 min Scan# 2271

Delta R.T. 0.02 min

Lab File: BF104382.D

Acq: 9 Apr 2018 19:42


Tgt Ion:264 Resp: 177214

Ion Ratio Lower Upper

264 100

260 23.5 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

