

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041017\
 Data File : BF094343.D
 Acq On : 11 Apr 2017 7:20
 Operator : SJ/MA
 Sample : I2598-10
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Apr 11 07:51:04 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 06 13:20:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.83	152	154363	20.00	ng	-0.02
21) Naphthalene-d8	7.34	136	606887	20.00	ng	-0.02
38) Acenaphthene-d10	9.47	164	257627	20.00	ng	-0.02
63) Phenanthrene-d10	11.30	188	419686	20.00	ng	-0.02
75) Chrysene-d12	14.55	240	285761	20.00	ng	-0.02
86) Perylene-d12	16.17	264	244388	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	4.39	112	990637	108.39	ng	0.00
7) Phenol-d6	5.47	99	1253589	110.88	ng	0.00
23) Nitrobenzene-d5	6.49	82	768756	72.29	ng	-0.02
41) 2,4,6-Tribromophenol	10.46	330	226420	111.22	ng	-0.02
44) 2-Fluorobiphenyl	8.66	172	1254687	74.28	ng	-0.02
78) Terphenyl-d14	13.28	244	769579	60.37	ng	-0.02
Target Compounds						
9) Benzaldehyde	5.59	77	20644	2.70	ng	Qvalue 84
10) Phenol	5.48	94	84125	6.54	ng	89
19) n-Nitroso-di-n-propylamine	6.49	70	101449	13.96	ng	# 77
49) Dimethylphthalate	9.16	163	233384	12.74	ng	100
56) 2,4-Dinitrotoluene	9.47	165	33293	6.31	ng	# 33

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041017\
Data File : BF094343.D
Acq On : 11 Apr 2017 7:20
Operator : SJ/MA
Sample : I2598-10
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Apr 11 07:51:04 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 06 13:20:29 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.83 min Scan# 671
Delta R.T. -0.02 min
Lab File: BF094343.D
Acq: 11 Apr 2017 7:20

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 154363
Ion Ratio Lower Upper
152 100
150 157.5 126.2 189.2
115 61.2 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.39 ng
RT: 4.39 min Scan# 426
Delta R.T. 0.01 min
Lab File: BF094343.D
Acq: 11 Apr 2017 7:20

Tgt Ion:112 Resp: 990637
Ion Ratio Lower Upper
112 100
64 58.4 46.0 69.0
63 29.1 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.88 ng

RT: 5.47 min Scan# 609

Delta R.T. 0.01 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 1253589

Ion Ratio Lower Upper

99 100

42 18.0 13.5 20.3




71 33.9 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 2.70 ng

RT: 5.59 min Scan# 630

Delta R.T. 0.24 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20


Tgt Ion: 77 Resp: 20644

Ion Ratio Lower Upper

77 100

105 86.3 83.8 123.8



106 83.8 79.1 119.1




Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E





#10

Phenol

Concen: 6.54 ng

RT: 5.48 min Scan# 611

Delta R.T. -0.00 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 94 Resp: 84125

Ion Ratio Lower Upper

94 100

65 23.9 9.9 49.9




66 36.2 23.1 63.1



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.96 ng

RT: 6.49 min Scan# 782

Delta R.T. 0.14 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20

Tgt Ion: 70 Resp: 101449


Ion Ratio Lower Upper

70 100

42 45.8 47.2 70.8#

101 0.0 7.2 10.8#

130 2.4 15.9 23.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.34 min Scan# 927

Delta R.T. -0.02 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 606887


Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 6.8 4.9 7.3

68 5.5 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 72.29 ng

RT: 6.49 min Scan# 782

Delta R.T. -0.02 min

Lab File: BF094343.D

Acq: 11 Apr 2017 7:20


Tgt Ion: 82 Resp: 768756

Ion Ratio Lower Upper

82 100

128 47.0 34.0 51.0



54 49.1 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.47 min Scan# 1290
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 257627
 Ion Ratio Lower Upper
 164 100
 162 102.4 82.6 123.8
 160 44.8 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 111.22 ng
 RT: 10.46 min Scan# 1457
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20

Tgt Ion:330 Resp: 226420
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 115.0
 141 39.0 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.28 ng
 RT: 8.66 min Scan# 1152
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:172 Resp: 1254687

Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.6	44.4
170	24.1	19.8	29.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49
 Dimethylphthalate
 Concen: 12.74 ng
 RT: 9.16 min Scan# 1236
 Delta R.T. -0.04 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20

Tgt Ion:163 Resp: 233384

Ion	Ratio	Lower	Upper
163	100		
194	3.5	2.6	4.0
164	10.6	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E






#56
 2,4-Dinitrotoluene
 Concen: 6.31 ng
 RT: 9.47 min Scan# 1290
 Delta R.T. -0.28 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Resp	Lower	Upper
165	100	33293		
63	1.2	25.4	38.0#	
89	1.5	46.4	69.6#	
182	0.0	1.8	2.6#	






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.30 min Scan# 1600
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20



Tgt Ion	Ratio	Resp	Lower	Upper
188	100	419686		
94	11.3	9.4	14.2	
80	12.0	10.2	15.2	




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.55 min Scan# 2153
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:240 Resp: 285761
 Ion Ratio Lower Upper
 240 100
 120 13.0 5.8 8.8#
 236 25.3 20.5 30.7



#78
 Terphenyl-d14
 Concen: 60.37 ng
 RT: 13.28 min Scan# 1937
 Delta R.T. -0.02 min
 Lab File: BF094343.D
 Acq: 11 Apr 2017 7:20

Tgt Ion:244 Resp: 769579
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 12.7 10.3 15.5






#86
Pervlene-d12
Concen: 20.00 ng
RT: 16.17 min Scan# 2429
Delta R.T. -0.02 min
Lab File: BF094343.D
Acq: 11 Apr 2017 7:20

Instrument :
BNA_F
ClientSampleId :

Tot Ion:264 Resp: 244388
Ion Ratio Lower Upper
264 100
260 22.7 19.5 29.3
265 21.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

