

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041318\
 Data File : BF104508.D
 Acq On : 14 Apr 2018 6:38
 Operator : JU/SJ
 Sample : J2368-02
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Apr 16 00:40:17 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 13 17:38:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	128077	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	500013	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	206770	20.00	ng	-0.01
63) Phenanthrene-d10	11.33	188	306369	20.00	ng	-0.01
75) Chrysene-d12	13.98	240	243363	20.00	ng	-0.01
86) Perylene-d12	15.44	264	183185	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	341064	40.72	ng	0.00
7) Phenol-d6	6.44	99	285221	27.71	ng	0.00
23) Nitrobenzene-d5	7.37	82	775367	101.26	ng	0.00
41) 2,4,6-Tribromophenol	10.64	330	166618	77.68	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	1293084	98.79	ng	0.00
78) Terphenyl-d14	12.93	244	945963	88.62	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.37	70	104230	15.498	ng	# 72
25) Isophorone	7.37	82	775359	47.883	ng	# 64
49) Dimethylphthalate	9.56	163	80648	4.946	ng	# 99
50) 2,6-Dinitrotoluene	9.85	165	26416	8.755	ng	# 24
56) 2,4-Dinitrotoluene	9.85	165	26416	6.675	ng	# 22
64) 4,6-Dinitro-2-methylphenol	10.64	198	162	7.439	ng	# 1
66) 4-Bromophenyl-phenylether	10.64	248	10221	3.136	ng	# 1
76) Benzidine	12.93	184	12259	Below Cal		# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041318\
Data File : BF104508.D
Acq On : 14 Apr 2018 6:38
Operator : JU/SJ
Sample : J2368-02
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Apr 16 00:40:17 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 13 17:38:31 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.81 min Scan# 803
Delta R.T. -0.00 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 128077
Ion Ratio Lower Upper
152 100
150 154.8 124.6 186.8
115 61.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 40.718 ng
RT: 5.42 min Scan# 567
Delta R.T. -0.00 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38

Tgt Ion:112 Resp: 341064
Ion Ratio Lower Upper
112 100
64 57.3 47.9 71.9
63 28.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.714 ng

RT: 6.44 min Scan# 740

Delta R.T. -0.01 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 285221

Ion Ratio Lower Upper




99 100

42 15.6 14.5 21.7

71 33.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 15.498 ng

RT: 7.37 min Scan# 899

Delta R.T. 0.15 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38

Tgt Ion: 70 Resp: 104230


Ion Ratio Lower Upper

70 100



42 40.8 47.5 71.3#

101 0.0 7.4 11.2#

130 2.2 16.6 25.0#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.09 min Scan# 1021
Delta R.T. -0.01 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38




Instrument :
BNA_F
ClientSampled :

Tot Ion:	136	Resp:	500013
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	6.6	6.6	9.8#
68	5.5	5.0	7.4



#23
Nitrobenzene-d5
Concen: 101.257 ng
RT: 7.37 min Scan# 899
Delta R.T. -0.01 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38

Tgt Ion:	82	Resp:	775367
Ion	Ratio	Lower	Upper
82	100		
128	45.6	36.1	54.1
54	46.0	41.4	62.2





#25

Isophorone

Concen: 47.883 ng

RT: 7.37 min Scan# 899

Delta R.T. -0.26 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 775359

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.85 min Scan# 1319

Delta R.T. -0.01 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38


Tgt Ion:164 Resp: 206770

Ion Ratio Lower Upper

164 100

162 105.5 86.1 129.1



160 45.6 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 77.682 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. -0.01 min
 Lab File: BF104508.D
 Acq: 14 Apr 2018 6:38

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:330 Resp: 166618
 Ion Ratio Lower Upper
 330 100
 332 97.5 77.0 115.6
 141 32.9 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.793 ng
 RT: 9.17 min Scan# 1204
 Delta R.T. -0.01 min
 Lab File: BF104508.D
 Acq: 14 Apr 2018 6:38

Tgt Ion:172 Resp: 1293084
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.946 ng

RT: 9.56 min Scan# 1271

Delta R.T. -0.02 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 80648

Ion Ratio Lower Upper

163 100

194 3.7 2.7 4.1




164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 8.755 ng

RT: 9.85 min Scan# 1319

Delta R.T. 0.21 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38


Tgt Ion:165 Resp: 26416

Ion Ratio Lower Upper

165 100

63 0.0 44.7 67.1#



89 1.2 44.0 66.0#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1









#56
 2,4-Dinitrotoluene
 Concen: 6.675 ng
 RT: 9.85 min Scan# 1319
 Delta R.T. -0.20 min
 Lab File: BF104508.D
 Acq: 14 Apr 2018 6:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:	165	Resp:	26416
Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	1.2	57.8	86.6#
182	0.0	1.6	2.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.33 min Scan# 1572
 Delta R.T. -0.01 min
 Lab File: BF104508.D
 Acq: 14 Apr 2018 6:38

Tgt Ion:	188	Resp:	306369
Ion	Ratio	Lower	Upper
188	100		
94	11.0	8.5	12.7
80	11.9	9.2	13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1









#64
4,6-Dinitro-2-methylphenol
Concen: 7.439 ng
RT: 10.64 min Scan# 1454
Delta R.T. 0.18 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion:198 Resp: 162
Ion Ratio Lower Upper
198 100
51 136.2 37.7 77.7#
105 169.7 36.3 76.3#




Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF1
Ion 105.00 (104.70 to 105.70): E






#66
4-Bromophenyl-phenylether
Concen: 3.136 ng
RT: 10.64 min Scan# 1454
Delta R.T. -0.25 min
Lab File: BF104508.D
Acq: 14 Apr 2018 6:38

Tgt Ion:248 Resp: 10221
Ion Ratio Lower Upper
248 100
250 178.2 76.9 115.3#
141 490.0 74.4 111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.98 min Scan# 2022

Delta R.T. -0.01 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 243363

Ion Ratio Lower Upper

240 100

120 12.1 9.5 14.3



236 25.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 88.618 ng

RT: 12.93 min Scan# 1843

Delta R.T. -0.01 min

Lab File: BF104508.D

Acq: 14 Apr 2018 6:38


Tgt Ion:244 Resp: 945963

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 12.0 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.44 min Scan# 2271
 Delta R.T. -0.01 min
 Lab File: BF104508.D
 Acq: 14 Apr 2018 6:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.2	28.8
265	22.2	17.5	26.3

