

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041322\
 Data File : BF127782.D
 Acq On : 13 Apr 2022 14:13
 Operator : CG\JU
 Sample : N2334-11
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-26

Quant Time: Apr 13 16:51:10 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 16:40:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.957	152	118478	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	427875	20.000	ng	# 0.00
39) Acenaphthene-d10	9.998	164	219100	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	356202	20.000	ng	0.00
76) Chrysene-d12	14.133	240	258526	20.000	ng	-0.01
86) Perylene-d12	15.657	264	300715	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	472068	64.743	ng	0.00
7) Phenol-d6	6.569	99	373137	39.118	ng	-0.02
23) Nitrobenzene-d5	7.522	82	836799	87.188	ng	0.00
42) 2,4,6-Tribromophenol	10.792	330	300561	128.910	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	1411814	91.157	ng	0.00
79) Terphenyl-d14	13.080	244	1255815	80.180	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041322\
Data File : BF127782.D
Acq On : 13 Apr 2022 14:13
Operator : CG\JU
Sample : N2334-11
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-26

Quant Time: Apr 13 16:51:10 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 16:40:15 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.957 min Scan# 794
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13




Instrument :
BNA_F
ClientSampleId :
MW-26

Tgt Ion:152 Resp: 118478
Ion Ratio Lower Upper
152 100
150 150.4 117.2 175.8
115 63.3 49.8 74.6



#5
2-Fluorophenol
Concen: 64.743 ng
RT: 5.575 min Scan# 559
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13

Tgt Ion:112 Resp: 472068
Ion Ratio Lower Upper
112 100
64 65.9 58.4 87.6
63 34.9 30.1 45.1









#7
Phenol-d6
Concen: 39.118 ng
RT: 6.569 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13




Instrument :
BNA_F
ClientSampleId :
MW-26


Tgt Ion: 99 Resp: 373137
Ion Ratio Lower Upper
99 100
42 20.8 17.8 26.6
71 38.7 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13

Tgt Ion: 136 Resp: 427875
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 8.1 9.2 13.8#
68 5.7 5.4 8.0









#23
Nitrobenzene-d5
Concen: 87.188 ng
RT: 7.522 min Scan# 89
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13




Instrument :
BNA_F
ClientSampleId :
MW-26


Tgt Ion: 82 Resp: 836799
Ion Ratio Lower Upper
82 100
128 39.0 30.6 45.8
54 49.7 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1311
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13


Tgt Ion: 164 Resp: 219100
Ion Ratio Lower Upper
164 100
162 103.8 81.2 121.8
160 44.7 34.6 52.0








#42
2,4,6-Tribromophenol
Concen: 128.910 ng
RT: 10.792 min Scan# 1446
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13

Instrument :
BNA_F
ClientSampleId :
MW-26






Tgt Ion:330 Resp: 300561
Ion Ratio Lower Upper
330 100
332 98.3 79.1 118.7
141 34.8 26.2 39.4



#45
2-Fluorobiphenyl
Concen: 91.157 ng
RT: 9.316 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13

Tgt Ion:172 Resp: 1411814
Ion Ratio Lower Upper
172 100
171 35.3 28.4 42.6
170 23.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13




Instrument :
BNA_F
ClientSampleId :
MW-26


Tgt Ion:188 Resp: 356202
Ion Ratio Lower Upper
188 100
94 9.0 7.4 11.0
80 10.3 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.133 min Scan# 2014
Delta R.T. -0.012 min
Lab File: BF127782.D
Acq: 13 Apr 2022 14:13


Tgt Ion:240 Resp: 258526
Ion Ratio Lower Upper
240 100
120 10.0 7.1 10.7
236 25.8 20.7 31.1








#79
 Terphenyl-d14
 Concen: 80.180 ng
 RT: 13.080 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF127782.D
 Acq: 13 Apr 2022 14:13

Instrument :
 BNA_F
 ClientSampleId :
 MW-26



Tgt Ion:244 Resp: 1255815

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.7	8.5
122	8.6	6.2	9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.657 min Scan# 2273
 Delta R.T. -0.006 min
 Lab File: BF127782.D
 Acq: 13 Apr 2022 14:13

Tgt Ion:264 Resp: 300715

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.1	28.7
265	21.9	17.4	26.2

