

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF041415\
 Data File : BF078534.D
 Acq On : 15 Apr 2015 10:07
 Operator : TP/IZ
 Sample : G1823-15
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-2

Quant Time: Apr 15 12:01:36 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 15 11:39:18 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	24544	20.00	ng	-0.01
21) Naphthalene-d8	8.38	136	101166	20.00	ng	-0.01
38) Acenaphthene-d10	10.54	164	52827	20.00	ng	-0.01
63) Phenanthrene-d10	12.36	188	109053	20.00	ng	0.00
75) Chrysene-d12	15.63	240	126091	20.00	ng	0.00
86) Perylene-d12	17.38	264	124370	20.00	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.06	112	177016	118.91	ng	0.01
7) Phenol-d6	6.41	99	208533	111.78	ng	0.00
23) Nitrobenzene-d5	7.51	82	149670	89.67	ng	-0.01
41) 2,4,6-Tribromophenol	11.52	330	61564	140.52	ng	0.00
44) 2-Fluorobiphenyl	9.74	172	322475	87.26	ng	0.00
78) Terphenyl-d14	14.35	244	411643	73.77	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF041415\
Data File : BF078534.D
Acq On : 15 Apr 2015 10:07
Operator : TP/IZ
Sample : G1823-15
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-2

Quant Time: Apr 15 12:01:36 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 15 11:39:18 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.80 min Scan# 491
Delta R.T. -0.01 min
Lab File: BF078534.D
Acq: 15 Apr 2015 10:07

Instrument :
BNA_F
ClientSampleId :
SP-2

Tgt Ion:152 Resp: 24544
Ion Ratio Lower Upper
152 100
150 157.1 125.9 188.9
115 67.3 52.7 79.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.91 ng
RT: 5.06 min Scan# 339
Delta R.T. 0.01 min
Lab File: BF078534.D
Acq: 15 Apr 2015 10:07

Tgt Ion:112 Resp: 177016
Ion Ratio Lower Upper
112 100
64 50.1 39.9 59.9
63 25.8 20.2 30.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 111.78 ng

RT: 6.41 min Scan# 457

Delta R.T. -0.00 min

Lab File: BF078534.D

Acq: 15 Apr 2015 10:07

Instrument :

BNA_F

ClientSampleId :

SP-2


Tgt Ion: 99 Resp: 208533

Ion Ratio Lower Upper

99 100

42 14.1 14.8 22.2#




71 28.4 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.38 min Scan# 629

Delta R.T. -0.01 min

Lab File: BF078534.D

Acq: 15 Apr 2015 10:07

Tgt Ion: 136 Resp: 101166


Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.4

54 8.8 7.0 10.6

68 7.2 5.4 8.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.67 ng
 RT: 7.51 min Scan# 553
 Delta R.T. -0.01 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Instrument :
 BNA_F
 ClientSampled :
 SP-2

Tgt Ion: 82 Resp: 149670
 Ion Ratio Lower Upper
 82 100
 128 45.5 31.8 47.8
 54 47.4 41.5 62.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.54 min Scan# 818
 Delta R.T. -0.01 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Tgt Ion: 164 Resp: 52827
 Ion Ratio Lower Upper
 164 100
 162 100.3 82.2 123.2
 160 44.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 140.52 ng
 RT: 11.52 min Scan# 904
 Delta R.T. -0.00 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Instrument :
 BNA_F
 ClientSampleId :
 SP-2

Tgt Ion:330 Resp: 61564
 Ion Ratio Lower Upper
 330 100
 332 96.1 78.6 117.8
 141 37.8 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.26 ng
 RT: 9.74 min Scan# 748
 Delta R.T. -0.00 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Tgt Ion:172 Resp: 322475
 Ion Ratio Lower Upper
 172 100
 171 34.5 28.6 42.8
 170 23.4 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.36 min Scan# 978
 Delta R.T. -0.00 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Instrument :
 BNA_F
 ClientSampleId :
 SP-2

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.4	9.0	13.4#
80	8.5	9.5	14.3#




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 15.63 min Scan# 1264
 Delta R.T. -0.00 min
 Lab File: BF078534.D
 Acq: 15 Apr 2015 10:07

Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.6	7.1	10.7
236	24.8	21.4	32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 73.77 ng

RT: 14.35 min Scan# 1152

Delta R.T. -0.01 min

Lab File: BF078534.D

Acq: 15 Apr 2015 10:07

Instrument :

BNA_F

ClientSampleId :

SP-2


Tgt Ion:244 Resp: 411643

Ion Ratio Lower Upper

244 100

212 7.0 5.0 7.4




122 14.3 7.1 10.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.38 min Scan# 1417

Delta R.T. 0.06 min

Lab File: BF078534.D

Acq: 15 Apr 2015 10:07


Tgt Ion:264 Resp: 124370

Ion Ratio Lower Upper

264 100

260 23.0 18.6 27.8

265 20.6 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

