

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041516\
 Data File : BF086226.D
 Acq On : 15 Apr 2016 19:48
 Operator : UM/SJ
 Sample : H2402-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GW-01S-4-7-16

Quant Time: Apr 16 01:11:07 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 15 15:56:31 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	282125	20.00	ng	-0.01
21) Naphthalene-d8	8.18	136	1180605	20.00	ng	0.00
38) Acenaphthene-d10	9.93	164	508204	20.00	ng	-0.01
63) Phenanthrene-d10	11.41	188	890921	20.00	ng	0.00
75) Chrysene-d12	14.04	240	600770	20.00	ng	-0.01
86) Perylene-d12	15.48	264	457178	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	160568	9.33	ng	-0.01
7) Phenol-d6	6.50	99	145300	6.75	ng	-0.02
23) Nitrobenzene-d5	7.45	82	293699	14.35	ng	-0.01
41) 2,4,6-Tribromophenol	10.72	330	76097	18.65	ng	-0.01
44) 2-Fluorobiphenyl	9.25	172	553418	20.09	ng	-0.01
78) Terphenyl-d14	13.00	244	428951	17.95	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.65	163	559441	15.14	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041516\
Data File : BF086226.D
Acq On : 15 Apr 2016 19:48
Operator : UM/SJ
Sample : H2402-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GW-01S-4-7-16

Quant Time: Apr 16 01:11:07 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 15 15:56:31 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 420

Delta R.T. -0.01 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48

Instrument :

BNA_F

ClientSampleId :

GW-01S-4-7-16


Tot Ion:152 Resp: 282125

Ion Ratio Lower Upper

152 100

150 158.3 124.1 186.1




115 73.5 43.9 65.9#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 9.33 ng

RT: 5.47 min Scan# 296

Delta R.T. -0.01 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48


Tgt Ion:112 Resp: 160568

Ion Ratio Lower Upper

112 100

64 63.7 48.1 72.1



63 30.9 25.5 38.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 6.75 ng

RT: 6.50 min Scan# 386

Delta R.T. -0.02 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48

Instrument :

BNA_F

ClientSampleId :

GW-01S-4-7-16


Tot Ion: 99 Resp: 145300

Ion Ratio Lower Upper

99 100

42 17.1 15.4 23.2




71 28.6 25.6 38.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 533

Delta R.T. -0.00 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48

Tgt Ion: 136 Resp: 1180605


Ion Ratio Lower Upper

136 100

137 11.5 9.1 13.7

54 8.0 7.3 10.9

68 6.7 5.7 8.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 14.35 ng
 RT: 7.45 min Scan# 469
 Delta R.T. -0.01 min
 Lab File: BF086226.D
 Acq: 15 Apr 2016 19:48

Instrument :
 BNA_F
 ClientSampleId :
 GW-01S-4-7-16

Tot Ion	82	Resp	293699
Ion Ratio	Lower	Upper	
82	100		
128	39.4	35.4	53.2
54	48.5	43.4	65.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 686
 Delta R.T. -0.01 min
 Lab File: BF086226.D
 Acq: 15 Apr 2016 19:48

Tgt Ion	164	Resp	508204
Ion Ratio	Lower	Upper	
164	100		
162	103.0	82.8	124.2
160	47.4	38.9	58.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 18.65 ng
 RT: 10.72 min Scan# 755
 Delta R.T. -0.01 min
 Lab File: BF086226.D
 Acq: 15 Apr 2016 19:48

Instrument :
 BNA_F
 ClientSampleId :
 GW-01S-4-7-16

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.7	78.7	118.1
141	41.0	28.6	42.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 20.09 ng
 RT: 9.25 min Scan# 627
 Delta R.T. -0.01 min
 Lab File: BF086226.D
 Acq: 15 Apr 2016 19:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.0	29.1	43.7
170	24.2	19.9	29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 15.14 ng

RT: 9.65 min Scan# 662

Delta R.T. -0.01 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48

Instrument :

BNA_F

ClientSampleId :

GW-01S-4-7-16


Tot Ion:163 Resp: 559441

Ion Ratio Lower Upper

163 100

194 3.4 2.8 4.2




164 9.6 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.41 min Scan# 816

Delta R.T. -0.00 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48


Tgt Ion:188 Resp: 890921

Ion Ratio Lower Upper

188 100

94 12.6 9.8 14.8



80 13.9 10.5 15.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.04 min Scan# 1046

Delta R.T. -0.01 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48

Instrument :

BNA_F

ClientSampleId :

GW-01S-4-7-16


Tot Ion:240 Resp: 600770

Ion Ratio Lower Upper

240 100

120 19.6 9.3 13.9#




236 26.9 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 17.95 ng

RT: 13.00 min Scan# 955

Delta R.T. 0.00 min

Lab File: BF086226.D

Acq: 15 Apr 2016 19:48


Tgt Ion:244 Resp: 428951

Ion Ratio Lower Upper

244 100

212 6.4 6.4 9.6#



122 9.1 11.7 17.5#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.48 min Scan# 1172
Delta R.T. -0.00 min
Lab File: BF086226.D
Acq: 15 Apr 2016 19:48

Instrument :
BNA_F
ClientSampleId :
GW-01S-4-7-16

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	20.0	30.0
265	21.2	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

