

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041516\
 Data File : BF086265.D
 Acq On : 16 Apr 2016 14:53
 Operator : UM/SJ
 Sample : H2471-13
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CDMSHDUP

Quant Time: Apr 18 05:37:43 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 15 15:56:31 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	272781	20.00	ng	-0.01
21) Naphthalene-d8	8.18	136	1136949	20.00	ng	0.00
38) Acenaphthene-d10	9.93	164	477947	20.00	ng	-0.01
63) Phenanthrene-d10	11.41	188	853809	20.00	ng	0.00
75) Chrysene-d12	14.04	240	492185	20.00	ng	-0.01
86) Perylene-d12	15.48	264	475901	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	1754584	105.39	ng	0.01
7) Phenol-d6	6.52	99	2222052	106.70	ng	0.00
23) Nitrobenzene-d5	7.46	82	1522501	77.24	ng	0.00
41) 2,4,6-Tribromophenol	10.72	330	380268	99.08	ng	-0.01
44) 2-Fluorobiphenyl	9.25	172	1867373	72.10	ng	-0.01
78) Terphenyl-d14	13.00	244	1429359	73.03	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.65	163	516659	14.87	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041516\
Data File : BF086265.D
Acq On : 16 Apr 2016 14:53
Operator : UM/SJ
Sample : H2471-13
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CDMSHDUP

Quant Time: Apr 18 05:37:43 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 15 15:56:31 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 420

Delta R.T. -0.01 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Instrument :

BNA_F

ClientSampleId :

CDMSHDUP


Tot Ion:152 Resp: 272781

Ion Ratio Lower Upper

152 100

150 160.2 124.1 186.1




115 73.5 43.9 65.9#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 105.39 ng

RT: 5.49 min Scan# 298

Delta R.T. 0.01 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53


Tgt Ion:112 Resp: 1754584

Ion Ratio Lower Upper

112 100

64 58.3 48.1 72.1



63 30.5 25.5 38.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 106.70 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.00 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Instrument :

BNA_F

ClientSampleId :

CDMSHDUP





Tot Ion: 99 Resp: 2222052

Ion Ratio Lower Upper

99 100

42 21.0 15.4 23.2

71 34.4 25.6 38.4



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 533

Delta R.T. -0.00 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Tgt Ion: 136 Resp: 1136949




Ion Ratio Lower Upper


136 100

137 11.1 9.1 13.7

54 7.2 7.3 10.9

68 6.1 5.7 8.5









#23
Nitrobenzene-d5
Concen: 77.24 ng
RT: 7.46 min Scan# 470
Delta R.T. -0.00 min
Lab File: BF086265.D
Acq: 16 Apr 2016 14:53

Instrument :
BNA_F
ClientSampled :
CDMSHDUP

Tot Ion: 82 Resp: 1522501
Ion Ratio Lower Upper
82 100
128 48.9 35.4 53.2
54 49.7 43.4 65.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.93 min Scan# 686
Delta R.T. -0.01 min
Lab File: BF086265.D
Acq: 16 Apr 2016 14:53

Tgt Ion:164 Resp: 477947
Ion Ratio Lower Upper
164 100
162 102.6 82.8 124.2
160 46.3 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 99.08 ng
 RT: 10.72 min Scan# 755
 Delta R.T. -0.01 min
 Lab File: BF086265.D
 Acq: 16 Apr 2016 14:53

Instrument :
 BNA_F
 ClientSampleId :
 CDMSHDUP

Tot Ion:330 Resp: 380268
 Ion Ratio Lower Upper
 330 100
 332 97.0 78.7 118.1
 141 43.6 28.6 42.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 72.10 ng
 RT: 9.25 min Scan# 627
 Delta R.T. -0.01 min
 Lab File: BF086265.D
 Acq: 16 Apr 2016 14:53

Tgt Ion:172 Resp: 1867373
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.1 43.7
 170 24.9 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.87 ng

RT: 9.65 min Scan# 662

Delta R.T. -0.01 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Instrument :

BNA_F

ClientSampleId :

CDMSHDUP


Tot Ion:163 Resp: 516659

Ion Ratio Lower Upper

163 100

194 3.5 2.8 4.2




164 9.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.41 min Scan# 816

Delta R.T. -0.00 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53


Tgt Ion:188 Resp: 853809

Ion Ratio Lower Upper

188 100

94 11.1 9.8 14.8



80 11.7 10.5 15.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.04 min Scan# 1046

Delta R.T. -0.01 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Instrument :

BNA_F

ClientSampleId :

CDMSHDUP


Tot Ion:240 Resp: 492185

Ion Ratio Lower Upper

240 100

120 17.3 9.3 13.9#




236 26.7 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.03 ng

RT: 13.00 min Scan# 955

Delta R.T. 0.00 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53


Tgt Ion:244 Resp: 1429359

Ion Ratio Lower Upper

244 100

212 7.6 6.4 9.6



122 14.4 11.7 17.5






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng

RT: 15.48 min Scan# 1172

Delta R.T. -0.00 min

Lab File: BF086265.D

Acq: 16 Apr 2016 14:53

Instrument :

BNA_F

ClientSampleId :

CDMSHDUP

Tot Ion:264 Resp: 475901

Ion Ratio Lower Upper

264 100

260 24.8 20.0 30.0

265 22.4 17.4 26.0

