

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041618\
 Data File : BF104544.D
 Acq On : 16 Apr 2018 20:27
 Operator : JU/SJ
 Sample : J2370-05 10X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CG

Quant Time: Apr 17 00:56:31 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 16 12:15:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	161899	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	667965	20.00	ng	0.00
38) Acenaphthene-d10	9.85	164	301494	20.00	ng	0.00
63) Phenanthrene-d10	11.34	188	509204	20.00	ng	0.00
75) Chrysene-d12	13.99	240	299719	20.00	ng	0.00
86) Perylene-d12	15.45	264	314285	20.00	ng	0.00

System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	107404	10.14	ng	0.00
7) Phenol-d6	6.43	99	135097	10.38	ng	-0.02
23) Nitrobenzene-d5	7.37	82	78923	7.72	ng	-0.01
41) 2,4,6-Tribromophenol	10.64	330	31680	10.13	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	144263	7.56	ng	-0.01
78) Terphenyl-d14	12.92	244	108787	8.27	ng	0.00


Target Compounds				Qvalue		
9) Benzaldehyde	6.36	77	559	Below Cal	#	27
25) Isophorone	7.37	82	78922	3.648	ng	# 64
48) Acenaphthylene	9.71	152	104412	3.326	ng	98
50) 2,6-Dinitrotoluene	9.85	165	40425	9.189	ng	# 26
70) Phenanthrene	11.36	178	223505	7.882	ng	98
71) Anthracene	11.41	178	60449	2.097	ng	100
74) Fluoranthene	12.55	202	302160	10.199	ng	100
76) Benzydine	12.67	184	257	Below Cal	#	1
77) Pyrene	12.79	202	425389	19.148	ng	99
80) Benzo(a)anthracene	14.01	228	179151	10.005	ng	96
82) Chrysene	14.01	228	179151	9.741	ng	99
85) Indeno(1,2,3-cd)pyrene	16.90	276	121493	7.776	ng	95
87) Benzo(b)fluoranthene	15.03	252	294187	14.821	ng	# 95
88) Benzo(k)fluoranthene	15.03	252	294187	15.698	ng	98
89) Benzo(a)pyrene	15.39	252	190251	10.712	ng	97
90) Dibenzo(a,h)anthracene	17.07	278	31046	2.128	ng	93
91) Benzo(g,h,i)perylene	17.34	276	128672	9.105	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041618\
Data File : BF104544.D
Acq On : 16 Apr 2018 20:27
Operator : JU/SJ
Sample : J2370-05 10X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CG

Quant Time: Apr 17 00:56:31 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 16 12:15:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.81 min Scan# 803
Delta R.T. -0.00 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Instrument :
BNA_F
ClientSampleId :
CG

Tot Ion:152 Resp: 161899
Ion Ratio Lower Upper
152 100
150 154.1 124.6 186.8
115 59.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 10.144 ng
RT: 5.42 min Scan# 566
Delta R.T. -0.01 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Tgt Ion:112 Resp: 107404
Ion Ratio Lower Upper
112 100
64 53.6 47.9 71.9
63 26.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 10.385 ng

RT: 6.43 min Scan# 739

Delta R.T. -0.02 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion: 99 Resp: 135097

Ion Ratio Lower Upper


99 100

42 15.7 14.5 21.7



71 31.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1021

Delta R.T. -0.00 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Tgt Ion: 136 Resp: 667965


Ion Ratio Lower Upper

136 100


137 10.9 8.9 13.3

54 7.2 6.6 9.8


68 6.2 5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1



Time-->





#23

Nitrobenzene-d5

Concen: 7.715 ng

RT: 7.37 min Scan# 898

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion: 82 Resp: 78923

Ion Ratio Lower Upper

82 100

128 47.0 36.1 54.1




54 41.8 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#25

Isophorone

Concen: 3.648 ng

RT: 7.37 min Scan# 898

Delta R.T. -0.26 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27


Tgt Ion: 82 Resp: 78922

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#



138 0.0 14.9 22.3#




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.00 min
 Lab File: BF104544.D
 Acq: 16 Apr 2018 20:27




Instrument :
 BNA_F
 ClientSampleId :
 CG


Tot Ion:164 Resp: 301494
 Ion Ratio Lower Upper
 164 100
 162 104.5 86.1 129.1
 160 47.1 38.3 57.5



#41
 2,4,6-Tribromophenol
 Concen: 10.130 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. -0.01 min
 Lab File: BF104544.D
 Acq: 16 Apr 2018 20:27

Tgt Ion:330 Resp: 31680
 Ion Ratio Lower Upper
 330 100
 332 95.1 77.0 115.6
 141 38.1 29.9 44.9









#44
2-Fluorobiphenyl
Concen: 7.559 ng
RT: 9.16 min Scan# 1203
Delta R.T. -0.01 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Instrument :
BNA_F
ClientSampleId :
CG

Tot Ion:172 Resp: 144263
Ion Ratio Lower Upper
172 100
171 36.5 29.7 44.5
170 23.4 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#48
Acenaphthylene
Concen: 3.326 ng
RT: 9.71 min Scan# 1296
Delta R.T. -0.01 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Tgt Ion:152 Resp: 104412
Ion Ratio Lower Upper
152 100
151 19.0 16.3 24.5
153 12.7 10.7 16.1



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E









#50
 2,6-Dinitrotoluene
 Concen: 9.189 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. 0.21 min
 Lab File: BF104544.D
 Acq: 16 Apr 2018 20:27




Instrument :
 BNA_F
 ClientSampled :
 CG


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.8	44.7	67.1#
89	2.2	44.0	66.0#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.34 min Scan# 1573
 Delta R.T. -0.00 min
 Lab File: BF104544.D
 Acq: 16 Apr 2018 20:27

Tgt Ion	Ratio	Lower	Upper
188	100		
94	11.1	8.5	12.7
80	11.8	9.2	13.8





#70

Phenanthrene

Concen: 7.882 ng

RT: 11.36 min Scan# 1577

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion:178 Resp: 223505

Ion Ratio Lower Upper

178 100

176 19.1 15.8 23.8




179 15.0 13.0 19.6



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#71

Anthracene

Concen: 2.097 ng

RT: 11.41 min Scan# 1585

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27


Tgt Ion:178 Resp: 60449

Ion Ratio Lower Upper

178 100

176 19.0 15.4 23.2



179 15.8 12.6 19.0




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#74

Fluoranthene

Concen: 10.199 ng

RT: 12.55 min Scan# 1779

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion:202 Resp: 302160

Ion Ratio Lower Upper

202 100

101 14.0 0.0 34.1




203 18.1 0.0 38.1



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.99 min Scan# 2023

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27


Tgt Ion:240 Resp: 299719

Ion Ratio Lower Upper

240 100

120 12.4 9.5 14.3



236 25.9 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Pvrene

Concen: 19.148 ng

RT: 12.79 min Scan# 1819

Delta R.T. -0.00 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion:202 Resp: 425389

Ion Ratio Lower Upper

202 100

200 21.2 17.4 26.2




203 17.6 14.3 21.5



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 8.275 ng

RT: 12.92 min Scan# 1842

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27


Tgt Ion:244 Resp: 108787

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 14.7 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#80

Benzo(a)anthracene

Concen: 10.005 ng

RT: 14.01 min Scan# 2027

Delta R.T. 0.03 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG





Tot Ion:228 Resp: 179151

Ion Ratio Lower Upper

228 100

226 30.5 22.6 33.8

229 20.7 15.8 23.6



#82

Chrysene

Concen: 9.741 ng

RT: 14.01 min Scan# 2027

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27




Tgt Ion:228 Resp: 179151


Ion Ratio Lower Upper

228 100

226 30.5 25.0 37.6

229 20.7 16.2 24.4









#85
Indeno(1,2,3-cd)pyrene
Concen: 7.776 ng
RT: 16.90 min Scan# 2518
Delta R.T. -0.02 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27




Instrument :
BNA_F
ClientSampleId :
CG


Tot Ion	Ratio	Lower	Upper
276	100		
138	26.6	25.0	37.6
277	24.7	20.1	30.1



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.45 min Scan# 2272
Delta R.T. -0.01 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.2	28.8
265	22.3	17.5	26.3









#87
Benzo(b)fluoranthene
Concen: 14.821 ng
RT: 15.03 min Scan# 2200
Delta R.T. -0.01 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27




Instrument :
BNA_F
ClientSampleId :
CG


Tot Ion	Ratio	Lower	Upper
252	100		
253	23.0	17.0	25.6
125	14.4	9.0	13.6



#88
Benzo(k)fluoranthene
Concen: 15.698 ng
RT: 15.03 min Scan# 2200
Delta R.T. -0.04 min
Lab File: BF104544.D
Acq: 16 Apr 2018 20:27

Tgt Ion	Ratio	Lower	Upper
252	100		
253	23.0	17.9	26.9
125	14.4	10.2	15.2





#89

Benzo(a)pyrene

Concen: 10.712 ng

RT: 15.39 min Scan# 2261

Delta R.T. -0.01 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampled :

CG


Tot Ion:252 Resp: 190251

Ion Ratio Lower Upper

252 100

253 22.3 17.1 25.7




125 13.8 9.8 14.6



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 2.128 ng

RT: 17.07 min Scan# 2548

Delta R.T. 0.14 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27


Tgt Ion:278 Resp: 31046

Ion Ratio Lower Upper

278 100

139 23.0 15.9 23.9



279 27.6 19.0 28.4




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#91

Benzo(a,h,i)perylene

Concen: 9.105 ng

RT: 17.34 min Scan# 2593

Delta R.T. -0.02 min

Lab File: BF104544.D

Acq: 16 Apr 2018 20:27

Instrument :

BNA_F

ClientSampleId :

CG


Tot Ion:276 Resp: 128672

Ion Ratio Lower Upper

276 100

277 24.9 17.9 26.9

138 27.0 21.8 32.8



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

