

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041717\
 Data File : BF094465.D
 Acq On : 17 Apr 2017 22:31
 Operator : SJ/MA
 Sample : I2708-01 5X
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 E2-Z10-ESW

Quant Time: Apr 18 03:50:33 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 17 14:59:23 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.76	152	142999	20.00	ng	0.00
21) Naphthalene-d8	7.26	136	590475	20.00	ng	0.00
38) Acenaphthene-d10	9.39	164	284016	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	492010	20.00	ng	0.00
75) Chrysene-d12	14.46	240	382874	20.00	ng	-0.01
86) Perylene-d12	16.08	264	258781	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.29	112	214287	24.86	ng	-0.01
7) Phenol-d6	5.37	99	276930	27.25	ng	-0.02
23) Nitrobenzene-d5	6.40	82	166757	17.44	ng	-0.02
41) 2,4,6-Tribromophenol	10.36	330	46597	20.98	ng	-0.01
44) 2-Fluorobiphenyl	8.58	172	318394	16.49	ng	0.00
78) Terphenyl-d14	13.19	244	252234	17.61	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041717\
Data File : BF094465.D
Acq On : 17 Apr 2017 22:31
Operator : SJ/MA
Sample : I2708-01 5X
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
E2-Z10-ESW

Quant Time: Apr 18 03:50:33 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 17 14:59:23 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.76 min Scan# 658
Delta R.T. -0.01 min
Lab File: BF094465.D
Acq: 17 Apr 2017 22:31

Instrument :
BNA_F
ClientSampleId :
E2-Z10-ESW




Tot Ion:152 Resp: 142999
Ion Ratio Lower Upper
152 100
150 154.9 126.2 189.2
115 57.8 52.2 78.2




#5

2-Fluorophenol
Concen: 24.86 ng
RT: 4.29 min Scan# 409
Delta R.T. -0.01 min
Lab File: BF094465.D
Acq: 17 Apr 2017 22:31

Tgt Ion:112 Resp: 214287
Ion Ratio Lower Upper
112 100
64 58.5 46.0 69.0
63 27.5 23.4 35.0





#7

Phenol-d6

Concen: 27.25 ng

RT: 5.37 min Scan# 593

Delta R.T. -0.02 min

Lab File: BF094465.D

Acq: 17 Apr 2017 22:31

Instrument :

BNA_F

ClientSampleId :

E2-Z10-ESW


Tot Ion: 99 Resp: 276930

Ion Ratio Lower Upper

99 100

42 17.2 13.5 20.3




71 31.9 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.26 min Scan# 913

Delta R.T. -0.01 min

Lab File: BF094465.D

Acq: 17 Apr 2017 22:31

Tgt Ion: 136 Resp: 590475


Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 7.7 4.9 7.3#

68 5.8 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 17.44 ng
 RT: 6.40 min Scan# 767
 Delta R.T. -0.02 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31




Instrument :
 BNA_F
 ClientSampleId :
 E2-Z10-ESW


Tot Ion	82	Resp	166757
Ion Ratio	Lower	Upper	
82	100		
128	45.3	34.0	51.0
54	49.4	42.2	63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.39 min Scan# 1276
 Delta R.T. -0.01 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31

Tgt Ion	164	Resp	284016
Ion Ratio	Lower	Upper	
164	100		
162	101.7	82.6	123.8
160	44.9	36.2	54.2









#41
 2,4,6-Tribromophenol
 Concen: 20.98 ng
 RT: 10.36 min Scan# 1441
 Delta R.T. -0.01 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31




Instrument :
 BNA_F
 ClientSampleId :
 E2-Z10-ESW


Tot Ion:330 Resp: 46597
 Ion Ratio Lower Upper
 330 100
 332 97.7 76.6 115.0
 141 44.3 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 16.49 ng
 RT: 8.58 min Scan# 1138
 Delta R.T. -0.01 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31

Tgt Ion:172 Resp: 318394
 Ion Ratio Lower Upper
 172 100
 171 35.0 29.6 44.4
 170 23.5 19.8 29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.22 min Scan# 1586

Delta R.T. -0.01 min

Lab File: BF094465.D

Acq: 17 Apr 2017 22:31

Instrument :

BNA_F

ClientSampleId :

E2-Z10-ESW


Tot Ion:188 Resp: 492010

Ion Ratio Lower Upper

188 100

94 10.2 9.4 14.2




80 10.4 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.46 min Scan# 2137

Delta R.T. -0.01 min

Lab File: BF094465.D

Acq: 17 Apr 2017 22:31


Tgt Ion:240 Resp: 382874

Ion Ratio Lower Upper

240 100

120 15.3 5.8 8.8#



236 26.0 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 17.61 ng
 RT: 13.19 min Scan# 1921
 Delta R.T. -0.01 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31

Instrument :
 BNA_F
 ClientSampleId :
 E2-Z10-ESW

Tot Ion:244 Resp: 252234
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 14.0 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.08 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BF094465.D
 Acq: 17 Apr 2017 22:31

Tgt Ion:264 Resp: 258781
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.5 29.3
 265 21.1 17.2 25.8

