

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041818\
 Data File : BF104613.D
 Acq On : 18 Apr 2018 20:24
 Operator : JU/SJ
 Sample : PB108320TB
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB108320TB

Quant Time: Apr 19 01:41:24 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 18 11:52:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	126563	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	496684	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	201472	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	321731	20.00	ng	0.00
75) Chrysene-d12	13.97	240	278010	20.00	ng	0.00
86) Perylene-d12	15.43	264	269462	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.43	112	1006090	121.55	ng	0.01
7) Phenol-d6	6.45	99	1203225	118.31	ng	0.00
23) Nitrobenzene-d5	7.37	82	758146	99.67	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	241153	115.39	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	1239971	97.23	ng	0.00
78) Terphenyl-d14	12.92	244	1010590	82.87	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF041818\
Data File : BF104613.D
Acq On : 18 Apr 2018 20:24
Operator : JU/SJ
Sample : PB108320TB
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB108320TB

Quant Time: Apr 19 01:41:24 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 18 11:52:19 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.80 min Scan# 802
Delta R.T. -0.00 min
Lab File: BF104613.D
Acq: 18 Apr 2018 20:24

Instrument :
BNA_F
ClientSampleId :
PB108320TB

Tot Ion:152 Resp: 126563
Ion Ratio Lower Upper
152 100
150 153.0 124.6 186.8
115 60.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 121.550 ng
RT: 5.43 min Scan# 568
Delta R.T. 0.01 min
Lab File: BF104613.D
Acq: 18 Apr 2018 20:24

Tgt Ion:112 Resp: 1006090
Ion Ratio Lower Upper
112 100
64 55.2 47.9 71.9
63 28.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 118.311 ng

RT: 6.45 min Scan# 741

Delta R.T. 0.01 min

Lab File: BF104613.D

Acq: 18 Apr 2018 20:24

Instrument :

BNA_F

ClientSampleId :

PB108320TB


Tot Ion: 99 Resp: 1203225

Ion Ratio Lower Upper

99 100

42 15.6 14.5 21.7




71 32.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1020

Delta R.T. -0.01 min

Lab File: BF104613.D

Acq: 18 Apr 2018 20:24

Tgt Ion: 136 Resp: 496684


Ion Ratio Lower Upper

136 100

137 11.0 8.9 13.3

54 6.7 6.6 9.8

68 5.9 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1








#23
 Nitrobenzene-d5
 Concen: 99.672 ng
 RT: 7.37 min Scan# 898
 Delta R.T. -0.01 min
 Lab File: BF104613.D
 Acq: 18 Apr 2018 20:24

Instrument :
 BNA_F
 ClientSampleID :
 PB108320TB

Tot Ion	82	Resp	758146
Ion Ratio	100	Lower	Upper
128	46.3	36.1	54.1
54	45.2	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. -0.01 min
 Lab File: BF104613.D
 Acq: 18 Apr 2018 20:24

Tgt Ion	164	Resp	201472
Ion Ratio	100	Lower	Upper
162	105.3	86.1	129.1
160	45.0	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 115.388 ng
 RT: 10.63 min Scan# 1453
 Delta R.T. -0.01 min
 Lab File: BF104613.D
 Acq: 18 Apr 2018 20:24

Instrument :
 BNA_F
 ClientSampleId :
 PB108320TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.0	115.6
141	32.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 97.227 ng
 RT: 9.16 min Scan# 1203
 Delta R.T. -0.01 min
 Lab File: BF104613.D
 Acq: 18 Apr 2018 20:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.7	44.5
170	23.9	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1571
Delta R.T. -0.01 min
Lab File: BF104613.D
Acq: 18 Apr 2018 20:24




Instrument :
BNA_F
ClientSampleId :
PB108320TB

Tot Ion:188 Resp: 321731
Ion Ratio Lower Upper
188 100
94 11.5 8.5 12.7
80 12.0 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2021
Delta R.T. -0.01 min
Lab File: BF104613.D
Acq: 18 Apr 2018 20:24

Tgt Ion:240 Resp: 278010
Ion Ratio Lower Upper
240 100
120 12.3 9.5 14.3
236 25.4 20.7 31.1





#78

Terphenyl-d14

Concen: 82.874 ng

RT: 12.92 min Scan# 1842

Delta R.T. -0.00 min

Lab File: BF104613.D

Acq: 18 Apr 2018 20:24

Instrument :

BNA_F

ClientSampleId :

PB108320TB


Tot Ion:244 Resp: 1010590

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0




122 11.6 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2269

Delta R.T. -0.01 min

Lab File: BF104613.D

Acq: 18 Apr 2018 20:24


Tgt Ion:264 Resp: 269462

Ion Ratio Lower Upper

264 100

260 23.7 19.2 28.8

265 21.6 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

