

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF041917\
 Data File : BF094523.D
 Acq On : 19 Apr 2017 18:41
 Operator : SJ/MA
 Sample : I2751-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 15-40-COMP

Quant Time: Apr 20 04:30:57 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF041717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 17 14:59:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.77	152	119296	20.00	ng	0.00
21) Naphthalene-d8	7.26	136	518720	20.00	ng	0.00
38) Acenaphthene-d10	9.40	164	229467	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	404563	20.00	ng	0.00
75) Chrysene-d12	14.46	240	303671	20.00	ng	0.00
86) Perylene-d12	16.08	264	240917	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.32	112	809609	112.59	ng	0.02
7) Phenol-d6	5.40	99	1012083	119.39	ng	0.00
23) Nitrobenzene-d5	6.42	82	617611	73.52	ng	0.00
41) 2,4,6-Tribromophenol	10.37	330	217703	121.29	ng	0.00
44) 2-Fluorobiphenyl	8.58	172	1107734	71.03	ng	0.00
78) Terphenyl-d14	13.19	244	912905	80.35	ng	0.00
Target Compounds						
10) Phenol	5.41	94	21414	2.06	ng	94
49) Dimethylphthalate	9.08	163	303624	17.76	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF041917\
Data File : BF094523.D
Acq On : 19 Apr 2017 18:41
Operator : SJ/MA
Sample : I2751-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
15-40-COMP

Quant Time: Apr 20 04:30:57 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF041717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 17 14:59:23 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 5.77 min Scan# 652
 Delta R.T. 0.01 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41




Instrument :
 BNA_F
 ClientSampleId :
 15-40-COMP


Tgt Ion:152 Resp: 119296
 Ion Ratio Lower Upper
 152 100
 150 152.4 126.2 189.2
 115 56.4 52.2 78.2



#5
 2-Fluorophenol
 Concen: 112.59 ng
 RT: 4.32 min Scan# 406
 Delta R.T. 0.02 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Tgt Ion:112 Resp: 809609
 Ion Ratio Lower Upper
 112 100
 64 56.1 46.0 69.0
 63 27.4 23.4 35.0





#7

Phenol-d6

Concen: 119.39 ng

RT: 5.40 min Scan# 588

Delta R.T. 0.00 min

Lab File: BF094523.D

Acq: 19 Apr 2017 18:41

Instrument :

BNA_F

ClientSampleId :

15-40-COMP


Tgt Ion: 99 Resp: 1012083

Ion Ratio Lower Upper

99 100

42 17.5 13.5 20.3




71 33.6 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.06 ng

RT: 5.41 min Scan# 590

Delta R.T. 0.00 min

Lab File: BF094523.D

Acq: 19 Apr 2017 18:41


Tgt Ion: 94 Resp: 21414

Ion Ratio Lower Upper

94 100

65 24.5 9.9 49.9



66 45.1 23.1 63.1




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.26 min Scan# 905

Delta R.T. -0.00 min

Lab File: BF094523.D

Acq: 19 Apr 2017 18:41

Instrument :

BNA_F

ClientSampleId :

15-40-COMP

Tgt Ion:136 Resp: 518720


Ion Ratio Lower Upper

136 100

137 11.3 8.5 12.7

54 7.6 4.9 7.3#

68 5.5 4.1 6.1




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Abundance

7.26


600000

400000

200000

0

Time-->



#23

Nitrobenzene-d5

Concen: 73.52 ng

RT: 6.42 min Scan# 762

Delta R.T. 0.00 min

Lab File: BF094523.D

Acq: 19 Apr 2017 18:41


Tgt Ion: 82 Resp: 617611

Ion Ratio Lower Upper

82 100

128 46.4 34.0 51.0


54 49.0 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



Abundance

6.42

800000


600000

400000

200000

0


Time-->






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.40 min Scan# 1268
 Delta R.T. -0.00 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Instrument :
 BNA_F
 ClientSampleId :
 15-40-COMP

Tgt Ion:164 Resp: 229467
 Ion Ratio Lower Upper
 164 100
 162 103.5 82.6 123.8
 160 44.6 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 121.29 ng
 RT: 10.37 min Scan# 1434
 Delta R.T. -0.00 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Tgt Ion:330 Resp: 217703
 Ion Ratio Lower Upper
 330 100
 332 96.2 76.6 115.0
 141 40.3 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 71.03 ng
 RT: 8.58 min Scan# 1130
 Delta R.T. -0.00 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Instrument :
 BNA_F
 ClientSampleId :
 15-40-COMP

Tgt Ion:172 Resp: 1107734
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.6 44.4
 170 23.5 19.8 29.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#49
 Dimethylphthalate
 Concen: 17.76 ng
 RT: 9.08 min Scan# 1215
 Delta R.T. -0.01 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Tgt Ion:163 Resp: 303624
 Ion Ratio Lower Upper
 163 100
 194 3.4 2.6 4.0
 164 10.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.21 min Scan# 1577
Delta R.T. -0.01 min
Lab File: BF094523.D
Acq: 19 Apr 2017 18:41

Instrument :
BNA_F
ClientSampled :
15-40-COMP

Tgt Ion:188 Resp: 404563
Ion Ratio Lower Upper
188 100
94 10.9 9.4 14.2
80 12.0 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.46 min Scan# 2129
Delta R.T. -0.01 min
Lab File: BF094523.D
Acq: 19 Apr 2017 18:41

Tgt Ion:240 Resp: 303671
Ion Ratio Lower Upper
240 100
120 14.6 5.8 8.8#
236 25.4 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 80.35 ng
 RT: 13.19 min Scan# 1914
 Delta R.T. -0.00 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Instrument :
 BNA_F
 ClientSampleId :
 15-40-COMP

Tgt Ion:244 Resp: 912905
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 14.3 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.08 min Scan# 2405
 Delta R.T. -0.00 min
 Lab File: BF094523.D
 Acq: 19 Apr 2017 18:41

Tgt Ion:264 Resp: 240917
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.5 29.3
 265 20.8 17.2 25.8

