

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042121\
 Data File : BF123663.D
 Acq On : 21 Apr 2021 12:56
 Operator : JU/CG
 Sample : M2076-13
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-17-0-2.0

Quant Time: Apr 21 14:14:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 20 15:49:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.851	152	206719	20.00	ng	0.00
21) Naphthalene-d8	8.133	136	766402	20.00	ng	# 0.00
39) Acenaphthene-d10	9.892	164	384056	20.00	ng	0.00
64) Phenanthrene-d10	11.380	188	721371	20.00	ng	0.00
76) Chrysene-d12	14.027	240	561956	20.00	ng	# 0.00
86) Perylene-d12	15.509	264	421982	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	1246710	97.48	ng	0.00
7) Phenol-d6	6.486	99	1623562	91.61	ng	0.00
23) Nitrobenzene-d5	7.410	82	1127206	67.61	ng	0.00
42) 2,4,6-Tribromophenol	10.686	330	406183	93.40	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	1624715	63.06	ng	0.00
79) Terphenyl-d14	12.974	244	1659360	57.39	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042121\
Data File : BF123663.D
Acq On : 21 Apr 2021 12:56
Operator : JU/CG
Sample : M2076-13
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0

Quant Time: Apr 21 14:14:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 20 15:49:40 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.851 min Scan# 810
Delta R.T. 0.000 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56




Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0


Tgt Ion:152 Resp: 206719
Ion Ratio Lower Upper
152 100
150 159.0 127.0 190.6
115 61.4 54.3 81.5



#5
2-Fluorophenol
Concen: 97.48 ng
RT: 5.475 min Scan# 576
Delta R.T. 0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Tgt Ion:112 Resp: 1246710
Ion Ratio Lower Upper
112 100
64 72.3 61.4 92.0
63 37.8 33.0 49.4









#7
Phenol-d6
Concen: 91.61 ng
RT: 6.486 min Scan# 748
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0

Tgt Ion: 99 Resp: 1623562




Ion	Ratio	Lower	Upper
99	100		
42	23.0	19.8	29.8
71	37.1	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.133 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Tgt Ion: 136 Resp: 766402

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.7	13.1
54	12.0	9.8	14.6
68	6.1	4.1	6.1









#23
Nitrobenzene-d5
Concen: 67.61 ng
RT: 7.410 min Scan# 905
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56




Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0


Tgt Ion: 82 Resp: 1127206
Ion Ratio Lower Upper
82 100
128 37.7 29.4 44.2
54 66.0 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.892 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Tgt Ion:164 Resp: 384056
Ion Ratio Lower Upper
164 100
162 101.0 80.7 121.1
160 45.1 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 93.40 ng
RT: 10.686 min Scan# 1462
Delta R.T. -0.000 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56




Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0


Tgt Ion:330 Resp: 406183
Ion Ratio Lower Upper
330 100
332 96.9 77.1 115.7
141 33.6 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 63.06 ng
RT: 9.216 min Scan# 1212
Delta R.T. -0.000 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Tgt Ion:172 Resp: 1624715
Ion Ratio Lower Upper
172 100
171 36.6 28.1 42.1
170 23.3 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.380 min Scan# 1580
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Instrument :
BNA_F
ClientSampleId :
SB-17-0-2.0

Tgt Ion:188 Resp: 721371




Ion	Ratio	Lower	Upper
188	100		
94	9.9	6.9	10.3
80	11.8	8.2	12.2




#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.027 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF123663.D
Acq: 21 Apr 2021 12:56

Tgt Ion:240 Resp: 561956

Ion	Ratio	Lower	Upper
240	100		
120	11.5	7.2	10.8
236	23.5	19.0	28.4









#79
 Terphenyl-d14
 Concen: 57.39 ng
 RT: 12.974 min Scan# 1851
 Delta R.T. -0.000 min
 Lab File: BF123663.D
 Acq: 21 Apr 2021 12:56

Instrument :
 BNA_F
 ClientSampleId :
 SB-17-0-2.0

Tgt Ion:244 Resp: 1659360
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.7 8.5
 122 10.1 9.7 14.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.509 min Scan# 2282
 Delta R.T. 0.006 min
 Lab File: BF123663.D
 Acq: 21 Apr 2021 12:56

Tgt Ion:264 Resp: 421982
 Ion Ratio Lower Upper
 264 100
 260 24.4 18.7 28.1
 265 21.3 17.8 26.8

