

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042315\
 Data File : BF078764.D
 Acq On : 23 Apr 2015 23:14
 Operator : TP/IZ
 Sample : G1950-12 5X
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PS-23(0-5)

Quant Time: Apr 24 02:10:48 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 24 00:49:54 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.76	152	22936	20.00	ng	0.01
21) Naphthalene-d8	7.91	136	95213	20.00	ng	0.00
38) Acenaphthene-d10	11.10	164	47439	20.00	ng	0.00
63) Phenanthrene-d10	13.83	188	97641	20.00	ng	0.00
75) Chrysene-d12	17.71	240	109050	20.00	ng	0.00
86) Perylene-d12	19.42	264	106184	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	3.78	112	30337	21.81	ng	0.01
7) Phenol-d6	5.27	99	39248	22.51	ng	0.01
23) Nitrobenzene-d5	6.70	82	22698	14.45	ng	0.00
41) 2,4,6-Tribromophenol	12.57	330	10072	25.60	ng	0.00
44) 2-Fluorobiphenyl	9.92	172	53276	16.05	ng	-0.01
78) Terphenyl-d14	16.38	244	67646	14.02	ng	0.00
Target Compounds						
74) Fluoranthene	15.77	202	12006	2.02	ng	Qvalue 96
87) Benzo(b)fluoranthene	18.99	252	16897	2.57	ng	# 81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042315\
Data File : BF078764.D
Acq On : 23 Apr 2015 23:14
Operator : TP/IZ
Sample : G1950-12 5X
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PS-23(0-5)

Quant Time: Apr 24 02:10:48 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 24 00:49:54 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 5.76 min Scan# 400
 Delta R.T. 0.01 min
 Lab File: BF078764.D
 Acq: 23 Apr 2015 23:14




Instrument :
 BNA_F
 ClientSampleId :
 PS-23(0-5)


Tot Ion:152 Resp: 22936
 Ion Ratio Lower Upper
 152 100
 150 151.3 125.9 188.9
 115 56.9 52.7 79.1



#5
 2-Fluorophenol
 Concen: 21.81 ng
 RT: 3.78 min Scan# 227
 Delta R.T. 0.01 min
 Lab File: BF078764.D
 Acq: 23 Apr 2015 23:14

Tgt Ion:112 Resp: 30337
 Ion Ratio Lower Upper
 112 100
 64 50.7 39.9 59.9
 63 27.5 20.2 30.4





#7

Phenol-d6

Concen: 22.51 ng

RT: 5.27 min Scan# 357

Delta R.T. 0.01 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14

Instrument :

BNA_F

ClientSampleId :

PS-23(0-5)


Tot Ion: 99 Resp: 39248

Ion Ratio Lower Upper

99 100

42 16.5 14.8 22.2



71 32.1 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.91 min Scan# 588

Delta R.T. 0.00 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14

Tgt Ion: 136 Resp: 95213


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.4

54 8.0 7.0 10.6

68 6.4 5.4 8.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 14.45 ng

RT: 6.70 min Scan# 482

Delta R.T. 0.00 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14

Instrument :

BNA_F

ClientSampleId :

PS-23(0-5)


Tot Ion: 82 Resp: 22698

Ion Ratio Lower Upper

82 100

128 48.7 31.8 47.8#




54 48.2 41.5 62.3



Abundance Ion 82.00 (81.70 to 82.70): BF078586.D (-540) (-)

Ion 128.00 (127.70 to 128.70): BF078586.D (-540) (-)

Ion 54.00 (53.70 to 54.70): BF078586.D (-540) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 11.10 min Scan# 867

Delta R.T. 0.00 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14


Tgt Ion:164 Resp: 47439

Ion Ratio Lower Upper

164 100

162 101.7 82.2 123.2



160 44.2 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BF078586.D (-805) (-)

Ion 162.00 (161.70 to 162.70): BF078586.D (-805) (-)

Ion 160.00 (159.70 to 160.70): BF078586.D (-805) (-)









#41
 2,4,6-Tribromophenol
 Concen: 25.60 ng
 RT: 12.57 min Scan# 996
 Delta R.T. 0.00 min
 Lab File: BF078764.D
 Acq: 23 Apr 2015 23:14

Instrument :
 BNA_F
 ClientSampleId :
 PS-23(0-5)

Tot Ion:330 Resp: 10072
 Ion Ratio Lower Upper
 330 100
 332 95.1 78.6 117.8
 141 43.8 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 16.05 ng
 RT: 9.92 min Scan# 764
 Delta R.T. -0.01 min
 Lab File: BF078764.D
 Acq: 23 Apr 2015 23:14

Tgt Ion:172 Resp: 53276
 Ion Ratio Lower Upper
 172 100
 171 36.2 28.6 42.8
 170 23.0 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 13.83 min Scan# 1106
Delta R.T. 0.00 min
Lab File: BF078764.D
Acq: 23 Apr 2015 23:14




Instrument :
BNA_F
ClientSampleId :
PS-23(0-5)


Tot Ion:188 Resp: 97641
Ion Ratio Lower Upper
188 100
94 9.9 9.0 13.4
80 10.4 9.5 14.3



#74
Fluoranthene
Concen: 2.02 ng
RT: 15.77 min Scan# 1276
Delta R.T. 0.00 min
Lab File: BF078764.D
Acq: 23 Apr 2015 23:14

Tgt Ion:202 Resp: 12006
Ion Ratio Lower Upper
202 100
101 11.6 0.0 35.2
203 18.5 0.0 38.5





#75

Chrysene-d12

Concen: 20.00 ng

RT: 17.71 min Scan# 1446

Delta R.T. 0.00 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14

Instrument :

BNA_F

ClientSampleId :

PS-23(0-5)


Tot Ion:240 Resp: 109050

Ion Ratio Lower Upper

240 100

120 10.1 7.1 10.7




236 25.5 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 14.02 ng

RT: 16.38 min Scan# 1329

Delta R.T. 0.00 min

Lab File: BF078764.D

Acq: 23 Apr 2015 23:14


Tgt Ion:244 Resp: 67646

Ion Ratio Lower Upper

244 100

212 6.1 5.0 7.4



122 10.7 7.1 10.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#86
Pervlene-d12
Concen: 20.00 ng
RT: 19.42 min Scan# 1595
Delta R.T. -0.08 min
Lab File: BF078764.D
Acq: 23 Apr 2015 23:14

Instrument :
BNA_F
ClientSampleId :
PS-23(0-5)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.6	27.8
265	21.8	17.0	25.6




Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E



#87
Benzo(b)fluoranthene
Concen: 2.57 ng
RT: 18.99 min Scan# 1558
Delta R.T. -0.06 min
Lab File: BF078764.D
Acq: 23 Apr 2015 23:14

Tgt Ion	Ratio	Lower	Upper
252	100		
253	24.4	17.2	25.8
125	27.4	7.0	10.4#



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E

