

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042315\
 Data File : BF078768.D
 Acq On : 24 Apr 2015 3:46
 Operator : TP/IZ
 Sample : G1979-01
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SOIL-PIT

Quant Time: Apr 24 11:48:49 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 24 04:11:59 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.76	152	23257	20.00	ng	0.00
21) Naphthalene-d8	7.92	136	95127	20.00	ng	0.00
38) Acenaphthene-d10	11.10	164	46750	20.00	ng	0.00
63) Phenanthrene-d10	13.83	188	94002	20.00	ng	0.00
75) Chrysene-d12	17.71	240	100868	20.00	ng	0.00
86) Perylene-d12	19.41	264	103834	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	3.78	112	169828	120.40	ng	0.01
7) Phenol-d6	5.27	99	203143	114.92	ng	0.00
23) Nitrobenzene-d5	6.70	82	156822	99.92	ng	0.00
41) 2,4,6-Tribromophenol	12.57	330	60792	156.79	ng	0.00
44) 2-Fluorobiphenyl	9.93	172	335054	102.45	ng	0.00
78) Terphenyl-d14	16.38	244	391068	87.61	ng	0.00
Target Compounds						
83) Bis(2-ethylhexyl)phthalate	17.85	149	26061	6.89	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042315\
Data File : BF078768.D
Acq On : 24 Apr 2015 3:46
Operator : TP/IZ
Sample : G1979-01
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SOIL-PIT

Quant Time: Apr 24 11:48:49 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 24 04:11:59 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 5.76 min Scan# 400

Delta R.T. -0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46

Instrument :

BNA_F

ClientSampleId :

SOIL-PIT


Tot Ion:152 Resp: 23257

Ion Ratio Lower Upper

152 100

150 155.2 125.9 188.9




115 59.8 52.7 79.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 120.40 ng

RT: 3.78 min Scan# 227

Delta R.T. 0.01 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46


Tgt Ion:112 Resp: 169828

Ion Ratio Lower Upper

112 100

64 53.1 39.9 59.9



63 27.1 20.2 30.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 114.92 ng

RT: 5.27 min Scan# 357

Delta R.T. -0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46

Instrument :

BNA_F

ClientSampleId :

SOIL-PIT


Tot Ion: 99 Resp: 203143

Ion Ratio Lower Upper

99 100

42 15.8 14.8 22.2




71 32.3 26.6 39.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.92 min Scan# 589

Delta R.T. 0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46

Tgt Ion: 136 Resp: 95127


Ion Ratio Lower Upper

136 100

137 10.4 9.0 13.4

54 6.2 7.0 10.6#

68 5.3 5.4 8.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 99.92 ng

RT: 6.70 min Scan# 482

Delta R.T. -0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46

Instrument :

BNA_F

ClientSampleId :

SOIL-PIT


Tot Ion: 82 Resp: 156822

Ion Ratio Lower Upper

82 100

128 43.7 31.8 47.8




54 48.1 41.5 62.3



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 11.10 min Scan# 867

Delta R.T. -0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46


Tgt Ion:164 Resp: 46750

Ion Ratio Lower Upper

164 100

162 108.1 82.2 123.2



160 45.7 34.7 52.1




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 156.79 ng
 RT: 12.57 min Scan# 996
 Delta R.T. -0.00 min
 Lab File: BF078768.D
 Acq: 24 Apr 2015 3:46

Instrument :
 BNA_F
 ClientSampleId :
 SOIL-PIT

Tot Ion:330 Resp: 60792
 Ion Ratio Lower Upper
 330 100
 332 95.1 78.6 117.8
 141 40.2 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 102.45 ng
 RT: 9.93 min Scan# 765
 Delta R.T. -0.00 min
 Lab File: BF078768.D
 Acq: 24 Apr 2015 3:46

Tgt Ion:172 Resp: 335054
 Ion Ratio Lower Upper
 172 100
 171 34.8 28.6 42.8
 170 23.5 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 13.83 min Scan# 1106
Delta R.T. -0.00 min
Lab File: BF078768.D
Acq: 24 Apr 2015 3:46

Instrument :
BNA_F
ClientSampleId :
SOIL-PIT

Tot Ion:188 Resp: 94002
Ion Ratio Lower Upper
188 100
94 9.7 9.0 13.4
80 10.0 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 17.71 min Scan# 1446
Delta R.T. -0.00 min
Lab File: BF078768.D
Acq: 24 Apr 2015 3:46

Tgt Ion:240 Resp: 100868
Ion Ratio Lower Upper
240 100
120 12.9 7.1 10.7#
236 25.1 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 87.61 ng

RT: 16.38 min Scan# 1329

Delta R.T. 0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46

Instrument :

BNA_F

ClientSampleId :

SOIL-PIT


Tot Ion:244 Resp: 391068

Ion Ratio Lower Upper

244 100

212 7.2 5.0 7.4




122 13.6 7.1 10.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 6.89 ng

RT: 17.85 min Scan# 1458

Delta R.T. 0.00 min

Lab File: BF078768.D

Acq: 24 Apr 2015 3:46


Tgt Ion:149 Resp: 26061

Ion Ratio Lower Upper

149 100

167 28.4 22.2 33.2



279 3.1 3.2 4.8#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 19.41 min Scan# 1594
Delta R.T. -0.01 min
Lab File: BF078768.D
Acq: 24 Apr 2015 3:46

Instrument :
BNA_F
ClientSampleId :
SOIL-PIT

Tot Ion:264 Resp: 103834
Ion Ratio Lower Upper
264 100
260 23.1 18.6 27.8
265 21.7 17.0 25.6



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

