

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042421\
 Data File : BF123715.D
 Acq On : 24 Apr 2021 14:10
 Operator : JU/CG
 Sample : M2125-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB-2021-WW-000-07

Quant Time: Apr 26 06:08:04 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 26 05:40:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	206331	20.00	ng	0.00
21) Naphthalene-d8	8.104	136	775627	20.00	ng	0.00
39) Acenaphthene-d10	9.857	164	386322	20.00	ng	0.00
64) Phenanthrene-d10	11.345	188	740946	20.00	ng	0.00
76) Chrysene-d12	13.986	240	579505	20.00	ng	0.00
86) Perylene-d12	15.451	264	453538	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	799888	62.66	ng	0.00
7) Phenol-d6	6.451	99	618172	34.94	ng	-0.01
23) Nitrobenzene-d5	7.387	82	1626741	96.42	ng	0.00
42) 2,4,6-Tribromophenol	10.651	330	642108	146.78	ng	0.00
45) 2-Fluorobiphenyl	9.181	172	2444154	94.31	ng	0.00
79) Terphenyl-d14	12.939	244	2257251	75.70	ng	0.00
Target Compounds						
10) Phenol	6.463	94	170181	9.06	ng	Qvalue 94
32) Benzoic acid	7.828	122	18848	6.84	ng	# 80
35) Caprolactam	8.510	113	33435	8.78	ng	95
50) Dimethylphthalate	9.575	163	85657	3.21	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042421\
Data File : BF123715.D
Acq On : 24 Apr 2021 14:10
Operator : JU/CG
Sample : M2125-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07

Quant Time: Apr 26 06:08:04 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 26 05:40:49 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10




Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07


Tgt Ion:152 Resp: 206331
Ion Ratio Lower Upper
152 100
150 156.7 127.0 190.6
115 65.9 54.3 81.5



#5
2-Fluorophenol
Concen: 62.66 ng
RT: 5.434 min Scan# 569
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion:112 Resp: 799888
Ion Ratio Lower Upper
112 100
64 80.6 61.4 92.0
63 42.4 33.0 49.4









#7
Phenol-d6
Concen: 34.94 ng
RT: 6.451 min Scan# 742
Delta R.T. -0.012 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10




Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07


Tgt Ion: 99 Resp: 618172
Ion Ratio Lower Upper
99 100
42 23.5 19.8 29.8
71 36.0 31.1 46.7



#10
Phenol
Concen: 9.06 ng
RT: 6.463 min Scan# 744
Delta R.T. -0.012 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion: 94 Resp: 170181
Ion Ratio Lower Upper
94 100
65 34.9 18.1 58.1
66 44.7 29.0 69.0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.104 min Scan# 1023
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07

Tgt Ion:136 Resp: 775627




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	12.5	9.8	14.6
68	5.8	4.1	6.1




#23
Nitrobenzene-d5
Concen: 96.42 ng
RT: 7.387 min Scan# 901
Delta R.T. 0.000 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion: 82 Resp: 1626741

Ion	Ratio	Lower	Upper
82	100		
128	39.4	29.4	44.2
54	64.4	54.1	81.1









#32
Benzoic acid
Concen: 6.84 ng
RT: 7.828 min Scan# 976
Delta R.T. -0.059 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10




Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07


Tgt Ion:122 Resp: 18848
Ion Ratio Lower Upper
122 100
105 151.0 107.8 147.8#
77 120.5 81.6 121.6



#35
Caprolactam
Concen: 8.78 ng
RT: 8.510 min Scan# 1092
Delta R.T. -0.035 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion:113 Resp: 33435
Ion Ratio Lower Upper
113 100
55 262.4 254.9 294.9
56 204.2 179.4 219.4





#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.857 min Scan# 1321

Delta R.T. -0.006 min

Lab File: BF123715.D

Acq: 24 Apr 2021 14:10

Tgt Ion:164 Resp: 386322

Ion Ratio Lower Upper

164 100

162 100.7 80.7 121.1





160 45.9 37.3 55.9

Instrument :

BNA_F

ClientSampleId :

PB-2021-WW-000-07



#42

2,4,6-Tribromophenol

Concen: 146.78 ng

RT: 10.651 min Scan# 1456

Delta R.T. 0.000 min

Lab File: BF123715.D

Acq: 24 Apr 2021 14:10




Tgt Ion:330 Resp: 642108


Ion Ratio Lower Upper

330 100

332 94.5 77.1 115.7

141 33.5 27.9 41.9









#45
2-Fluorobiphenyl
Concen: 94.31 ng
RT: 9.181 min Scan# 1206
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10




Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07


Tgt Ion:172 Resp: 2444154
Ion Ratio Lower Upper
172 100
171 36.0 28.1 42.1
170 24.8 19.2 28.8



#50
Dimethylphthalate
Concen: 3.21 ng
RT: 9.575 min Scan# 1273
Delta R.T. -0.012 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion:163 Resp: 85657
Ion Ratio Lower Upper
163 100
194 3.7 3.1 4.7
164 9.5 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.345 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07

Tgt Ion:188 Resp: 740946




Ion	Ratio	Lower	Upper
188	100		
94	8.8	6.9	10.3
80	10.0	8.2	12.2




#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.986 min Scan# 2023
Delta R.T. -0.006 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion:240 Resp: 579505

Ion	Ratio	Lower	Upper
240	100		
120	10.1	7.2	10.8
236	23.7	19.0	28.4









#79
Terphenyl-d14
Concen: 75.70 ng
RT: 12.939 min Scan# 1845
Delta R.T. 0.000 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Instrument :
BNA_F
ClientSampleId :
PB-2021-WW-000-07

Tgt Ion:244 Resp: 2257251
Ion Ratio Lower Upper
244 100
212 7.0 5.7 8.5
122 9.1 9.7 14.5#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.451 min Scan# 2272
Delta R.T. 0.000 min
Lab File: BF123715.D
Acq: 24 Apr 2021 14:10

Tgt Ion:264 Resp: 453538
Ion Ratio Lower Upper
264 100
260 23.6 18.7 28.1
265 20.2 17.8 26.8

