

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042617\
 Data File : BF094650.D
 Acq On : 26 Apr 2017 16:46
 Operator : SJ/MA
 Sample : I2820-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Apr 27 01:23:39 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 17 14:59:23 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	5.75	152	126800	20.00	ng	-0.01
21) Naphthalene-d8	7.24	136	527419	20.00	ng	-0.02
38) Acenaphthene-d10	9.38	164	260133	20.00	ng	-0.02
63) Phenanthrene-d10	11.20	188	504716	20.00	ng	-0.02
75) Chrysene-d12	14.45	240	431291	20.00	ng	-0.01
86) Perylene-d12	16.08	264	314163	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.30	112	743884	97.33	ng	0.00
7) Phenol-d6	5.38	99	928303	103.03	ng	-0.01
23) Nitrobenzene-d5	6.40	82	548723	64.24	ng	-0.01
41) 2,4,6-Tribromophenol	10.35	330	200387	98.48	ng	-0.02
44) 2-Fluorobiphenyl	8.57	172	945794	53.50	ng	-0.02
78) Terphenyl-d14	13.18	244	792916	49.14	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.40	70	71898	12.04	ng	# 77
49) Dimethylphthalate	9.07	163	170309	8.79	ng	99
56) 2,4-Dinitrotoluene	9.38	165	33507	6.28	ng	# 32


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042617\
Data File : BF094650.D
Acq On : 26 Apr 2017 16:46
Operator : SJ/MA
Sample : I2820-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Apr 27 01:23:39 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF041717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 17 14:59:23 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 5.75 min Scan# 648
Delta R.T. -0.01 min
Lab File: BF094650.D
Acq: 26 Apr 2017 16:46

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 126800
Ion Ratio Lower Upper
152 100
150 158.3 126.2 189.2
115 60.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 97.33 ng
RT: 4.30 min Scan# 402
Delta R.T. -0.00 min
Lab File: BF094650.D
Acq: 26 Apr 2017 16:46

Tgt Ion:112 Resp: 743884
Ion Ratio Lower Upper
112 100
64 55.7 46.0 69.0
63 27.3 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 103.03 ng

RT: 5.38 min Scan# 585

Delta R.T. -0.01 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 928303

Ion Ratio Lower Upper




99 100

42 17.0 13.5 20.3

71 33.3 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 12.04 ng

RT: 6.40 min Scan# 759

Delta R.T. 0.15 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46

Tgt Ion: 70 Resp: 71898


Ion Ratio Lower Upper

70 100



42 45.8 47.2 70.8#


101 0.0 7.2 10.8#

130 2.5 15.9 23.9#



Abundance Ion 70.00 (69.70 to 70.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 101.00 (100.70 to 101.70): E
Ion 130.00 (129.70 to 130.70): E





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.24 min Scan# 902

Delta R.T. -0.02 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 527419


Ion Ratio Lower Upper

136 100

137 10.8 8.5 12.7

54 7.3 4.9 7.3

68 6.0 4.1 6.1




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->



#23

Nitrobenzene-d5

Concen: 64.24 ng

RT: 6.40 min Scan# 759

Delta R.T. -0.01 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46


Tgt Ion: 82 Resp: 548723

Ion Ratio Lower Upper

82 100

128 47.2 34.0 51.0


54 47.5 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



Time-->





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.38 min Scan# 1265

Delta R.T. -0.02 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 260133

Ion Ratio Lower Upper

164 100

162 103.9 82.6 123.8




160 46.2 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 98.48 ng

RT: 10.35 min Scan# 1431

Delta R.T. -0.02 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46


Tgt Ion:330 Resp: 200387

Ion Ratio Lower Upper

330 100

332 95.7 76.6 115.0



141 39.0 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 53.50 ng
 RT: 8.57 min Scan# 1127
 Delta R.T. -0.02 min
 Lab File: BF094650.D
 Acq: 26 Apr 2017 16:46




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:172 Resp: 945794
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.6 44.4
 170 23.7 19.8 29.8



#49
 Dimethylphthalate
 Concen: 8.79 ng
 RT: 9.07 min Scan# 1212
 Delta R.T. -0.03 min
 Lab File: BF094650.D
 Acq: 26 Apr 2017 16:46

Tgt Ion:163 Resp: 170309
 Ion Ratio Lower Upper
 163 100
 194 3.1 2.6 4.0
 164 10.8 8.4 12.6









#56
 2,4-Dinitrotoluene
 Concen: 6.28 ng
 RT: 9.38 min Scan# 1265
 Delta R.T. -0.28 min
 Lab File: BF094650.D
 Acq: 26 Apr 2017 16:46




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:165 Resp: 33507
 Ion Ratio Lower Upper
 165 100
 63 1.1 25.4 38.0#
 89 0.9 46.4 69.6#
 182 0.0 1.8 2.6#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.20 min Scan# 1575
 Delta R.T. -0.02 min
 Lab File: BF094650.D
 Acq: 26 Apr 2017 16:46

Tgt Ion:188 Resp: 504716
 Ion Ratio Lower Upper
 188 100
 94 10.3 9.4 14.2
 80 10.8 10.2 15.2





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.45 min Scan# 2128

Delta R.T. -0.01 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46

Instrument :

BNA_F

ClientSampled :


Tot Ion:240 Resp: 431291

Ion Ratio Lower Upper

240 100

120 13.4 5.8 8.8#




236 24.7 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 49.14 ng

RT: 13.18 min Scan# 1911

Delta R.T. -0.02 min

Lab File: BF094650.D

Acq: 26 Apr 2017 16:46


Tgt Ion:244 Resp: 792916

Ion Ratio Lower Upper

244 100

212 7.2 6.0 9.0



122 14.3 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 16.08 min Scan# 2404
 Delta R.T. -0.01 min
 Lab File: BF094650.D
 Acq: 26 Apr 2017 16:46

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.5	29.3
265	21.5	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

