

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042618\
 Data File : BF104850.D
 Acq On : 26 Apr 2018 21:07
 Operator : JU/SJ
 Sample : J2585-01
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FK-PS-01.022

Quant Time: Apr 27 12:42:26 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 25 14:01:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	101540	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	392752	20.00	ng	0.00
38) Acenaphthene-d10	9.84	164	152181	20.00	ng	0.00
63) Phenanthrene-d10	11.33	188	253910	20.00	ng	0.00
75) Chrysene-d12	13.98	240	217217	20.00	ng	0.00
86) Perylene-d12	15.45	264	159547	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	641045	96.53	ng	0.00
7) Phenol-d6	6.45	99	762010	93.39	ng	0.00
23) Nitrobenzene-d5	7.37	82	453873	75.46	ng	0.00
41) 2,4,6-Tribromophenol	10.63	330	139001	88.05	ng	0.00
44) 2-Fluorobiphenyl	9.16	172	572771	59.46	ng	0.00
78) Terphenyl-d14	12.92	244	474782	49.83	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.56	163	76745	6.395	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042618\
Data File : BF104850.D
Acq On : 26 Apr 2018 21:07
Operator : JU/SJ
Sample : J2585-01
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FK-PS-01.022

Quant Time: Apr 27 12:42:26 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 25 14:01:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.80 min Scan# 801
Delta R.T. -0.00 min
Lab File: BF104850.D
Acq: 26 Apr 2018 21:07

Instrument :
BNA_F
ClientSampleId :
FK-PS-01.022

Tot Ion:152 Resp: 101540
Ion Ratio Lower Upper
152 100
150 155.9 124.6 186.8
115 63.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 96.533 ng
RT: 5.42 min Scan# 567
Delta R.T. 0.01 min
Lab File: BF104850.D
Acq: 26 Apr 2018 21:07

Tgt Ion:112 Resp: 641045
Ion Ratio Lower Upper
112 100
64 53.9 47.9 71.9
63 27.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 93.392 ng

RT: 6.45 min Scan# 741

Delta R.T. -0.00 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07

Instrument :

BNA_F

ClientSampleId :

FK-PS-01.022


Tot Ion: 99 Resp: 762010

Ion Ratio Lower Upper

99 100

42 14.9 14.5 21.7




71 33.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1020

Delta R.T. -0.00 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07

Tgt Ion: 136 Resp: 392752


Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 5.7 6.6 9.8#

68 5.2 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 75.460 ng
 RT: 7.37 min Scan# 898
 Delta R.T. -0.01 min
 Lab File: BF104850.D
 Acq: 26 Apr 2018 21:07

Instrument :
 BNA_F
 ClientSampleId :
 FK-PS-01.022

Tot Ion: 82 Resp: 453873
 Ion Ratio Lower Upper
 82 100
 128 49.1 36.1 54.1
 54 43.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. -0.01 min
 Lab File: BF104850.D
 Acq: 26 Apr 2018 21:07

Tgt Ion: 164 Resp: 152181
 Ion Ratio Lower Upper
 164 100
 162 106.6 86.1 129.1
 160 46.5 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1





#41

2,4,6-Tribromophenol

Concen: 88.053 ng

RT: 10.63 min Scan# 1453

Delta R.T. -0.01 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07

Instrument :

BNA_F

ClientSampleId :

FK-PS-01.022


Tot Ion:330 Resp: 139001

Ion Ratio Lower Upper

330 100

332 94.3 77.0 115.6




141 34.0 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 59.458 ng

RT: 9.16 min Scan# 1202

Delta R.T. -0.01 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07


Tgt Ion:172 Resp: 572771

Ion Ratio Lower Upper

172 100

171 36.3 29.7 44.5



170 23.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.395 ng

RT: 9.56 min Scan# 1270

Delta R.T. -0.01 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07

Instrument :

BNA_F

ClientSampleId :

FK-PS-01.022


Tot Ion:163 Resp: 76745

Ion Ratio Lower Upper

163 100

194 3.9 2.7 4.1




164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.33 min Scan# 1572

Delta R.T. -0.00 min

Lab File: BF104850.D

Acq: 26 Apr 2018 21:07


Tgt Ion:188 Resp: 253910

Ion Ratio Lower Upper

188 100

94 9.6 8.5 12.7



80 9.9 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.98 min Scan# 2022
 Delta R.T. -0.01 min
 Lab File: BF104850.D
 Acq: 26 Apr 2018 21:07




Instrument :
 BNA_F
 ClientSampleId :
 FK-PS-01.022


Tot Ion:240 Resp: 217217
 Ion Ratio Lower Upper
 240 100
 120 12.3 9.5 14.3
 236 24.8 20.7 31.1



#78
 Terphenyl-d14
 Concen: 49.831 ng
 RT: 12.92 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BF104850.D
 Acq: 26 Apr 2018 21:07

Tgt Ion:244 Resp: 474782
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 12.9 11.0 16.4






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.45 min Scan# 2272
Delta R.T. -0.01 min
Lab File: BF104850.D
Acq: 26 Apr 2018 21:07

Instrument :
BNA_F
ClientSampleId :
FK-PS-01.022

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.2	28.8
265	22.7	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

