

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF042619\
 Data File : BF114006.D
 Acq On : 26 Apr 2019 13:32
 Operator : JU/SJ
 Sample : PB119206BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB119206BL

Quant Time: Apr 27 00:58:57 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 23 03:32:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	152190	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	573530	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	308675	20.00	ng	0.00
64) Phenanthrene-d10	11.42	188	658167	20.00	ng	0.00
76) Chrysene-d12	14.06	240	558202	20.00	ng	-0.01
87) Perylene-d12	15.54	264	493475	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	1028046	115.53	ng	0.02
7) Phenol-d6	6.53	99	1325114	118.70	ng	0.00
23) Nitrobenzene-d5	7.45	82	820089	88.29	ng	0.00
42) 2,4,6-Tribromophenol	10.72	330	463961	123.38	ng	0.00
45) 2-Fluorobiphenyl	9.25	172	1700655	86.17	ng	0.00
79) Terphenyl-d14	13.00	244	2130130	78.23	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF042619\
Data File : BF114006.D
Acq On : 26 Apr 2019 13:32
Operator : JU/SJ
Sample : PB119206BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB119206BL

Quant Time: Apr 27 00:58:57 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF042219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 23 03:32:35 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.89 min Scan# 817
 Delta R.T. -0.01 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32

Instrument :
 BNA_F
 ClientSampleId :
 PB119206BL

Tgt Ion	Ratio	Lower	Upper
152	100		
150	154.8	125.9	188.9
115	61.6	45.9	68.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 115.535 ng
 RT: 5.53 min Scan# 586
 Delta R.T. 0.02 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.2	46.6	69.8
63	28.4	23.1	34.7






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 118.698 ng

RT: 6.53 min Scan# 755

Delta R.T. 0.01 min

Lab File: BF114006.D

Acq: 26 Apr 2019 13:32

Instrument :

BNA_F

ClientSampleId :

PB119206BL


Tgt Ion: 99 Resp: 1325114

Ion Ratio Lower Upper




99 100

42 15.2 12.5 18.7

71 34.9 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1035

Delta R.T. -0.01 min

Lab File: BF114006.D

Acq: 26 Apr 2019 13:32

Tgt Ion: 136 Resp: 573530


Ion Ratio Lower Upper

136 100



137 11.5 8.6 12.8


54 6.1 5.0 7.6

68 6.1 4.9 7.3



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 88.287 ng
 RT: 7.45 min Scan# 912
 Delta R.T. -0.01 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32




Instrument :
 BNA_F
 ClientSampleId :
 PB119206BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	45.9	36.8	55.2
54	42.7	33.8	50.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.93 min Scan# 1334
 Delta R.T. 0.00 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.8	81.1	121.7
160	45.2	35.8	53.6









#42
 2,4,6-Tribromophenol
 Concen: 123.384 ng
 RT: 10.72 min Scan# 1468
 Delta R.T. 0.00 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32

Instrument :
 BNA_F
 ClientSampleId :
 PB119206BL

Tgt Ion:330 Resp: 463961
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.5 116.3
 141 26.8 22.2 33.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 86.170 ng
 RT: 9.25 min Scan# 1218
 Delta R.T. -0.00 min
 Lab File: BF114006.D
 Acq: 26 Apr 2019 13:32

Tgt Ion:172 Resp: 1700655
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.4 44.0
 170 24.4 19.9 29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.42 min Scan# 1586
Delta R.T. 0.00 min
Lab File: BF114006.D
Acq: 26 Apr 2019 13:32

Instrument :
BNA_F
ClientSampleId :
PB119206BL

Tgt Ion:188 Resp: 658167
Ion Ratio Lower Upper
188 100
94 9.2 8.2 12.4
80 10.7 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2035
Delta R.T. -0.01 min
Lab File: BF114006.D
Acq: 26 Apr 2019 13:32

Tgt Ion:240 Resp: 558202
Ion Ratio Lower Upper
240 100
120 9.7 9.3 13.9
236 26.9 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 78.234 ng

RT: 13.00 min Scan# 1856

Delta R.T. 0.00 min

Lab File: BF114006.D

Acq: 26 Apr 2019 13:32

Instrument :

BNA_F

ClientSampleId :

PB119206BL


Tgt Ion:244 Resp: 2130130

Ion Ratio Lower Upper

244 100

212 7.4 5.4 8.2




122 10.9 7.6 11.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.54 min Scan# 2288

Delta R.T. -0.02 min

Lab File: BF114006.D

Acq: 26 Apr 2019 13:32


Tgt Ion:264 Resp: 493475

Ion Ratio Lower Upper

264 100

260 24.0 18.9 28.3

265 20.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

