

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042716\
 Data File : BF086430.D
 Acq On : 27 Apr 2016 18:08
 Operator : UM/SJ
 Sample : H2648-14DL 100X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-WDL

Quant Time: Apr 28 12:57:40 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 27 14:20:52 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	95737	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	443777	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	201685	20.00	ng	-0.01
63) Phenanthrene-d10	11.32	188	361844	20.00	ng	0.00
75) Chrysene-d12	13.95	240	227323	20.00	ng	-0.01
86) Perylene-d12	15.36	264	240213	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	6145	1.11	ng	0.00
7) Phenol-d6	6.43	99	11027	1.42	ng	-0.01
23) Nitrobenzene-d5	7.37	82	6552	0.80	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	2012	0.95	ng	-0.01
44) 2-Fluorobiphenyl	9.16	172	18504	-1.00	ng	-0.01
78) Terphenyl-d14	12.91	244	12274	1.19	ng	0.00
Target Compounds						
37) 2-Methylnaphthalene	8.81	142	35251	2.65	ng	96
73) Di-n-butylphthalate	11.89	149	190279	9.35	ng	98
83) Bis(2-ethylhexyl)phthalate	13.95	149	430978	48.94	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF042716\
Data File : BF086430.D
Acq On : 27 Apr 2016 18:08
Operator : UM/SJ
Sample : H2648-14DL 100X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-WDL

Quant Time: Apr 28 12:57:40 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF042716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 27 14:20:52 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 413

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Instrument :

BNA_F

ClientSampleId :

WC-WDL


Tot Ion:152 Resp: 95737

Ion Ratio Lower Upper

152 100

150 157.3 125.8 188.6




115 55.4 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 1.11 ng

RT: 5.39 min Scan# 289

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08


Tgt Ion:112 Resp: 6145

Ion Ratio Lower Upper

112 100

64 66.0 52.1 78.1



63 34.6 25.7 38.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 1.42 ng

RT: 6.43 min Scan# 380

Delta R.T. -0.01 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Instrument :

BNA_F

ClientSampleId :

WC-WDL


Tot Ion: 99 Resp: 11027

Ion Ratio Lower Upper

99 100

42 26.7 13.6 20.4#




71 33.9 24.6 36.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525

Delta R.T. -0.01 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Tgt Ion: 136 Resp: 443777


Ion Ratio Lower Upper

136 100

137 11.3 8.8 13.2

54 13.1 5.0 7.4#

68 7.9 4.4 6.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 0.80 ng
 RT: 7.37 min Scan# 462
 Delta R.T. -0.01 min
 Lab File: BF086430.D
 Acq: 27 Apr 2016 18:08




Instrument :
 BNA_F
 ClientSampleId :
 WC-WDL


Tot Ion: 82 Resp: 6552
 Ion Ratio Lower Upper
 82 100
 128 40.7 40.6 61.0
 54 54.3 38.1 57.1



#37
 2-Methylnaphthalene
 Concen: 2.65 ng
 RT: 8.81 min Scan# 588
 Delta R.T. 0.00 min
 Lab File: BF086430.D
 Acq: 27 Apr 2016 18:08

Tgt Ion: 142 Resp: 35251
 Ion Ratio Lower Upper
 142 100
 141 90.7 71.0 106.6
 115 38.1 26.6 39.8









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 678
 Delta R.T. -0.01 min
 Lab File: BF086430.D
 Acq: 27 Apr 2016 18:08

Instrument :
 BNA_F
 ClientSampleId :
 WC-WDL

Tot Ion:164 Resp: 201685
 Ion Ratio Lower Upper
 164 100
 162 103.0 82.8 124.2
 160 48.2 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 0.95 ng
 RT: 10.62 min Scan# 747
 Delta R.T. -0.01 min
 Lab File: BF086430.D
 Acq: 27 Apr 2016 18:08

Tgt Ion:330 Resp: 2012
 Ion Ratio Lower Upper
 330 100
 332 113.9 79.0 118.4
 141 116.5 31.2 46.8#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44

2-Fluorobiphenyl

Concen: -1.00 ng

RT: 9.16 min Scan# 619

Delta R.T. -0.01 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Instrument :

BNA_F

ClientSampleId :

WC-WDL


Tot Ion:172 Resp: 18504

Ion Ratio Lower Upper

172 100

171 35.7 29.0 43.6




170 22.6 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.32 min Scan# 808

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08


Tgt Ion:188 Resp: 361844

Ion Ratio Lower Upper

188 100

94 10.7 6.8 10.2#



80 11.0 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#73

Di-n-butylphthalate

Concen: 9.35 ng

RT: 11.89 min Scan# 858

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Instrument :

BNA_F

ClientSampleId :

WC-WDL


Tot Ion:149 Resp: 190279

Ion Ratio Lower Upper

149 100

150 8.7 7.6 11.4




104 4.5 3.8 5.6



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.95 min Scan# 1038

Delta R.T. -0.01 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08


Tgt Ion:240 Resp: 227323

Ion Ratio Lower Upper

240 100

120 14.3 11.2 16.8



236 26.3 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 1.19 ng

RT: 12.91 min Scan# 947

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08

Instrument :

BNA_F

ClientSampleId :

WC-WDL


Tot Ion:244 Resp: 12274

Ion Ratio Lower Upper

244 100

212 7.0 6.2 9.2




122 13.5 12.0 18.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 48.94 ng

RT: 13.95 min Scan# 1038

Delta R.T. 0.00 min

Lab File: BF086430.D

Acq: 27 Apr 2016 18:08


Tgt Ion:149 Resp: 430978

Ion Ratio Lower Upper

149 100

167 27.7 21.8 32.6



279 4.5 2.6 4.0#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.36 min Scan# 1161
Delta R.T. 0.00 min
Lab File: BF086430.D
Acq: 27 Apr 2016 18:08

Instrument :
BNA_F
ClientSampleId :
WC-WDL

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.5	29.3
265	21.4	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

