

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042722\
 Data File : BF127953.D
 Acq On : 27 Apr 2022 18:59
 Operator : CG\JU
 Sample : N2482-14
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SPN-9

Quant Time: Apr 28 05:16:55 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 28 05:13:03 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	96550	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	371919	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	195813	20.000	ng	0.00
64) Phenanthrene-d10	11.463	188	293173	20.000	ng	0.00
76) Chrysene-d12	14.110	240	201845	20.000	ng	0.00
86) Perylene-d12	15.615	264	247132	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.551	112	559157	92.244	ng	0.00
7) Phenol-d6	6.551	99	536956	68.267	ng	-0.01
23) Nitrobenzene-d5	7.498	82	903833	114.277	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	254425	129.072	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	1345551	116.250	ng	0.00
79) Terphenyl-d14	13.051	244	1091631	98.893	ng	0.00
Target Compounds						
60) Diethylphthalate	10.380	149	57535	4.468	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042722\
Data File : BF127953.D
Acq On : 27 Apr 2022 18:59
Operator : CG\JU
Sample : N2482-14
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SPN-9

Quant Time: Apr 28 05:16:55 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 28 05:13:03 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 792
Delta R.T. -0.000 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion:152 Resp: 96550
Ion Ratio Lower Upper
152 100
150 152.3 125.3 187.9
115 62.7 48.8 73.2



#5
2-Fluorophenol
Concen: 92.244 ng
RT: 5.551 min Scan# 555
Delta R.T. -0.000 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion:112 Resp: 559157
Ion Ratio Lower Upper
112 100
64 67.5 49.5 74.3
63 36.6 26.3 39.5









#7
Phenol-d6
Concen: 68.267 ng
RT: 6.551 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion: 99 Resp: 536956
Ion Ratio Lower Upper
99 100
42 20.2 16.6 24.8
71 37.4 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion: 136 Resp: 371919
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 8.9 6.8 10.2
68 6.4 5.1 7.7









#23
Nitrobenzene-d5
Concen: 114.277 ng
RT: 7.498 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion: 82 Resp: 903833
Ion Ratio Lower Upper
82 100
128 38.5 30.0 45.0
54 51.0 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1306
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion:164 Resp: 195813
Ion Ratio Lower Upper
164 100
162 95.1 76.0 114.0
160 43.0 34.8 52.2









#42
2,4,6-Tribromophenol
Concen: 129.072 ng
RT: 10.763 min Scan# 1444
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion:330 Resp: 254425
Ion Ratio Lower Upper
330 100
332 96.3 79.0 118.4
141 34.9 28.9 43.3



#45
2-Fluorobiphenyl
Concen: 116.250 ng
RT: 9.292 min Scan# 1191
Delta R.T. -0.000 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion:172 Resp: 1345551
Ion Ratio Lower Upper
172 100
171 35.6 28.6 42.8
170 23.6 19.1 28.7









#60
Diethylphthalate
Concen: 4.468 ng
RT: 10.380 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion:149 Resp: 57535
Ion Ratio Lower Upper
149 100
177 20.7 17.8 26.8
150 12.1 10.2 15.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.463 min Scan# 1560
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion:188 Resp: 293173
Ion Ratio Lower Upper
188 100
94 8.4 8.0 12.0
80 9.3 8.9 13.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.110 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59




Instrument :
BNA_F
ClientSampleId :
SPN-9


Tgt Ion:240 Resp: 201845
Ion Ratio Lower Upper
240 100
120 9.0 7.0 10.6
236 26.6 20.3 30.5



#79
Terphenyl-d14
Concen: 98.893 ng
RT: 13.051 min Scan# 1830
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Tgt Ion:244 Resp: 1091631
Ion Ratio Lower Upper
244 100
212 7.5 6.2 9.4
122 10.2 8.6 12.8





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.615 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF127953.D
Acq: 27 Apr 2022 18:59

Instrument :
BNA_F
ClientSampleId :
SPN-9

Tgt Ion:264 Resp: 247132

Ion	Ratio	Lower	Upper
264	100		
260	23.1	20.1	30.1
265	20.9	17.5	26.3

