

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042822\
 Data File : BF127979.D
 Acq On : 28 Apr 2022 14:23
 Operator : CG\JU
 Sample : N2482-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COP-1R

Quant Time: Apr 28 17:24:23 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 28 05:13:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	102463	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	396198	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	223508	20.000	ng	0.00
64) Phenanthrene-d10	11.463	188	393620	20.000	ng	0.00
76) Chrysene-d12	14.110	240	219856	20.000	ng	0.00
86) Perylene-d12	15.615	264	226080	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	672987	104.616	ng	0.00
7) Phenol-d6	6.551	99	681127	81.600	ng	-0.01
23) Nitrobenzene-d5	7.498	82	1005082	119.292	ng	0.00
42) 2,4,6-Tribromophenol	10.769	330	381435	169.528	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	1560492	118.114	ng	0.00
79) Terphenyl-d14	13.057	244	1573638	130.881	ng	0.00
Target Compounds						
35) Caprolactam	8.622	113	5593	2.878	ng	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042822\
Data File : BF127979.D
Acq On : 28 Apr 2022 14:23
Operator : CG\JU
Sample : N2482-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COP-1R

Quant Time: Apr 28 17:24:23 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 28 05:13:03 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23




Instrument :
BNA_F
ClientSampleId :
COP-1R


Tgt Ion:152 Resp: 102463
Ion Ratio Lower Upper
152 100
150 158.8 125.3 187.9
115 68.1 48.8 73.2



#5
2-Fluorophenol
Concen: 104.616 ng
RT: 5.557 min Scan# 556
Delta R.T. 0.006 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23

Tgt Ion:112 Resp: 672987
Ion Ratio Lower Upper
112 100
64 66.8 49.5 74.3
63 36.0 26.3 39.5









#7
Phenol-d6
Concen: 81.600 ng
RT: 6.551 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23




Instrument :
BNA_F
ClientSampleId :
COP-1R

Tgt Ion: 99 Resp: 681127
Ion Ratio Lower Upper
99 100
42 20.8 16.6 24.8
71 38.5 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23

Tgt Ion: 136 Resp: 396198
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 9.5 6.8 10.2
68 6.7 5.1 7.7









#23
Nitrobenzene-d5
Concen: 119.292 ng
RT: 7.498 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23




Instrument :
BNA_F
ClientSampleId :
COP-1R


Tgt Ion: 82 Resp: 1005082
Ion Ratio Lower Upper
82 100
128 37.2 30.0 45.0
54 52.0 41.3 61.9



#35
Caprolactam
Concen: 2.878 ng
RT: 8.622 min Scan# 1077
Delta R.T. -0.047 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23

Tgt Ion: 113 Resp: 5593
Ion Ratio Lower Upper
113 100
55 188.0 157.4 197.4
56 142.7 116.1 156.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.969 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF127979.D

Acq: 28 Apr 2022 14:23

Instrument :

BNA_F

ClientSampleId :

COP-1R





Tgt Ion:164 Resp: 223508

Ion Ratio Lower Upper

164 100

162 94.8 76.0 114.0

160 43.8 34.8 52.2



#42

2,4,6-Tribromophenol

Concen: 169.528 ng

RT: 10.769 min Scan# 1442

Delta R.T. -0.000 min

Lab File: BF127979.D

Acq: 28 Apr 2022 14:23




Tgt Ion:330 Resp: 381435


Ion Ratio Lower Upper

330 100

332 97.1 79.0 118.4

141 35.1 28.9 43.3





#45

2-Fluorobiphenyl

Concen: 118.114 ng

RT: 9.292 min Scan# 1191

Delta R.T. -0.000 min

Lab File: BF127979.D

Acq: 28 Apr 2022 14:23

Instrument :

BNA_F

ClientSampleId :

COP-1R





Tgt Ion:172 Resp: 1560492

Ion Ratio Lower Upper

172 100

171 35.0 28.6 42.8

170 24.4 19.1 28.7



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.463 min Scan# 1560

Delta R.T. -0.006 min

Lab File: BF127979.D

Acq: 28 Apr 2022 14:23




Tgt Ion:188 Resp: 393620


Ion Ratio Lower Upper

188 100

94 8.7 8.0 12.0

80 10.0 8.9 13.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.110 min Scan# 2013
Delta R.T. -0.006 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23




Instrument :
BNA_F
ClientSampleId :
COP-1R


Tgt Ion:240 Resp: 219856
Ion Ratio Lower Upper
240 100
120 8.4 7.0 10.6
236 24.9 20.3 30.5



#79
Terphenyl-d14
Concen: 130.881 ng
RT: 13.057 min Scan# 1831
Delta R.T. -0.000 min
Lab File: BF127979.D
Acq: 28 Apr 2022 14:23


Tgt Ion:244 Resp: 1573638
Ion Ratio Lower Upper
244 100
212 7.7 6.2 9.4
122 9.3 8.6 12.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.615 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BF127979.D
 Acq: 28 Apr 2022 14:23

Instrument :
 BNA_F
 ClientSampleId :
 COP-1R



Tgt Ion:264 Resp: 226080

Ion	Ratio	Lower	Upper
264	100		
260	23.0	20.1	30.1
265	21.3	17.5	26.3

